



Eurocode 7 - *Geotechnical design*

-

Part 2

Ground investigation and testing

Dr.-Ing. Bernd Schuppener,
Federal Waterways Engineering and Research Institute,
Karlsruhe, Germany



Eurocode 7: Geotechnical design

Part 1: General rules

2.4 Geotechnical design by calculation

2.4.1 General

(2) It should be considered that knowledge of the ground conditions depends on the extent and quality of the geotechnical investigations. Such knowledge and the control of workmanship are usually more significant to fulfilling the fundamental requirements than is precision in the calculation models and partial factors.



1.1.2 Scope of Eurocode 7-2

(1) EN 1997-2 is intended to be used in conjunction with EN 1997-1 and provides rules supplementary to EN 1997-1 related to:

- planning and reporting of ground investigations;
- general requirements for a number of commonly used laboratory and field tests;
- interpretation and evaluation of test results;
- derivation of values of geotechnical parameters and coefficients.



Hierarchy of standards

*EC 7 Geotechnical design - part 2
Ground investigation and testing*

*EN ISO 22476
Field testing
Part 1 to 13*

*CEN ISO/TS 17892
Laboratory tests
Part 1 -12*

*EN ISO 14688
EN ISO 14689
Identification
and
classification of
soil and rock*

*EN ISO 22475
Sampling and
groundwater
measure-
ments*



Content of Eurocode 7-2

1. General
2. Planning of ground investigations
3. Soil and rock sampling and groundwater measurements
4. Field tests in soil and rock
5. Laboratory tests on soil and rock
6. Ground investigation report

23 Annexes




1.5 Definitions

1.5.3 Specific definitions used in EN 1997-2

1.5.3.1 derived value

value of a geotechnical parameter obtained from test results by theory, correlation or empiricism.

1.6 Test results and derived values





Content of Eurocode 7-2

1. General
2. **Planning of ground investigations**
3. Soil and rock sampling and groundwater measurements
4. Field tests in soil and rock
5. Laboratory tests on soil and rock
6. Ground investigation report

23 Annexes

2 Planning of ground investigations

2.1 Objectives

2.2 Sequence of ground investigations

2.3 Preliminary investigations

2.4 Design investigations

2.4.1 Field investigations

2.4.2 Laboratory tests

2.5 Controlling and monitoring



2.1 Objectives

2.1.1 General

(1)P Geotechnical investigations shall be planned in such a way as to ensure that relevant geotechnical information and data are available at the various stages of the project.

(6) Before designing the investigation programme, the available information and documents should be evaluated in **a desk study**.

(7) Examples of information and documents that can be used are:

- geological maps and descriptions;
- previous investigations at the site and in the surroundings;
- aerial photos and previous photo interpretations;
- topographical maps;



2.1 Objectives

2.1.2 Ground

(1)P Ground investigations shall provide a description of ground conditions relevant to the proposed works and establish a basis for the assessment of the geotechnical parameters relevant for all construction stages.

(2) The information obtained should **enable assessment** of the following aspects, if possible:

- the **suitability** of the site with respect to the proposed construction and the level of acceptable risks;
- the **deformation of the ground** caused by the structure or resulting from construction works, its spatial distribution and behaviour over time;



2.1 Objectives

(2) The information obtained should enable **assessment** of the following aspects, if possible (continued):

- the safety with respect to **limit states** (e.g. subsidence, ground heave, uplift, slippage of soil and rock masses, buckling of piles, etc.);
- the **loads transmitted** from the ground to the structure (e.g. lateral pressures on piles) and the extent to which they depend on its design and construction;
- the **foundation methods** (e.g. ground improvement, whether it is possible to excavate, driveability of piles, drainage);
- the **sequence** of foundation works;
- the effects of the structure and its use on the **surroundings**;



2.1 Objectives

(2) The information obtained should **enable assessment** of the following aspects, if possible (continued):

- any **additional structural measures** required (e.g. support of excavation, anchorage, sleeving of bored piles, removal of obstructions); the effects of construction work on the surroundings;
- the type and extent of **ground contamination** on, and in the vicinity of, the site;
- the effectiveness of measures taken to contain or **remedy contamination**.



2.1 Objectives

2.1.4 Ground water

- (3) The information obtained should be sufficient to **assess** the following aspects, where relevant:
- the scope for and nature of **groundwater-lowering work**;
 - possible harmful effects of the groundwater on excavations or on slopes
 - any measures necessary to **protect the structure**;
 - the **effects of groundwater lowering**, desiccation, impounding etc. on the surroundings;
 - the **capacity of the ground** to absorb water injected during construction work;
 - whether it is possible to **use local groundwater**, given its chemical constitution, for construction purposes.



2.2 Sequence of ground investigations

Desk studies

Preliminary investigations

Design investigations

Supervision of construction (EC 7-1)

Controlling and monitoring (EC 7-1)



2.4 Design investigations

2.4.1.3 Locations and depths of the investigation points

(2) When selecting the locations of investigation points, the following should be observed:

- the investigation points should be arranged in such a pattern that the **stratification** can be assessed across the site;
- the investigation points for a building or structure should be placed at **critical points** relative to the shape, structural behaviour and expected load distribution (e.g. at the corners of the foundation area);
- for linear structures, investigation points should be arranged at **adequate offsets** to the centre line, depending on the overall width of the structure, such as an embankment footprint or a cutting;



2.4 *Design investigations*

2.4.1.3 Locations and depths of the investigation points

(2) When selecting the locations of investigation points, the following should be observed (continued):

- for structures on or near slopes and steps in the terrain (including excavations), investigation points should also be arranged outside the project area, these being located so that the **stability of the slope** or cut can be assessed.
- Where **anchorages** are installed, due consideration should be given to the likely stresses in their load transfer zone;
- the investigation points should be arranged so that they do **not present a hazard** to the structure, the construction work, or the surroundings (e.g. they may cause changes to the ground and groundwater conditions);

2.4 Design investigations

2.4.1.3 Locations and depths of the investigation points

(2) When selecting the locations of investigation points, the following should be observed (continued):

- the area considered in the design investigations should extend into the neighbouring area to a distance where **no harmful influence on the neighbouring area** is expected;
- for **groundwater** measuring points, the possibility of using the equipment installed during the ground investigation for **continued monitoring** during and after the construction period should be considered.



2.4 *Design investigations*

(6)P The **depth of investigations** shall be extended to all strata that will affect the project or are affected by the construction.

- For dams, weirs and excavations below groundwater level, and where dewatering work is involved, the depth of investigation shall also be selected as a function of the hydro-geological conditions.
- Slopes and steps in the terrain shall be explored to depths below any potential slip surface.


NOTE For the **spacing** of investigation points and investigation **depths**, the values given in Annex B.3 can be used as guidance.



Annex B.3 Examples of recommendations for the spacing and depth of investigations

- (1) The following spacing of investigation points should be used as guidance:
- for high-rise and industrial structures, a grid pattern with points at 15 m to 40 m distance;
 - for large-area structures, a grid pattern with points at not more than 60 m distance;
 - for linear structures (roads, railways, channels, pipelines, dikes, tunnels, retaining walls), a spacing of 20 m to 200 m;
 - for special structures (e.g. bridges, stacks, machinery foundations), two to six investigation points per foundation;
 - for dams and weirs, 25 m to 75 m distance, along vertical sections.

Annex B.3: Spacing and depth of investigations





(5) For **high-rise structures** and civil engineering projects, the larger value of the following conditions should be applied:

- $z_a \geq 6$ m;
- $z_a \geq 3,0 b_F$.

where b_F is the smaller side length of the foundation.

Annex B.3: Spacing and depth of investigations




(6) For **raft foundations** and structures with several foundation elements whose effects in deeper strata are superimposed on each other:

$$z_a \geq 1,5 \cdot b_B$$

where b_B is the smaller side of the structure,

Annex B.3: Spacing and depth of investigations



(7) **Embankments** and **cuttings**, the larger value of the following conditions should be met:

a) For dams:

– $0,8h < z_a < 1,2h$

– $z_a \geq 6 \text{ m}$

where h is the embankment height.


b) For cuttings:

– $z_a \geq 2,0 \text{ m}$

– $z_a \geq 0,4h$

where h is the dam height or depth of cutting.

Annex B.3: Spacing and depth of investigations



For **roads** and **airfields**:

$z_a \geq 2$ m below the proposed formation level.


For **trenches** and pipelines, the larger value of:

– $z_a \geq 2$ m below the invert level;

– $z_a \geq 1,5b_{Ah}$

where b_{Ah} is the width of excavation.

Annex B.3: Spacing and depth of investigations




(9) For **small tunnels and caverns:**

$$b_{Ab} < z_a < 2,0b_{Ab}$$

where b_{Ab} is the width of excavation.

The groundwater conditions described in (10) b) should also be taken into account.

Annex B.3: Spacing and depth of investigations




(10) Excavations a)

Where the piezometric surface and the groundwater tables are **below the excavation base**, the larger value of the following conditions should be met:

- $z_a \geq 0,4h$
- $z_a \geq (t + 2,0) \text{ m}$

where: t is the embedded length of the support; and h is the excavation depth.

Annex B.3: Spacing and depth of investigations




b) Where the piezometric surface and the **ground-water tables are above the excavation base**, the larger value of the following conditions should be met:

- $z_a \geq (1,0 \cdot H + 2,0)$ m
- $z_a \geq (t + 2,0)$ m

where H is the height of the groundwater level above the excavation base; and t is the embedded length of the support.

Annex B.3: Spacing and depth of investigations




(12) For **cut-off walls**:

– $z_a \geq 2$ m

below the surface of the stratum impermeable to groundwater.

Annex B.3: Spacing and depth of investigations



(13) For **piles** the following three conditions should be met:

- $z_a \geq 1,0b_g$
- $z_a \geq 5,0 \text{ m}$
- $z_a \geq 3D_F$

where D_F is the pile base diameter; and b_g is the smaller side of the rectangle circumscribing the group of piles forming the foundation at the level of the pile base.

2 Planning of ground investigations

2.4.1.4 Sampling

(2)P For identification and classification of the ground, at least **one borehole or trial** pit with sampling shall be available. Samples shall be obtained from **every separate ground layer influencing** the behaviour of the structure.

(3) **Sampling may be replaced by field tests** if there is enough local experience to correlate the field tests with the ground conditions to ensure unambiguous interpretation of the results.

(7) Samples should be taken **at any change of stratum** and at a specified spacing, usually not larger than 3 m. In inhomogeneous soil, or if a detailed definition of the ground conditions is required, continuous sampling by drilling should be carried out or samples recovered at very short intervals.



2 Planning of ground investigations

2.5 Controlling and monitoring

(1)P A number of checks and additional tests shall be made during the **construction and execution** of the project, when relevant, in order to check that the ground conditions agree with those determined in the design investigations and that the properties of the delivered construction materials and the construction works correspond to those presumed or specified.

(2)P The following control measures shall be applied:

- check of ground profile **when excavating**;
- inspection of the **bottom of the excavation**.



3 Soil and rock sampling and groundwater measurements

3.1 General

3.2 Sampling by drilling

3.3 Sampling by excavation

3.4 Soil sampling

3.5 Rock sampling

3.6 Groundwater measurements in soils and rocks



3.4 Soil sampling

(1)P Samples shall contain **all the mineral constituents** of the strata from which they have been taken. They shall not be contaminated by any material from other strata or from additives used during the sampling procedure.

(2)P **Three sampling method categories** shall be considered (EN ISO 22475-1), depending on the desired sample quality as follows:

- **category A** sampling methods: samples of quality class 1 to 5 can be obtained;
- **category B** sampling methods: samples of quality class 3 to 5 can be obtained;
- **category C** sampling methods: only samples of quality class 5 can be obtained.



3.4 Soil sampling

(6)P Soil samples for laboratory tests are divided in **five quality classes** with respect to the soil properties that are assumed to **remain unchanged** during sampling and handling, transport and storage.



3.4 Soil sampling

Table 3.1 - Quality classes of soil samples for laboratory testing and sampling categories to be used

Soil properties / quality class	1	2	3	4	5
Unchanged soil properties					
particle size	*	*	*	*	
water content	*	*	*		
density, density index, permeability	*	*			
compressibility, shear strength	*				
Properties that can be determined:					
sequence of layers	*	*	*	*	*
boundaries of strata – broad	*	*	*	*	
boundaries of strata – fine	*	*	*	*	
Atterberg limits, particle density, organic content	*	*	*		
water content	*	*			
density, density index, porosity, permeability	*	*			
compressibility, shear strength	*				
Sampling category according to EN ISO 22475-1	A				
				B	
					C


4 Field tests in soil and rock

- 4.1 General
- 4.2 General requirements
- 4.3 Cone penetration and piezocone penetration tests (CPT, CPTU)
- 4.4 Pressuremeter tests (PMT)
- 4.5 Flexible dilatometer test (FDT)
- 4.6 Standard penetration test SPT
- 4.7 Dynamic probing tests (DP)
- 4.8 Weight sounding test (WST)
- 4.9 Field vane test (FVT)
- 4.10 Flat dilatometer test (DMT)
- 4.11 Plate loading test (PLT)

4.3 Cone penetration tests


- (1) The objective of the cone penetration test (CPT) is to determine the resistance of soil and soft rock to the penetration of a cone and the local friction on a sleeve.
- (2)P The CPT consists of pushing a cone penetrometer vertically into the soil using a series of push rods. The cone penetrometer shall be pushed into the soil at a constant rate of penetration. The cone penetrometer comprises the cone and if appropriate a cylindrical shaft or friction sleeve. The penetration resistance of the cone q_c as well as, if appropriate, the local friction on the friction sleeve shall be measured.

4.3 Cone penetration and piezocone penetration tests (CPT, CPTU)




Porewater pressure measurement:
 u_1 : on the cone face
 u_2 : at the cylindrical extension of the cone
 u_3 : directly behind the friction sleeve

4.3 Cone penetration and piezocone penetration tests (CPT, CPTU)



4.3 Cone penetration and piezocone penetration tests (CPT, CPTU)

q_c cone penetration resistance



4.3 Cone penetration tests - Annex D

- D.1** Example for deriving values of the effective angle of shearing resistance and drained Young's modulus
- D.2 Example of a correlation between the cone penetration resistance and the effective angle of shearing resistance
- D.3** Example of a method to determine the settlement for spread foundations
- D.4 Example of a correlation between the oedometer modulus and the cone penetration resistance
- D.5 Examples of establishing the stress-dependent oedometer modulus from CPT results
- D.6** Example of a correlation between compressive resistance of a single pile and cone penetration resistance
- D.7 Example of a method to determine the compressive resistance of a single pile.

4.3 Cone penetration tests

Annex D.1

Table D.1: Effective angle of shearing resistance (ϕ') and drained Young's modulus of elasticity (E') from cone penetration resistance (q_c)

Density index	Cone resistance (q_c) (from CPT) MPa	Effective angle of shearing resistance ^a , (ϕ') °	Drained Young's modulus ^b , (E') MPa
Very loose	0,0 – 2,5	29 – 32	< 10
Loose	2,5 – 5,0	32 – 35	10 – 20
Medium dense	5,0 – 10,0	35 – 37	20 – 30
Dense	10,0 – 20,0	37 – 40	30 – 60
Very dense	> 20,0	40 – 42	60 – 90

^a Values given are valid for **sands**. For silty soil a reduction of 3° should be made. For gravels 2° should be added.

^b E' is an approximation to the stress and time dependent secant modulus. Values given for the drained modulus correspond to settlements for 10 years. They are obtained assuming that the vertical stress distribution follows the 2:1 approximation.



5 Laboratory tests

5.1 General

5.2 General requirements for laboratory tests

5.3 Preparation of soil specimens for testing

5.4 Preparation of rock specimens for testing

5.5 Tests for classification, identification and description of soil

5.6 Chemical testing of soil and groundwater

5.7 Strength index testing of soil

5.8 Strength testing of soil

5.9 Compressibility and deformation testing of soil

5.10 Compaction testing of soil

5.11 Permeability testing of soil

5.12 Tests for classification of rocks

5.13 Swelling testing of rock material

5.14 Strength testing of rock material

5.8 Strength testing of soil - Annex P

Table P.1 – Triaxial compression tests. Recommended minimum number of tests for one soil stratum

Recommended number of tests to determine the effective angle of shearing resistance ^a			
Variability in strength envelope Coefficient of correlation r on regression curve	Comparable experience		
	None	Medium	Extensive
$r \leq 0,95$	4	3	2
$0,95 << r \leq 0,98$	3	2	1
$r \geq 0,98$	2	1	1
Recommended number of tests to determine the undrained shear strength ^a			
Variability in undrained shear strength (for same consolidation stress)	Comparable experience		
	None	Medium	Extensive
Ratio max/min values > 2	6	4	3
$1,25 < \text{Ratio max/min value} \leq 2$	4	3	2
Ratio max/min value $\leq 1,25$	3	2	1
^a One recommended test means a set of three individual specimens tested at different cell pressures.			



5.9 Compressibility and deformation testing of soil - Annex Q

Table Q.1 — Incremental oedometer test. Recommended minimum number of tests for one soil stratum

Variability in oedometer modulus E_{oed} (in the relevant stress range)	Comparable experience		
	None	Medium	Extensive
Range of values of $E_{\text{oed}} \geq 50 \%$	4	3	2
20% < Range of values of $E_{\text{oed}} < 50 \%$	3	2	2
Range of values of $E_{\text{oed}} \leq 20 \%$	2	2	1 ^a

^a One oedometer test and classification tests to verify compatibility with comparable knowledge (see Q.1 (2)).

5.11 Permeability testing of soil Annex S

Table S.1 - Permeability tests. Recommended minimum number of soil specimens to be tested for one soil stratum.

Variability in measured coefficient of permeability (k)	Comparable experience		
	None	Medium	Extensive
$k_{\max}/k_{\min} > 100$	5	4	3
$10 < k_{\max}/k_{\min} \leq 100$	5	3	2
$k_{\max}/k_{\min} \leq 10$	3	2	1 ^a

^a A single test and classification tests to verify compatibility with existing knowledge.



6 Ground investigation report

6.1 General requirements

6.2 Presentation of geotechnical information

6.3 Evaluation of geotechnical information

6.4 Establishment of derived values



6 Ground investigation report

6.1 General requirements

(1)P The results of a geotechnical investigation shall be compiled in the Ground Investigation Report which shall form a part of the Geotechnical Design Report.

(2)P The Ground Investigation Report shall consist of, if appropriate

- a presentation of all available geotechnical information including geological features and relevant data;
- a geotechnical evaluation of the information, stating the assumptions made in the interpretation of the test results.

6 Ground investigation report

6.2 Presentation of geotechnical information

(1)P The presentation of geotechnical information shall include a factual account of all field and laboratory investigations.

(2) The factual account should include the following information, as relevant:

-
-



6 Ground investigation report

6.3 Evaluation of geotechnical information

(1)P The evaluation of the geotechnical information shall be documented and include, if appropriate:

- the results and a review of the field investigations, laboratory tests and all other information;
- a description of the geometry of the strata;
- detailed descriptions of all strata including their physical properties and their deformation and strength characteristics;
- comments on irregularities such as cavities.

6.4 Establishment of derived values

(1)P If correlations have been used to derive geotechnical parameters or coefficients, the correlations and their applicability shall be documented.


1.6 Test results and derived values

Type of test
F= field L= laboratory

Correlations

Test results and derived values

EN 1997-2
EN 1997 1





Summary

Eurocode 7 part 2 Ground investigation and testing

- gives guidance for the planning of ground investigation with respect to the location, the depth, the type and the number of investigations,
- gives the essential requirements for the sampling in soil and rock,
- the handling and processing of the samples in the laboratory and
- defines what a Ground Investigation Report must contain.



Thank you



Annex B.3 Examples of recommendations for the spacing and depth of investigations

(2) For the investigation depth z_a the following values should be used as guidance. (The reference level for z_a is the lowest point of the foundation of the structure or structural element, or the excavation base.) Where more than one alternative is specified for establishing z_a , the one which yields the largest value should be applied.