

SADRŽAJ TEHNIČKE DOKUMENTACIJE

(SPISAK FOLDERA):

Folder 1 (opšta dokumentacija i projektni zadatak, građevinski projekat saobraćaja)

SADRŽAJ POJEDINIH DJELOVA TEHNIČKE DOKUMENTACIJE

(FOLDERI KOJI ČINE TEHNIČKU DOKUMENTACIJU):

Folder 1:

1. Opšta dokumentacija
2. Ugovor
3. Projektni zadatak
4. Građevinski projekat saobraćaja

SADRŽAJ PROJEKTA

1/ 1/ GRAĐEVINSKI PROJEKAT SAOBRAĆAJNICE

1.1 OPŠTA DOKUMENTACIJA

1.1.1 OPŠTA DOKUMENTACIJA

1.1.2 PROJEKTNI ZADATAK

1.1.3 UGOVOR

1.2 TEKSTUALNA DOKUMENTACIJA

1.2.1 TEHNIČKI IZVJEŠTAJ

1.3 NUMERIČKA DOKUMENTACIJA

1.3.1 NUMERIČKI PODACI ZA OBILJEŽAVANJE TRASE

1.3.2 DOKAZNICA

1.3.3 PREDMJER I PREDRAČUN RADOVA

1.3.4 OPŠTI TEHNIČKI USLOVI ZA IZVOĐENJE RADOVA

1.4 GRAFIČKA DOKUMENTACIJA:

0	Geodetska podloga	R = 1:250
1	Situacioni plan	R = 1:250
2	Podužni profil	R = 1:1000/100
3	Poprečni profili	R = 1:100
4	Normalni poprečni profil	R = 1:50
5	Saobraćajna signalizacija	R = 1:250
6	Detalji	R = 1:100/25

1/ GRAĐEVINSKI PROJEKAT TRASE

1.1 OPŠTA DOKUMENTACIJA

1.1.1 OPŠTA DOKUMENTACIJA



IZVOD IZ CENTRALNOG REGISTRA PRIVREDNIH SUBJEKATA PORESKE UPRAVE

Registarski broj 5 - 0476423 / 007
PIB: 02719428

Datum registracije: 16.06.2008.
Datum promjene podataka: 22.07.2021.

"BMR BAOŠIĆ" D.O.O. BIJELO POLJE



Broj važeće registracije: /007

Skraćeni naziv: BMR BAOŠIĆ
Telefon: +38267462592
eMail: bmrbaosic7@gmail.com
Web adresa:
Datum zaključivanja ugovora: 11.06.2008.
Datum donošenja Statuta: 11.06.2008. Datum promjene Statuta: 19.07.2021.
Adresa glavnog mjesta poslovanja: NEDELJKA MERDOVIĆA BR. 59 BIJELO POLJE
Adresa za prijem službene pošte: NEDELJKA MERDOVIĆA BR. 59 BIJELO POLJE
Adresa sjedišta: NEDELJKA MERDOVIĆA BR. 59 BIJELO POLJE
Pretežna djelatnost: 7112 Inženjerske djelatnosti i tehničko savjetovanje
Obavljanje spoljno-trgovinskog poslovanja: DA
Oblik svojine: Privatna
Porijeklo kapitala: Domaći
Upisani kapital: 2.005,00Euro (Novčani 2.005,00Euro, nenovčani 0,00Euro)

OSNIVAČI:

RADOJE BAOŠIĆ 0105965280134 CRNA GORA

Uloga: Osnivač

Udio: 100% Adresa: NEDELJKA MERDOVIĆA BR. 59 BIJELO POLJE CRNA GORA

LICA U DRUŠTVU:

RADOJE BAOŠIĆ 0105965280134 CRNA GORA

Adresa: NEDELJKA MERDOVIĆA BR. 59 BIJELO POLJE CRNA GORA

Uloga: Izvršni direktor

Ovlašćenja u prometu: Neograničeno ()

Ovlašćen da djeluje: POJEDINAČNO ()

RADOJE BAOŠIĆ 0105965280134 CRNA GORA

Adresa: NEDELJKA MERDOVIĆA BR. 59 BIJELO POLJE CRNA GORA

Uloga: Ovlašćeni zastupnik

Ovlašćenja u prometu: Neograničeno ()

Ovlašćen da djeluje: POJEDINAČNO ()

Izdato: 09.06.2025 godine u 09:26h



Podgorica

Načelnica

Sanja Bojanić

2c
Perunić M.



IZVOD IZ CENTRALNOG REGISTRA PRIVREDNIH SUBJEKATA PORESKE UPRAVE

Registarski broj 5 - 0322510 / 008
PIB: 02626489

Datum registracije: 01.10.2006.
Datum promjene podataka: 16.07.2019.

D.O.O. "GEO - SISTEM" ZA GEODEZIJU, INŽENJERING I TRGOVINU - PODGORICA

Broj važeće registracije: /008

Skraćeni naziv: GEO - SISTEM
Telefon: +38269287885
eMail:
Web adresa:
Datum zaključivanja ugovora: 29.09.2006.
Datum donošenja Statuta: 29.09.2006. Datum promjene Statuta: 10.07.2019.
Adresa glavnog mjesta poslovanja: SVETOZARA MARKOVIĆA BR.32 PODGORICA
Adresa za prijem službene pošte: SVETOZARA MARKOVIĆA BR.32 PODGORICA
Adresa sjedišta: SVETOZARA MARKOVIĆA BR.32 PODGORICA
Pretežna djelatnost: 7112 Inženjerske djelatnosti i tehničko savjetovanje
Obavljanje spoljno-trgovinskog poslovanja: NIJE UNEŠENO
Oblik svojine:
Porijeklo kapitala:
Upisani kapital: 0,00Euro (Novčani Euro, nenovčani Euro)

OSNIVAČI:

PERIŠA ZORIĆ - JBMG/Broj Pasoša zaštićeni zakonom

Uloga: Osnivač

Udio: 100% Adresa: Lični podatak zaštićen zakonom

LICA U DRUŠTVU:

MILJAN ZORIĆ - JMBG/Broj Pasoša zaštićen zakonom

Adresa: Lični podatak zaštićen zakonom

Uloga: Izvršni direktor

Ovlašćenja u prometu: ()

Ovlašćen da djeluje: Nepoznata odgovornost ()

MILJAN ZORIĆ - JMBG/Broj Pasoša zaštićen zakonom

Adresa: Lični podatak zaštićen zakonom

Uloga: Ovlašćeni zastupnik

Ovlašćenja u prometu: ()

Ovlašćen da djeluje: POJEDINAČNO ()

Izdato: 06.08.2019 godine u 10:34h



NAČELNICA

Dušanika Vujisić

članica



Crna Gora
Ministarstvo ekologije,
prostornog planiranja i urbanizma
Odjeljenje za licenciranje, registar i drugostepeni postupak

Adresa: IV proletarske brigade broj 19
81000 Podgorica, Crna Gora
tel: +382 20 446 200
fax: +382 20 446 215

Broj: UPI 14-332/23-754/2

Podgorica, 09.06.2023. godine

DOO "BMR BAOŠIĆ"

BIJELO POLJE
Nedeljka Merdovića, br. 59

U prilogu ovog akta, dostavljamo vam rješenje, broj i datum gornji.



OVLAŠĆENO SLUŽBENO LICE

Petar Vučinić



Crna Gora

Ministarstvo ekologije,
prostornog planiranja i urbanizma

Odjeljenje za licenciranje, registar i drugostepeni postupak

Adresa: IV proleterske brigade broj 19
81000 Podgorica, Crna Gora
tel: +382 20 446 200
fax: +382 20 446 215

Broj: UPI 14-332/23-754/2

Podgorica, 09.06.2023. godine

Ministarstvo ekologije, prostornog planiranja i urbanizma, postupajući po zahtjevu privrednog društva DOO "BMR BAOŠIĆ" BIJELO POLJE, broj UPI 14-332/23-754/1 od 07.06.2023. godine, za izdavanje licence za projektanta i izvođača radova, na osnovu člana 135 Zakona o planiranju prostora i izgradnji objekata ("Službeni list CG", br. 64/17, 44/18, 63/18, 11/19, 82/20, 86/22 i 4/23), člana 12 Uredbe o organizaciji i načinu rada državne uprave ("Službeni list CG", br. 49/22, 52/22, 56/22, 82/22, 110/22 i 139/22) i čl. 18 i 46 stav 1 Zakona o upravnom postupku ("Službeni list CG", br. 56/14, 20/15, 40/16 i 37/17), donijelo je

R J E Š E N J E

Privrednom društvu DOO "BMR BAOŠIĆ" BIJELO POLJE, izdaje se

LICENCA

projektanta i izvođača radova

na period od **pet godina**.

O b r a z l o ž e n j e

Aktom broj UPI 14-332/23-754/1 od 07.06.2023. godine, ovom ministarstvu, obratilo se privredno društvo DOO "BMR BAOŠIĆ" BIJELO POLJE, pretežna djelatnost - 7112 - Inženjerske djelatnosti i tehničko savjetovanje, zahtjevom za izdavanje licence za projektanta i izvođača radova. Uz zahtjev privredno društvo je priložilo sljedeće dokaze:

- 1) rješenje broj UPI 107/7-1814/2 od 28.05.2018. godine, kojim je **Radoju Baošiću, dipl. građevinski inženjer**, izdata licenca ovlaštenog inženjera za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta, donijeto od strane Ministarstva održivog razvoja i turizma;
- 2) izvod iz Centralnog registra privrednih subjekata, registarski broj 5 - 0476423 / 007, **izvršni direktor: Radoje Baošić**.

Ministarstvo ekologije, prostornog planiranja i urbanizma razmotrilo je podnijeti zahtjev sa priloženom dokumentacijom i odlučilo kao u dispozitivu rješenja a ovo iz sljedećih razloga:

Odredbom člana 122 stav 1 Zakona o planiranju prostora i izgradnji objekata propisano je, u bitnom, da je privredno društvo koje izrađuje tehničku dokumentaciju (projektant), odnosno privredno društvo koje gradi objekat (izvođač radova), dužno da za obavljanje djelatnosti izrade tehničke dokumentacije, dijela tehničke dokumentacije odnosno građenje ili izvođenje pojedinih vrsta radova na građenju objekata, ima najmanje jednog zaposlenog ovlašćenog inženjera po vrsti projekta koji izrađuje i to za: arhitektonski, građevinski, elektrotehnički i mašinski projekat, odnosno vrsti radova koje izvodi na osnovu tih projekata. Stavom 2 prethodno navedenog člana propisano je da obavljanje pojedinih poslova iz prethodnog stava projektant, odnosno izvođač radova može da obezbijedi na osnovu zaključenog ugovora sa drugim privrednim društvom koje ima zaposlenog ovlašćenog inženjera za određenu vrstu projekta odnosno radova.

Dalje, članom 137 stav 2 prethodno navedenog zakona propisuje se da se licenca za privredno društvo izdaje za period od pet godina.

Prema članu 5 Pravilnika o načinu i postupku izdavanja, mirovanja licence i načinu vođenja registra licenci ("Službeni list CG", br. 79/17, 78/21 i 102/21), propisano je da se u postupku izdavanja licence projektanta i izvođača radova provjerava: 1) da li podnosilac zahtjeva u radnom odnosu ima zaposlenog ovlašćenog inženjera; i 2) licenca ovlašćenog inženjera.

Odredbom člana 136 stav 4 Zakona o planiranju prostora i izgradnji objekata propisano je da je imalac licence dužan da obavijesti ministarstvo o svim promjenama uslova na osnovu kojih je izdata licenca za obavljanje djelatnosti, u roku od 15 dana od dana nastanka promjene.

Postupajući po predmetnom zahtjevu, ministarstvo je, na osnovu raspoloživih dokaza, utvrdilo da su ispunjeni uslovi propisani zakonom i pravilnikom, i odlučilo kao u dispozitivu rješenja.

UPUTSTVO O PRAVNOJ ZAŠTITI: Protiv ovog rješenja može se pokrenuti upravni spor tužbom kod Upravnog suda, u roku od 20 dana od dana prijema istog.



OVLAŠĆENO SLUŽBENO LICE

Petar Vučinić



C R N A G O R A
UPRAVA ZA NEKRETNINE

LICENCA

*Kojom se potvrđuje da je
Društvo sa ograničenom odgovornošću za geodeziju, inženjering i trgovinu*

"GEO-SISTEM " D.O.O. PODGORICA

Ul.Vranjske njive bb, Podgorica dana 19.09.2017. godine, ispunila uslove za

PROJEKTOVANJE GEODETSKIH RADOVA

u oblasti:

**OSNOVNI GEODETSKI RADOVI, DRŽAVNI PREMJer
KATASTAR NEPOKRETNOSTI i VODOVA**



Broj: 02-938/2

Podgorica, 19.09.2017.godine

**VD DIREKTOR
DRAGAN KOVAČEVIĆ**





CRNA GORA

MINISTARSTVO ODRŽIVOG RAZVOJA
I TURIZMA

DIREKTORAT ZA INSPEKCIJSKI NADZOR I
LICENCIRANJE

Direkcija za licenciranje

Broj: UPI 107/7 – 1814/2

Podgorica, 28.05.2018. godine

RADOJE M. BAOŠIĆ

Nedeljka Merdovića 59
BIJELO POLJE

U prilogu ovog dopisa, dostavlja Vam se rješenje, broj i datum gornji.

OVLAŠĆENO SLUŽBENO LICE
Nataša Pavićević



Dostavljeno:

-Naslovu;

-a/a.

MINISTARSTVO ODRŽIVOG RAZVOJA I TURIZMA
DIREKTORAT ZA INSPEKCIJSKI NADZOR
I LICENCIRANJE
Direkcija za licenciranje
Broj: UPI 107/7 – 1814/2
Podgorica, 28.05.2018. godine

Ministarstvo održivog razvoja i turizma, rješavajući po zahtjevu Baošić Radoja, dipl. građevinskog inženjera, iz Bijelog Polja, za izdavanje licence za ovlaštenog inženjera, na osnovu člana 135 st. 1 i 2 Zakona o planiranju prostora i izgradnji objekata ("Službeni list Crne Gore" br. 64/17) i člana 46 stav 1 Zakona o upravnom postupku ("Službeni list Crne Gore" br. 56/14, 20/15, 40/16 i 37/17), donosi

R J E Š E N J E

1. IZDAJE SE BAOŠIĆ M. RADOJU, dipl. građevinskom inženjeru, iz Bijelog Polja, LICENCA ovlaštenog inženjera za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta.
2. Ova Licenca se izdaje na neodređeno vrijeme.

O b r a z l o ž e n j e

Aktom, br. UP I 107/7-1814/1 od 30.03.2018.godine, Baošić Radoje, dipl. građevinski inženjer, iz Bijelog Polja, obratio se ovom ministarstvu zahtjevom za izdavanje licence ovlaštenog inženjera za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta.

Uz zahtjev imenovani je ovom ministarstvu dostavio sledeće dokaze:

- Diplomu o stečenom visokom obrazovanju, izdato od strane Građevinskog fakulteta u Podgorici, Univerzitet Crne Gore, broj 452 od 20.12.2002.godine;
- Rješenje br. 01-387/2 od 25.03.2014.godine, izdato od strane Inženjerske komore Crne Gore, kojim se izdaje licenca odgovornog projektanta za izradu projekata organizacije i tehnologije građenja, kao djelova tehničke dokumentacije;
- Rješenje br. 03-5652/5 od 30.09.2009.godine, izdato od strane Ministarstva uređenja prostora i zaštite životne sredine Crne Gore, kojim se izdaje licenca za izradu projekata konstrukcija za arhitektonske objekte;
- Rješenje br. 03-5652/3 od 01.09.2009.godine, izdato od strane Ministarstva uređenja prostora i zaštite životne sredine Crne Gore, kojim se izdaje licenca za rukovođenje rađenjem objekata visokogradnje i objekata u oblasti saobraćaja;
- Rješenje br. 03-5652/4 od 01.09.2009.godine, izdato od strane Ministarstva uređenja prostora i zaštite životne sredine Crne Gore, kojim se izdaje licenca za izradu projekata za objekte iz saobraćaja (putevi, gradske saobraćajnice, željeznice, aerodromske piste);
- uvjerenje da u kaznenoj evidenciji ne postoje podaci o osuđivanosti za imenovanu;
- ovjerenu fotokopiju radne knjižice i ovjerenu kopiju lične karte.

Ministarstvo održivog razvoja i turizma, razmotrilo je podnijeti zahtjev pa je odlučilo kao u dispozitivu ovog rješenja, a ovo sa sledećih razloga:

Naime, članom 123 stav 1 Zakona o planiranju prostora i izgradnji objekata («Službeni list Crne Gore» br. 64/17), propisano je da ovlašćeni inženjer može da bude fizičko lice koje obavlja poslove izrade tehničke dokumentacije odnosno građenje objekta, odgovarajuće struke, sa visokim obrazovanjem, odnosno najmanje kvalifikacijom VII1 podnivoa okvira kvalifikacije i

najmanje tri godine radnog iskustva na stručnim poslovima izrade tehničke dokumentacije i građenja objekta.

Članom 3 stav 1 tačka 1 Pravilnika o načinu i postupku izdavanja, mirovanja licence i načinu vođenja registara licenci („Službeni list Crne Gore“ br. 79/17), utvrđene su vrste licenci, a između ostalih i licenca ovlašćenog inženjera koja se izdaje fizičkom, licu za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta.

Članom 4 stav 1 tač. 1-4. Pravilnika, utvrđeno je da se u postupku izdavanja licence ovlašćenog inženjera, provjerava:

1. identitet podnosioca zahtjeva;
2. da li podnosilac zahtjeva posjeduje visoko obrazovanje, odnosno najmanje kvalifikacije VII1 podnivoa okvira kvalifikacija, odnosno da li je izvršeno priznavanje inostrane obrazovne isprave najmanje kvalifikacije VII1 podnivoa okvira kvalifikacija;
3. da li podnosilac zahtjeva ima najmanje tri godine radnog iskustva na stručnim poslovima izrade tehničke dokumentacije i građenju objekta sa visokim obrazovanjem, odnosno najmanje kvalifikacije VII1 podnivoa okvira kvalifikacije i
4. da li je podnosilac zahtjeva osuđivan za krivično djelo za koje se gonjenje preduzima po službenoj dužnosti.

Stavom 3 istog člana Pravilnika, utvrđeno je da se radno iskustvo u smislu stava 1 tačka 3 ovog člana, smatra radno iskustvo u svojstvu saradnika na izradi tehničke dokumentacije na građenju objekta, odnosno izvođenja pojedinih radova na građenju objekta. Stavom 4 istog člana Pravilnika, utvrđeno je da se izuzetno od stava 3 ovog člana, fizičkom licu koje posjeduje licencu za izradu tehničke dokumentacije i građenje objekata, izdatu po propisima koji su važili do donošenja ovog propisa, radno iskustvo može dokazati na osnovu uvida u dokumentaciju koja je bila osnov za njeno izdavanje.

Članom 137 stav 1 Zakona, propisano je da se licenca za fizičko lice izdaje na neodređeno vrijeme.

Rješavajući po predmetnom zahtjevu, a na osnovu uvida u dostavljene dokaze, ovo ministarstvo nalazi, da su se u konkretnoj pravnoj stvari stekli uslovi za primjenu čl. 123 stav 1 i 135 stav 2 Zakona o planiranju prostora i izgradnji objekata, a u vezi čl 3 stav 1 tač. 1 i čl. 4 Pravilnika o načinu i postupku izdavanja, mirovanja licence i načinu vođenja registara licenci.

Saglasno izloženom, riješeno je kao u dispozitivu ovog rješenja.

PRAVNA POUKA: Protiv ovog rješenja može se pokrenuti upravni spor tužbom kod Upravnog suda Crne Gore u roku od 20 dana od dana prijema istog.

OVLAŠĆENO SLUŽBENO LICE
Nataša Pavićević





C R N A G O R A
UPRAVA ZA NEKRETNINE

O V L A Š Ć E N J E

Kojim se potvrđuje da je

JELIĆ Luka MILAN

*Spec.sci.geodezije, rođen dana 29.11.1984.godine u Nikšić-Crna Gora ,
dana 06.06.2017.godine.*

položio stručni ispit i stekao ovlaštenje za

PROJEKTOVANJE GEODETSKIH RADOVA

u oblasti:

**OSNOVNI GEODETSKI RADOVI, DRŽAVNI PREMJer
KATASTAR NEPOKRETNOSTI i VODOVA**



Broj: 02-1969/1

Podgorica, 06.06.2017.godine

**DIREKTOR
DRAGAN KOVAČEVIĆ**





INŽENJERSKA KOMORA CRNE GORE

Broj:05-275

Podgorica, 15.01.2025. godine

Na osnovu čl. 143, čl. 146 stav 1 tačka 2 i čl. 149 stav 1 tačka 1
Zakona o planiranju prostora i izgradnji objekata
(„Službeni list Crne Gore“, br. 64/17, 44/18, 63/18, 11/19, 82/20, 86/22, 004/23)
i evidencije Registra članova Inženjerske komore Crne Gore, izdaje se

POTVRDA

o članstvu u Inženjerskoj komori Crne Gore

RADOJE M. BAOŠIĆ, diplomirani inženjer građevinarstva, prebivalište BIJELO POLJE,
član je Inženjerske komore Crne Gore do 31.12.2025. godine.

Reg.br. 783





lovćen

Broj Polise / Računa: **ODG006807**
O.J. obračuna: **3601**
Podružnica: **III Sandžačke 114**

Veza sa Polisom: **ODG005371**
Zamjena polise: _____



POLISA OSIGURANJA / RAČUN

BROJ POLISE / RAČUNA: ODG006807

UGOVARAČ: **BMR BAOŠIĆ D.O.O.BIJELO POLJE, NEDELJKA MERDOVIĆA 59, BIJELO POLJE, JMBG/PIB: 02719428**

OSIGURANIK: **BMR BAOŠIĆ D.O.O.BIJELO POLJE, NEDELJKA MERDOVIĆA 59, BIJELO POLJE, JMBG/PIB: 02719428**

TRAJANJE OSIGURANJA: Polisa važi od **17.06.2025. u 00:00** do **16.06.2026. u 23:59**

NAČIN OSIGURANJA: Osigurava se na sume osiguranja koje je odredio ugovarač osiguranja

USLOVI OSIGURANJA: Ovo osiguranje je zaključeno shodno ZOO i sledećim uslovima: Opšti uslovi za osiguranje projektantske odgovornosti (US-odp/99-06-cg); Klauzula o isključenju pokrića u vezi sa infektivnom bolešću (Covid-19) (KL-covid/20-12-cg)

Osigurava se:

Suma osiguranja €

Premija €

1.Opasnost: Projektantska odgovornost

- 1.1. (P.O.- Odgovornost za fizička oštećenja i uništenja po uslovima US-odp (član 1. stav 1.)): Osiguranjem su pokriveni odštetni zahtjevi (zahtjevi za naknadu štete), ispostavljeni osiguraniku za štete nastale usled greške u tehničko računskim i statičkim osnovama, te izračunavanjima, kalkulacijama, konstrukciji i tehničkoj izradi projektne dokumentacije, ukoliko greška, za vrijeme pokrića osiguranja, ima za posledicu oštećenje ili uništenje osiguranog objekta, (takozvana fizička oštećenja), koji se izvodi odnosno izgrađuje/montira po projektu kojeg je izradio osiguranik. Po ovim uslovima se pod objektima smatraju kako građevinski,objekti tako i mašinska, električna i druga (ostala) oprema.Predviđena vrijednost svih projektnih radova u narednoj osiguravajućoj godini 20,000.00e.Isključeno je osiguravajuće pokriće koje se odnosi na greške koje proizilaze iz tehničkog nadzora ili konsaltinga.Isključeno pokriće za greške,odnosno troškove,koji nemaju za posledicu fizičko oštećenje,već potrebu za izradom,nabavkom ili ugradnjom novog elementa ili djelima.Isključeno pokriće tokom garancije.Učešće u šteti 10% a min 300e, godišnji agregat 100 000e iz osiguravajućeg pokrića su isključenje štete koje nastaju tokom izvođenja radova(odgovornost izvođača radova)Sastavni dio polise Klauzula o isključenju pokrića u vezi sa infektivnom bolešću (Covid-19) (KL-covid/20-12-cg)..

A Minimalna premija 1 (140%)	140,00€
B Doplatka za uvećanu sumu osiguranja (120%)	168,00€
C Osiguranik kod svake štete učestvuje sa 10% od priznate štete a min 300 EUR (0%)	
D Godišnji agregat jednostruki (20%)	-61,60€
E Popust za isključenje pokrića u periodu garancije (10%)	-24,64€

Napomena: Polisa plaćena u cjelosti-067 462 592-Bijelo POLJE

BRUTO PREMIJA:	221,76€
POREZ NA PREMIJU:	19,96€
UKUPAN IZNOS ZA NAPLATU:	241,72€
dvjestaeetrdesetjedan i 72/100 eura	

Polisa se smatra računom. PDV nije zaračunat na osnovu člana 27. Zakona o PDV-u. Ugovorena dinamika plaćanja premije osiguranja:

1.	16.07.2025	241,72€
----	------------	---------

Način plaćanja prve uplate: Po pratećoj fakturi

Molimo vas da naznačene iznose u ugovorenim rokovima uplatite na naš žiro račun: 510-8173-62 CKB; 530-1357-16 NLB; 535-4815-87 PB; 565-203-60 LB sa pozivom na broj: **R/ODG006807**. Smatra se da je premija plaćena onog dana kada pristigne uplata na račun osiguravača.

Pravo na naknadu štete po ovoj polisi počinje od dana i časa koji je na polisi označen kao početak osiguranja ukoliko je do tada plaćena premija, a inače po isteku 24 časa dana kada je premija plaćena (čl. 1010 st. 1 Zakona o obl. odnosima (SLRGC br. 022/17)). Ukoliko se premija ne plaća u dogovorenim rokovima primjenjuje se Zakon o obligacionim odnosima. Ako nije obračunata premija za proširenje osiguravajućeg pokrića ili za povećanu opasnost, osiguranik ima osiguravajuće pokriće samo za dio odštete odnosno naknade iz osiguranja, u srazmjeri između premije koja je obračunata i premije koja je trebala biti obračunata. Potpisivanjem odnosno sklapanjem ugovora o osiguranju i prijemom obavještenja o obradi podataka o ličnosti od strane ugovarača osiguranja, osiguravač može da koristi i obrađuje lične podatke iz ugovora o osiguranju i da navedene podatke prenosi na druga pravna lica u zemlji i inostranstvu, a čije učešće je neophodno za ispunjavanje obaveza iz ugovora o osiguranju. Pritom ugovarač osiguranja daje izričitu saglasnost za posebne kategorije ličnih podataka, a u slučaju da je obrada takvih podataka potrebna za ispunjenje obaveza iz ugovora o osiguranju. Sa sadržinom ove odredbe, upoznata su i saglasna i sva lica sa čijim ličnim podacima je ugovarač osiguranja upoznao osiguravača prilikom zaključivanja ugovora, a što ugovarač osiguranja potvrđuje potpisom ugovora o osiguranju. Način na koji osiguravač obrađuje podatke o ličnosti nalazi se u obavještenju o obradi podataka (<https://www.lo.co.me/ostalo/zastita-podataka>).

KALIC ZILHA

Osiguravač



U Bijelom Polju, 17.06.2025



Ugovarač osiguranja

Osiguravač zadržava pravo da u roku od 30 dana od dana izdavanja polise ispravi računsku ili neke druge greške učinjene od strane zastupnika. Uslovi osiguranja koji prate ovu polisu (osim ZOO) su ugovaraču uručeni i čine sastavni dio ove polise, što potvrđuje svojim potpisom ugovarač osiguranja.

OS - 01 / I

Lovćen Osiguranje AD ul. Slobode 13A 81000 Podgorica; PIB:02018560; PDV: 20/31-00113-8; Tel: 020 404 404 www.lo.co.me email: info@lo.co.me

Štampano: 17.06.2025 13:15



Broj polise: 6-38277
Zamjena polise:
Vrsta osiguranja: Odg. izvođača radova
Šifra osiguranja: 1301
Poslovna jedinica: Direkcija
Saradnički broj: 720255
Mjesto: Podgorica 07.08.2024
Datum:

POLISA za osiguranje od odgovornosti

Ugovarač osiguranja: **GEO-SISTEM, 81000 Podgorica, Bul.Pera Četkovića 187**
PIB:02626489

Osiguranik: **GEO-SISTEM, 81000 Podgorica, Bul.Pera Četkovića 187**
PIB:02626489

Početak osiguranja: 07.08.2024 Prestanak osiguranja: 07.08.2025 Dospijeće: 07.08
Tarifa i tarifna grupa: Suma osiguranja: 100.000,00 Premija osiguranja: 188,98

Osiguranje je zaključeno prema priloženim uslovima: Opšti uslovi za osiguranje od odgovornosti. Posebni uslovi za osiguranje od profesionalne odgovornosti i odgovornosti za proizvode sa manom. od 10.08.2009. godine.

Osiguranik potvrđuje da je kod zaključenja ovog ugovora primio naznačene uslove.

Redni broj	Osigurava se	Suma osiguranja (€)	Ukupan limit za trajanje osiguranja	Premija osiguranja (€)
1 Osiguranje od odgovornosti izvođača građevinskih radova				
1	Osiguranjem od profesionalne odgovornosti pruža se osiguravajuće pokriće za učinjenu profesionalnu grešku, nesavjestan ili nestručan postupak, odnosno propust davanja usluga (osiguranika). Ovim osiguranjem pokrivena je odgovornost za prouzrokovanu štetu klijentu ili trećim licima, ako je nastala iz profesionalne djelatnosti osiguranika - izrada tehničke dokumentacije i gradnja objekta. Osigurana suma 100.000,00 EUR Godišnji agregat šteta 100.000,00 EUR -Franšiza (ucešće u šteti) je 10%,min.1.000,00 Eur. -Teritorijalno pokriva: Crna Gora .	100.000,00	100.000,00	444,15
1.1	Popust za smanjenje broja suma osiguranja u zbirnom limitu	444,15	0,00	177,66
1.2	Popust za jednokratno plaćanje premije	266,49	0,00	26,65
1.3	Popust za osiguranika od posebnog poslovnog interesa	239,84	0,00	35,98
1.4	Korisnički popust	203,86	0,00	14,88
Ukupno:				188,98
		PREMIJA OSIGURANJA		188,98
		Porez:		17,01
		UKUPNO ZA UPLATU:		205,99

NAPOMENA:
-Ovo osiguranje pokriva rizik Odgovornosti za štetu prouzrokovanu licima , za štetu na objektima i za finansijski gubitak u skladu sa Uslovima osiguranja.
- Polisa osiguranja naplativa je u roku od 3 (tri) godine i nakon isteka važeće polise, shodno zakonu o obligacionim odnosima.
Osiguravajuće pokriće shodno Uslovima osiguranja važi samo i isključivo ukoliko je Osiguranik u trenutku nastanka osiguranog slučaja posjedovao važeću licencu za obavljanje djelatnosti. Osiguranik je dužan da, na zahtjev Osiguravaca, dostavi licencu koja je bila važeća na dan nastanka osiguranog slučaja. Ukoliko na dan osiguranog slučaja Osiguranik nije posjedovao važeću licencu za obavljanje djelatnosti Osiguravac nema obavezu isplate naknade štete.

Broj polise: 6-38277

Zamjena polise:
Vrsta osiguranja: Odg. izvođača radova
Šifra osiguranja: 1301
Poslovna jedinica: Direkcija
Saradnički broj: 720255
Mjesto: Podgorica 07.08.2024
Datum:

Ugovarač osiguranja: GEO-SISTEM, 81000 Podgorica, Bul.Pera Četkovića 187

PIB:02626489

Osiguranik: GEO-SISTEM, 81000 Podgorica, Bul.Pera Četkovića 187

PIB:02626489

Posebna ugovaranja, zaštitne mjere i klauzule:

Broj zap. 1, licencirani 1.

- Polisa je izdata u skladu sa članom 131 stav 1 Zakona o planiranju prostora i izgradnji objekata ("Službeni list Crne Gore broj 064/17 i 44/2018") i Uredbom o minimalnoj sumi osiguranja od profesionalne odgovornosti u oblasti izgradnje objekata ("Službeni list Crne Gore", br.068/17).

- Ovom polisom isključuje se osiguravajuće pokrice za sve štete, odgovornost, troškove, novčane i druge kazne koje su direktno ili indirektno prouzrokovane ili povezane sa bilo kojom prenosivom bolešću koja je proglašena kao pandemija ili epidemija od strane Svjetske zdravstvene organizacije i/ili od strane nadležnog državnog organa.

Premija osiguranja 205,99 € obračunata za period od 07.08.2024 do 07.08.2025 plaća se prema ispostavljenoj fakturi. Ugovarač osiguranja potpisom na polisi potvrđuje da je primio fakturu, koja predstavlja sastavni dio polise kao ugovora o osiguranju.

Osiguravač zadržava pravo ispravke računskih i drugih grešaka saradnika.

Saglasan/na sam da me Osiguravač kontaktira na elektronsku adresu, e mail geosistem@t-com.me, u cilju dostave svih pisanih obavještenja definisanih Zakonom o obligacionim odnosima i Uslovima osiguranja, a u kontekstu izvršenja ugovorenih obaveza ugovorih strana.

Pocetak osiguranja po ovoj polisi je istek 24-og casa datuma naznacеноg na polisi kao datum pocetka osiguranja, ali ne prije isteka 24-og casa dana uplate premijskog obroka definisanog otplatnim planom koji cini sastavni dio predmetne polise. Ukoliko Ugovarač osiguranja u roku od 30 dana od isteka 24-og casa dana naznacеноg kao dospijece premijskog obroka ne uplati premiju osiguranja, smatraće se da osiguranje nije ni bilo zaključeno, te se predmetna polisa istekom navedenog perioda automatski smatra nevažećom bez obaveze slanja opomene Društva.

U slucaju iz prethodnog stava, Osiguravač nema pravo da zahtijeva naplatu premije osiguranja, obzirom da nije pružano osiguravajuće pokrice. Ugovarač osiguranja je saglasan da osiguravač može vršiti obradu ličnih podataka koje pribavi po osnovu ovog ugovora o osiguranju, kao i da iste može proslediti na obradu povezanom pravnom licu, odnosno pravnom licu angažovanom u cilju obavljanja poslova koji su u vezi sa predmetnim ugovorom o osiguranju.

Polisa je punovažna sa skeniranim pečatom i potpisom lica ovlašćenih za potpisivanje u ime Osiguravača na ovoj Polisi, i isti imaju dokaznu snagu i pravno dejstvo svojeručnog potpisa i originalnog pečata.

Wela belu i Božani
Za Osiguravača



M.P.

Za Ugovarača



Adresa: Bijelo Polje, Nikoljac bb Tel/Fax: +38250484761 PIB: 02719428 PDV: 70/31-01019-3

Br.ž.r.: 540-7835-17, Erste banka a.d. - Podgorica

Na osnovu člana 78 Zakona o izgradnji objekata (Sl.list br.19/25) i Pravilnika o unutrašnjoj organizaciji i sistematizaciji poslova i radnih zadataka, direktor preduzeća donosi:

RJEŠENJE

o imenovanju odgovornog inženjera za izradu tehnicke dokumentacije

Za d r r r d r d d cjelini za izradu
ELABORAT ADAPTACIJE LOKALNOG PUTA TOMAŠEVO-SOKOLAC

PODACI O PROJEKTANTU		
NAZIV OBJEKTA	PROJEKTANT	ODGOVORNI INŽENJER
Izrada elaborat adaptacije lokalnog puta TOMAŠEVO-SOKOLAC Na kat. parcelama br. 242, 243,244, 408,...KO TOMAŠEVO,na kat. parcelama br.345, 314,2334, 130,...KO LIJESKA,na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-Bijelo Polje	"BMR BAOŠIĆ" D.O.O. UPI 107/7-2995/2	Baošić Radoje dipl.ing.građ. UPI 107/7-1814/2



Za „BMR BAOŠIĆ“ d.o.o.

OBRAZAC 4

IZJAVA ODGOVORNOG PROJEKTANTA DA JE TEHNIČKA DOKUMENTACIJA IZRAĐENA U SKLADU SA VAŽEĆIM PROPISIMA

OBJEKAT¹

Adaptacija lokalnog puta TOMAŠEVO-SOKOLAC

LOKACIJA²

Na kat. parcelama br. 242, 243,244, 408,...KO TOMAŠEVO,
na kat. parcelama br.345, 314,2334, 130,...KO LIJESKA,
na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-Bijelo Polje

VRSTA TEHNIČKE DOKUMENTACIJE³

ELABORAT ADAPTACIJE

ODGOVORNI PROJEKTANT⁴

Radoje Baošić, dipl.ing.građ

IZJAVLJUJEM

Da je dio tehničke dokumentacije: ELABORAT ADAPTACIJE LOKALNOG PUTA TOMAŠEVO-SOKOLAC

urađen u skladu sa:

- Zakonom o izgradnji objekata i podzakonskim aktima donešenim na osnovu navedenog zakona;
- urbanističko-tehničkim uslovima;
- posebnim propisima koji direktno ili na drugi način utiču na osnovne uslove za objekte;
- pravilima struke.

Pod krivičnom i materijalnom odgovornošću izjavljujemo da su svi podaci navedeni u ovoj izjavi istiniti.

Radoje Baošić

Digitally signed by Radoje Baošić
DN: c=ME, ou=Pravno lice,
2.5.4.97=VATME-02719428, o=BMR BAOŠIĆ DOO,
serialNumber=64951, givenName=Radoje,
sn=Baošić, cn=Radoje Baošić
Date: 2025.09.01 07:39:27 +02'00'

(elektronski potpis odgovornog projektanta)

Radoje Baošić, dipl.ing.građ

za projektanta odgovorno lice (ime)

Radoje Baošić, dipl.ing.građ

(elektronski potpis odgovornog lica)

B.Polje avgust 2025

(mjesto i datum)

¹ Naziv projektovanog objekta

² Mjesto gradnje, planski dokument, urbanistička parcela, katastarska opština, katastarska parcela

³ Idejno rješenje, idejni projekat, glavni projekat, projekat izvedenog stanja, projekat održavanja

⁴ Ime i prezime odgovornog projektanta

IZJAVA ODGOVORNOG PROJEKTANTA DA JE TEHNIČKA DOKUMENTACIJA IZRAĐENA U
SKLADU SA VAŽEĆIM PROPISIMAOBJEKAT¹

Adaptacija lokalnog puta TOMAŠEVO-SOKOLAC

LOKACIJA²Na kat. parcelama br. 242, 243,244, 408,...KO TOMAŠEVO,
na kat. parcelama br.345, 314,2334, 130,...KO LIJESKA,
na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-Bijelo PoljeVRSTA TEHNIČKE DOKUMENTACIJE³

ELABORAT ADAPTACIJE

ODGOVORNI PROJEKTANT⁴


Milan Jelić, Spec. Sci geod.

IZJAVLJUJEM

Da je dio tehničke dokumentacije: ELABORAT ADAPTACIJE LOKALNOG PUTA
TOMAŠEVO-SOKOLAC
urađen u skladu sa:

- Zakonom o izgradnji objekata i podzakonskim aktima donešenim na osnovu navedenog zakona;
- urbanističko-tehničkim uslovima;
- posebnim propisima koji direktno ili na drugi način utiču na osnovne uslove za objekte;
- pravilima struke.

Pod krivičnom i materijalnom odgovornošću izjavljujemo da su svi podaci navedeni u ovoj izjavi istiniti.


(elektronski potpis odgovornog projektanta)

Milan Jelić, Spec. Sci geod.

za projektanta odgovorno lice (ime)

Miljan Zorić, ing geod.

(elektronski potpis odgovornog lica)

avgust 2025

(mjesto i datum)

¹ Naziv projektovanog objekta² Mjesto gradnje, planski dokument, urbanistička parcela, katastarska opština, katastarska parcela³ Idejno rješenje, idejni projekat, glavni projekat, projekat izvedenog stanja, projekat održavanja⁴ Ime i prezime odgovornog projektanta

1.1.2 PROJEKTI NZADATAK

PROJEKTNI ZADATAK

Za: Adaptaciju lokalnog puta Tomaševo- Sokolac

Na katastarskim parcelama:

- Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMAŠEVO, na kat. parcelama br. 345, 314, 2334, 130, ... KO LIJESKA, na kat. parcelama br. 1262, 1240, 694, 1211, ... KO SOKOLAC-Bijelo Polje

Duzina trase: cca 9,0 km

1. Naziv projekta

Adaptacija lokalnog putnog pravca Tomaševo- Sokolac

2. Predmet projekta

Predmet projektovanja je adaptacija lokalnog puta u duzini od cca 9,0 km, koji se prostire preko gore navedenih katastarskih parcela. Projekat podrazumeva optimizaciju postojece trase i izvođenje radova uz maksimalno koriscenje postojećeg koridora puta.

3. Cilj projekta

- Povećanje bezbednosti saobraćaja
- Unapređenje kvaliteta putne infrastrukture
- Smanjenje troškova izvođenja radova
- Održivo koriscenje postojećih resursa i infrastrukture

4. Zahtevi za trasu

- Trasa puta treba da prati postojeću putnu komunikaciju, uz maksimalno moguće zadržavanje postojećih parametara trase (nagibi, radijusi krivina, niveleta).
- Optimizacija trase je dozvoljena samo u cilju poboljšanja bezbednosti i smanjenja troškova izvođenja (skracivanje, izbegavanje visokih kosina, vodotokova itd.)

5. Tehnicki zahtevi

5.1. Dimenzije kolovoza:

- Sirina asfaltnog kolovoza: 3,0 m
- Bankine sa obe strane: min 0,5 m
- Ukupna sirina puta: min 4,0 m

5.2. Kolovozna konstrukcija:

- Kolovoznu konstrukciju dimenzionisati prema ocekivanom saobracajnom opterecenju (npr. kategorija puta, procena dnevnog broja prolazaka vozila, vrste vozila itd.)
- Materijali: asfaltni zastor (min. BNS iii AB11/AB16, u skladu sa propisima)
- Podloga: tamponski sloj, ugradnja geotekstila gde je potrebno

5.3. Odvodnjavanje:

- Izraditi projektno resenje za uzdužno i poprecno odvodnjavanje
- Predvideti rigole, propuste i kanale gde je to neophodno

6. Geodetski i projektni radovi

- Izvršiti geodetsko snimanje trase
- Uskladiti trasu sa katastarskim podacima i stvarnim stanjem na terenu
- Pripremiti projektnu dokumentaciju za faze:
 - Idejni projekat
 - Glavni projekat
 - Predmer i predracun radova
 - Tehnicka resenja i poprecni profili

7. Posebni zahtevi

- U skladu sa vazecim zakonima o planiranju i izgradnji
- Konsultovati lokalnu samoupravu (opština, javna preduzeća) radi uskladjivanja sa lokalnim planovima razvoja
- Prilikom izrade projekta uzeti u obzir eventualne objekte infrastrukture (vodovod, elektro, telekomunikacije)

8. Završni dokumenti

- Glavni projekat sa svim grafickim i tekstualnim priložima
- Elaborat o saobracajnom opterecenju (ako je primenljivo)
- Predmer i predracun radova

Ukoliko se ukaze potreba projektant je duzan da uradi sve potrebne Elabore i istrazivanja koji nisu predvideni ovim projektnim zadatkom.

Projektant je du:Zan da uradi projekat u skladu sa Zakonu o planiranju prostora i izgradnji objekata (Sl. List CG 64/17 ("Sluzbeni list Crne Gore", br. 064/17, 044/18, 063/18, 011/19, 082/20, 086/22, 004/23), Pravilnika Euro koda ("Sluzbeni list Crne Gore", br.018/18, 020/18, 025/18, 039/19, 040/19, 045/20, 055/20, 057/20, 071/21 i 083/22), Zakonom o izgradnji objekata „Sl. Crne Gore“, br. 19/2025 od 04.03.2025.godine i drugim vazecim propisima za ovu vrstu usluga i radova.

Projektant je duzan da se prilikom izrade tehnicke dokumentacije pozove na standarde koji se primjenjuju u Crnoj Gori i koji su usaglaseni sa EVROPSKIM STANDARDIMA, a kada takvih tehnickih propisa i standarda nema, da se poziva na evropske standarde iii medunardno priznate standarde, tehnicke propise iii norme.

Sadrzaj cjelokupne tehnicke dokumentacije mora biti u skladu sa odredbama Pravilnika o nacinuizrade, razmjere i blizoj sadrzini tehnicke dokumentacije ("Sluzbeni list Crne Gore", br. 044/18 od 06.07.2018, 043/19 od 31.07.2019) .

U Bijelom Polju
26.08.2025.god



MJESNA ZAJEDNICA TOMAŠEVO

B. Trivk

1.1.3 UGOVOR

Crna Gora
MINISTARSTVO JAVNIH RADOVA

Broj:

01334/25-1294/1

Podgorica,

21.07 - 2025

godine

d.o.o. "BMR Baošić"

BR.

B. Polje,

18/62/25/2
18.02.2025.

UGOVOR

Ovaj ugovor zaključen je između:

MINISTARSTVO JAVNIH RADOVA, sa sjedištem u Podgorici, ulica Arsenija Boljevića 2a, City Mall, III sprat, PIB: 11105564, koje zastupa ministarka Majda Adžović, (u daljem tekstu: **Naručilac**)

i

"BMR Baošić" D.O.O. Bijelo Polje, ulica Nedeljka Merdovića 59, Bijelo Polje, 84000, Crna Gora, PIB 02719428, koje zastupa Radoje Baošić, izvršni direktor, (u daljem tekstu: **Izvršilac**).

Član 1.

NARUČILAC ustupa, a Izvršilac preuzima obavezu da **izradi Elaborat rekonstrukcije i asfaltiranje lokalnih puteva za naselje Tomaševo – Sokolac, L=9km, Bijelo Polje**.

Tehnička dokumentacija iz stava 1. ovog člana će se izraditi u skladu sa Projektnim zadatkom i Zakonom o izgradnji objekata ("Službeni list Crne Gore", br. 19/2025).

Član 2.

IZVRŠILAC je obavezan u da u sklopu predmjera i predračuna radova dostavi i dokaznice mjera za svaku poziciju. Predmjer radova mora biti u formatu „excel" dokumenta i formi propisanoj Projektnim zadatkom.

Član 3.

IZVRŠILAC se obavezuje da predmetnu tehničku dokumentaciju uradi kvalitetno i na vrijeme poštujući savremena dostignuća tehnologije gradnje uz primjenu racionalnih i funkcionalnih tehničkih rješenja.

Član 4.

Rok izvršenja ugovora je 10 dana, od dana potpisivanja Ugovora.

Član 5.

NARUČILAC ima pravo da u toku rada vrši uvid u stepen gotovosti i kvalitet izrađene tehničke dokumentacije. U tom cilju IZVRŠILAC će obezbijediti NARUČIOCU najmanje jedanput petnaestodnevno na uvid tehničku dokumentaciju.

Ukoliko NARUČILAC utvrdi da nije ispoštovana dinamika koja garantuje izvršenje ugovorenih obaveza u ugovorenom roku, NARUČILAC će bez upozorenja jednostrano raskinuti ugovor sa IZVRŠIOCEM.

Mjesto izvršenja ugovora je sjedište naručioca.

Član 6.

NARUČILAC i IZVRŠILAC su saglasni da cijena tehničke dokumentacije ukupno bez PDV-a iznosi:

- Cijena izrade tehničke dokumentacije: _____ 7.990,00 €

Član 7.

Isplata sredstava iz čl.5. ovog Ugovora izvršiće se nakon dostavljanja tehničke dokumentacije iz člana 1 ovog ugovora.

Član 8.

NARUČILAC će jednostrano raskinuti ugovor, ako IZVRŠILAC prekrši bilo koju svoju ugovorenu obavezu.

U slučaju raskida ugovora iz prethodnog stava, naručilac će o tome pisanim putem obavijestiti IZVRŠIOCA i aktivirati polisu osiguranja od profesionalne odgovornosti.

IZVRŠILAC ima pravo da jednostrano raskine ugovor, ako NARUČILAC neopravdano ne ovjeri dostavljeni račun ili ne izvrši plaćanje po istom u roku od 30 dana od ugovorenog roka plaćanja.

O jednostranom raskidu ugovora IZVRŠILAC je dužan da obavijesti NARUČIOCA, najkasnije osam dana nakon isteka roka za ovjeru računa, odnosno plaćanja po istim.

Član 9.

NARUČILAC i IZVRŠILAC će sporazumno raskinuti ugovor, ukoliko nastupe razlozi za koje nije odgovorna nijedna ugovorna strana.

Član 10.

Ugovor o javnoj nabavci koji je zaključen uz kršenje antikorupcijskog pravila ništav je, u smislu Zakona o javnim nabavkama.

Član 11.

Ugovorne strane su saglasne da svi sporovi, koji se ne riješi sporazumno, rješavaće se kod nadležnog suda u Crnoj Gori. Rješavanje spornih pitanja, ne može uticati na rok i kvalitet ugovorenih usluga.

Ukoliko se nastali spor ne riješi sporazumno, ugovara se nadležnost Privrednog suda Crne Gore.

Član 12.

Za sve što nije definisano Ugovorom primjenjivaće se odredbe važećeg Zakona o obligacionim odnosima.

Član 13.

Ugovorene strane su pročitale tekst ugovora i isti kao izraz svoje slobodno izražene volje svojeručno potpisuju.


Ugovor je sačinjen u 6 (šest) istovjetnih primjeraka, od kojih po 3 (tri) primjeraka za NARUČIOCA i IZVRŠILAC.

Ovaj ugovor stupa na snagu danom potpisa obiju ugovornih strana.

NARUČILAC



IZVRŠILAC



1.2 TEKSTUALNA DOKUMENTACIJA

1.2.1 TEHNIČKI IZVJEŠTAJ

1.1.1 TEHNIČKI IZVJEŠTAJ

UVOD

Predmet projekta je izrada elaborat adaptacije lokalnog puta Tomaševo-Sokolac, projektni zadatak i zatečeno stanje na terenu.

1.2.2 OSNOVE ZA PROJEKTOVANJE

Osnovu za izradu projekta čine:

- Projektni zadatak dostavljen od strane Investitora
- Detaljni geodetski snimak postojećeg terena
- Opažanja na terenu izvršena od strane projektanta u toku izrade projekta,
- Odgovarajuća državna regulativa (zakoni, propisi, standardi),

1.2.3 SITUACIONI PLAN

Postojeće stanje

Predmetni lokalnog puta je sa, širine oko 3 m djelimično asfaltiran asfaltnim zastorm koji omogućuje otežan kolski saobraćaj sa vidno oštećenim asfaltnim zastorm

Teren na kojem se projektuju saobraćajnice je u nagibu

Projektovano stanje

Predmetni lokalnog puta je Elaboratom obrađeno asfaltiran asfaltom širine 3m i bankinama sa obje strane puta od 0,5 m

Osnovna ograničenja koja su uticala na geometriju lokalnog puta su izgrađeni sadržaji oko puta i pristup lokalnim putnim pravcima

U cilju optimizacije troškova izgradnje dozvoljena su korekcije horizontalnih i vertikalnih elemenata trase, uz saglasnost projektanta

Nagibi saobraćajnice se kreće se u rasponu od -2.50% do 2,50%,

Ukupna dužina saobraćajnice je saobraćajnice 8752 m

Na saobraćajnicama su predviđena i proširenje za mimoilaženje vozila

1.2.4 NORMALNI POPREČNI PROFIL

Normalni poprečni profil lokalnog puta:

- kolovoz 2x1.5m
- bankon 2x0,5 m

1.2.5 KOLOVOZNA KONSTRUKCIJA I OVIČENJE

Shodno očekivanom saobraćajnom opterećenju usvojena sljedeća kolovozna konstrukcija:

Asfaltna kolovozna konstrukcija:

- | | |
|--|------|
| - Tampon noseći sloj od pjeskovito-šljunkovitog prirodnog materijala | 15cm |
| - Bitumenizirani gornji noseći sloj, BNS 22 | 6cm |

UKUPNO: 21cm

Kolovozna konstrukcija usvojena je na osnovu iskustva za ovu vrstu saobraćajnica, a uzimajući u obzir da se radi o malom saobraćajnom opterećenju, te da se kolovozna konstrukcija izvodi na samoniklom materijala odličnih geomehaničkih karakteristika pripremljenom za planirani izgradnju. Ukoliko se u toku izvođenja zemljanih radova i pripreme posteljice uoče zemljani džepovi iste je neophodno očistiti i nasuti drobljenim kamenim materijalom. Neophodno je postići modul stišljivosti na posteljici od $M_s=30\text{Mpa}$ i na tamponu $M_s=70\text{Mpa}$.

1.2.6 ODVODNJAVANJE

Odvođenje atmosferske vode sa projektovanih saobraćajnih površina i okolnog terena izvršeno je putem podužnog i poprečnog nagiba u okolni teren, takođe zbog velikih slivnih površina sa okolnog terena predviđena su 10 propusta Ø 1000 i 4 postojeća koja su u funkciji
Takođe je potrebno uraditi kanale duž usjeka, gdje god je to moguće

1.2.7 SAOBRAĆAJNA SIGNALIZACIJA

Saobraćajnom signalizacijom je regulisan saobraćaj motornih vozila, zabranjen je saobraćaj teretnim motornih vozila čije osovinsko opterećenje prelazi 7 tona, šlepera i kamiona sa prikolicom.

Ova ograničenja su proistekla iz veoma velikih uspona trase i malih radijusa krivina na serpentinama

avgust 2025.godine.

Radoje Baošić, dipl.inž.gra.

1.3 NUMERIČKA DOKUMENTACIA

**1.3.1 Numerički podaci za
obilježavanje osovine**

# AXIS_0		X	Y	Z
*!				
P1 0+0.00	000	80.91056g		
-1.5		7389323.824	4770624.075	712.616
0		7389323.381	4770625.508	712.653
1.5		7389322.938	4770626.941	712.691
&				
P2 0+20.0	0000	107.6950	0g	
-1.5		7389303.462	4770622.024	710.687
0		7389303.643	4770623.514	710.725
1.5		7389303.824	4770625.003	710.762
&				
P3 0+40.0	0000	135.9892	2g	
-1.5		7389284.16	4770628.92	709.933
0		7389284.963	4770630.186	709.97
1.5		7389285.767	4770631.453	710.008
&				
P4 0+60.0	0000	164.2834	3g	
-1.5		7389269.697	4770643.444	709.536
0		7389270.967	4770644.242	709.574
1.5		7389272.237	4770645.04	709.611
&				
P5 0+80.0	0000	165.5307	3g	
-1.5		7389259.367	4770660.604	709.478
0		7389260.652	4770661.377	709.516
1.5		7389261.938	4770662.15	709.553
&				
P6 0+100.	00000	158.884	05g	
-1.5		7389248.198	4770676.998	709.454
0		7389249.395	4770677.901	709.492
1.5		7389250.593	4770678.804	709.529
&				
P7 0+120.	00000	154.950	85g	
-1.5		7389235.476	4770692.306	709.38
0		7389236.616	4770693.281	709.418
1.5		7389237.756	4770694.256	709.455
&				
P8 0+140.	00000	142.382	81g	
-1.5		7389221.714	4770706.347	709.204
0		7389222.64	4770707.527	709.241
1.5		7389223.567	4770708.707	709.279
&				
P9 0+160.	00000	124.193	67g	
-1.5		7389204.815	4770716.088	709.122
0		7389205.372	4770717.481	709.16
1.5		7389205.928	4770718.874	709.197
&				
P10 0+180	.00000	122.16	077g	
-1.5		7389185.881	4770722.368	709.054
0		7389186.393	4770723.778	709.091

	1.5	7389186.905	4770725.188	709.129
&				
P11	0+200	.00000 134.89	317g	
	-1.5	7389167.616	4770731.149	709.123
	0	7389168.398	4770732.429	709.161
	1.5	7389169.179	4770733.709	709.198
&				
P12	0+220	.00000 137.93	202g	
	-1.5	7389150.94	4770742.316	709.273
	0	7389151.782	4770743.558	709.31
	1.5	7389152.624	4770744.799	709.348
&				
P13	0+240	.00000 158.34	067g	
	-1.5	7389135.362	4770755.433	709.422
	0	7389136.553	4770756.346	709.46
	1.5	7389137.743	4770757.259	709.497
&				
P14	0+260	.00000 174.78	645g	
	-1.5	7389126.273	4770773.601	710.223
	0	7389127.657	4770774.18	710.261
	1.5	7389129.041	4770774.759	710.298
&				
P15	0+280	.00000 118.23	058g	
	-1.5	7389113.78	4770786.334	711.542
	0	7389114.204	4770787.773	711.579
	1.5	7389114.627	4770789.212	711.617
&				
P16	0+300	.00000 126.57	048g	
	-1.5	7389094.507	4770792.323	711.377
	0	7389095.115	4770793.694	711.414
	1.5	7389095.723	4770795.065	711.452
&				
P17	0+320	.00000 133.69	958g	
	-1.5	7389076.666	4770801.673	710.812
	0	7389077.424	4770802.967	710.85
	1.5	7389078.181	4770804.262	710.887
&				
P18	0+340	.00000 133.69	958g	
	-1.5	7389059.404	4770811.772	710.717
	0	7389060.161	4770813.067	710.754
	1.5	7389060.918	4770814.361	710.792
&				
P19	0+360	.00000 126.14	326g	
	-1.5	7389042.134	4770821.48	710.978
	0	7389042.733	4770822.856	711.016
	1.5	7389043.332	4770824.231	711.053
&				
P20	0+380	.00000 100.67	847g	
	-1.5	7389023.289	4770825.51	712.187
	0	7389023.305	4770827.01	712.225

	1.5	7389023.321	4770828.51	712.262
&				
P21 0+400		.00000 96.843	79g	
	-1.5	7389003.422	4770824.268	713.913
	0	7389003.348	4770825.766	713.95
	1.5	7389003.274	4770827.264	713.988
&				
P22 0+420		.00000 90.299	10g	
	-1.5	7388983.635	4770822.947	715.78
	0	7388983.407	4770824.43	715.817
	1.5	7388983.179	4770825.912	715.855
&				
P23 0+440		.00000 89.590	11g	
	-1.5	7388963.917	4770819.699	718.288
	0	7388963.673	4770821.179	718.325
	1.5	7388963.429	4770822.659	718.363
&				
P24 0+460		.00000 106.19	658g	
	-1.5	7388943.612	4770818.801	720.642
	0	7388943.758	4770820.294	720.68
	1.5	7388943.904	4770821.787	720.717
&				
P25 0+480		.00000 114.91	056g	
	-1.5	7388923.833	4770822.833	722.14
	0	7388924.181	4770824.292	722.177
	1.5	7388924.529	4770825.751	722.215
&				
P26 0+500		.00000 114.67	129g	
	-1.5	7388904.384	4770827.469	724.261
	0	7388904.726	4770828.93	724.298
	1.5	7388905.069	4770830.39	724.336
&				
P27 0+520		.00000 113.77	926g	
	-1.5	7388884.882	4770831.808	726.603
	0	7388885.204	4770833.273	726.64
	1.5	7388885.526	4770834.738	726.678
&				
P28 0+540		.00000 116.48	030g	
	-1.5	7388865.323	4770836.276	728.015
	0	7388865.707	4770837.726	728.053
	1.5	7388866.091	4770839.176	728.09
&				
P29 0+560		.00000 123.55	385g	
	-1.5	7388846.155	4770842.509	727.768
	0	7388846.698	4770843.908	727.806
	1.5	7388847.24	4770845.306	727.843
&				
P30 0+580		.00000 123.31	362g	
	-1.5	7388827.618	4770850.002	727.68
	0	7388828.155	4770851.402	727.718

	1.5	7388828.692	4770852.803	727.755
&				
P31 0+600		.00000 118.15	450g	
	-1.5	7388808.642	4770855.902	728.531
	0	7388809.064	4770857.341	728.569
	1.5	7388809.486	4770858.78	728.606
&				
P32 0+620		.00000 134.15	349g	
	-1.5	7388790.379	4770864.751	731.005
	0	7388791.145	4770866.041	731.042
	1.5	7388791.912	4770867.33	731.08
&				
P33 0+640		.00000 134.15	349g	
	-1.5	7388773.188	4770874.974	733.375
	0	7388773.955	4770876.263	733.413
	1.5	7388774.722	4770877.552	733.45
&				
P34 0+660		.00000 134.24	137g	
	-1.5	7388756.002	4770885.207	735.362
	0	7388756.771	4770886.495	735.399
	1.5	7388757.539	4770887.784	735.437
&				
P35 0+680		.00000 134.24	137g	
	-1.5	7388738.826	4770895.453	737.555
	0	7388739.595	4770896.741	737.592
	1.5	7388740.363	4770898.03	737.63
&				
P36 0+700		.00000 134.24	137g	
	-1.5	7388721.65	4770905.699	740.12
	0	7388722.419	4770906.987	740.158
	1.5	7388723.187	4770908.276	740.195
&				
P37 0+720		.00000 111.91	305g	
	-1.5	7388704.462	4770914.641	742.497
	0	7388704.742	4770916.115	742.534
	1.5	7388705.021	4770917.588	742.572
&				
P38 0+740		.00000 107.41	729g	
	-1.5	7388684.704	4770913.759	745.11
	0	7388684.878	4770915.249	745.147
	1.5	7388685.052	4770916.739	745.185
&				
P39 0+760		.00000 147.20	602g	
	-1.5	7388665.972	4770922.327	746.993
	0	7388666.985	4770923.434	747.031
	1.5	7388667.998	4770924.54	747.068
&				
P40 0+780		.00000 173.43	859g	
	-1.5	7388654.704	4770939.427	749.142
	0	7388656.075	4770940.035	749.179

	1.5	7388657.447	4770940.643	749.217
&				
P41 0+800	.00000	190.92	992g	
	-1.5	7388649.084	4770958.984	751.479
	0	7388650.569	4770959.197	751.517
	1.5	7388652.053	4770959.41	751.554
&				
P42 0+820	.00000	191.56	380g	
	-1.5	7388646.436	4770978.823	753.667
	0	7388647.922	4770979.021	753.629
	1.5	7388649.409	4770979.219	753.592
&				
P43 0+840	.00000	203.19	782g	
	-1.5	7388643.948	4770998.933	756.356
	0	7388645.446	4770998.857	756.319
	2.459	7388647.902	4770998.734	756.257
&				
P44 0+860	.00000	363.30	396g	
	-1.5	7388660.566	4771006.275	759.323
	0	7388659.308	4771005.457	759.286
	3.565	7388656.319	4771003.514	759.197
&				
P45 0+880	.00000	370.08	398g	
	-1.5	7388669.732	4770988.321	761.368
	0	7388668.394	4770987.642	761.331
	1.5	7388667.057	4770986.963	761.293
&				
P46 0+900	.00000	349.38	475g	
	-1.5	7388680.708	4770972.321	763.839
	0	7388679.657	4770971.25	763.802
	1.5	7388678.607	4770970.179	763.764
&				
P47 0+920	.00000	306.05	885g	
	-1.773	7388696.375	4770962.648	765.641
	0	7388696.206	4770960.883	765.685
	1.5	7388696.064	4770959.39	765.723
&				
P48 0+940	.00000	214.96	712g	
	-2.36	7388709.986	4770970.468	767.806
	0	7388712.282	4770969.918	767.865
	1.5	7388713.74	4770969.569	767.902
&				
P49 0+960	.00000	136.30	242g	
	-1.5	7388700.671	4770983.465	770.816
	0	7388701.48	4770984.727	770.778
	1.5	7388702.29	4770985.99	770.741
&				
P50 0+980	.00000	164.95	982g	
	-1.5	7388687.045	4770998.717	773.676
	0	7388688.324	4770999.501	773.638

	1.5	7388689.602	4771000.286	773.601
&				
P51 1+0.0		0000 181.9435	2g	
	-1.5	7388678.5	4771017.151	776.183
	0	7388679.94	4771017.571	776.145
	1.5	7388681.38	4771017.991	776.108
&				
P52 1+20.		00000 190.683	54g	
	-1.5	7388674.14	4771036.864	778.405
	0	7388675.624	4771037.083	778.367
	1.5	7388677.108	4771037.301	778.33
&				
P53 1+40.		00000 199.778	11g	
	-1.5	7388672.629	4771057.004	780.17
	0	7388674.129	4771057.01	780.133
	1.5	7388675.629	4771057.015	780.095
&				
P54 1+60.		00000 206.569	99g	
	-1.5	7388673.903	4771077.112	781.651
	0	7388675.395	4771076.957	781.614
	1.5	7388676.887	4771076.803	781.576
&				
P55 1+80.		00000 260.464	62g	
	-1.5	7388679.187	4771097.016	783.665
	0	7388680.06	4771095.796	783.628
	2.938	7388681.769	4771093.407	783.555
&				
P56 1+100		.00000 397.03	071g	
	-1.5	7388693.797	4771086.531	785.763
	0	7388692.299	4771086.461	785.726
	2.237	7388690.064	4771086.357	785.67
&				
P57 1+120		.00000 377.59	512g	
	-1.5	7388697.398	4771067.412	788.239
	0	7388695.99	4771066.895	788.201
	1.5	7388694.582	4771066.378	788.164
&				
P58 1+140		.00000 364.40	243g	
	-1.5	7388706.736	4771050.131	790.472
	0	7388705.464	4771049.335	790.435
	1.5	7388704.192	4771048.54	790.397
&				
P59 1+160		.00000 324.53	544g	
	-1.5	7388718.731	4771035.792	792.281
	0	7388718.167	4771034.402	792.243
	1.5	7388717.603	4771033.012	792.206
&				
P60 1+180		.00000 286.94	881g	
	-1.5	7388737.465	4771037.353	793.892
	0	7388737.77	4771035.884	793.854

	1.5	7388738.076	4771034.416	793.817
&				
P61 1+200		.00000 299.02	012g	
	-1.5	7388757.557	4771039.855	795.833
	0	7388757.58	4771038.356	795.795
	1.5	7388757.603	4771036.856	795.758
&				
P62 1+220		.00000 313.16	722g	
	-1.5	7388777.755	4771037.916	797.785
	0	7388777.447	4771036.448	797.748
	1.5	7388777.139	4771034.98	797.71
&				
P63 1+240		.00000 315.35	224g	
	-1.5	7388797.239	4771033.18	799.771
	0	7388796.881	4771031.723	799.787
	1.5	7388796.522	4771030.267	799.803
&				
P64 1+260		.00000 295.24	942g	
	-1.5	7388816.473	4771030.512	801.855
	0	7388816.585	4771029.016	801.892
	1.5	7388816.697	4771027.52	801.93
&				
P65 1+280		.00000 264.93	419g	
	-1.5	7388834.651	4771036.389	803.788
	0	7388835.436	4771035.111	803.826
	1.5	7388836.221	4771033.833	803.863
&				
P66 1+300		.00000 235.10	344g	
	-1.5	7388848.119	4771049.954	805.939
	0	7388849.396	4771049.168	805.976
	1.5	7388850.674	4771048.382	806.014
&				
P67 1+320		.00000 170.41	348g	
	-2.078	7388851.644	4771066.657	807.801
	0	7388853.501	4771067.589	807.853
	1.5	7388854.842	4771068.261	807.89
&				
P68 1+340		.00000 82.393	26g	
	-1.61	7388836.821	4771072.166	810.337
	0	7388836.382	4771073.715	810.377
	1.5	7388835.972	4771075.158	810.415
&				
P69 1+360		.00000 90.297	57g	
	-1.5	7388817.298	4771067.071	812.302
	0	7388817.07	4771068.554	812.339
	1.5	7388816.842	4771070.036	812.377
&				
P70 1+380		.00000 122.12	855g	
	-1.5	7388796.861	4771069.072	814.493
	0	7388797.372	4771070.482	814.531

	1.5	7388797.883	4771071.892	814.568
&				
P71 1+400		.00000 147.93	893g	
	-1.5	7388779.857	4771080.397	816.664
	0	7388780.883	4771081.492	816.701
	1.5	7388781.909	4771082.586	816.739
&				
P72 1+420		.00000 160.90	908g	
	-1.5	7388766.127	4771095.294	818.26
	0	7388767.353	4771096.158	818.297
	1.5	7388768.579	4771097.022	818.335
&				
P73 1+440		.00000 179.09	822g	
	-1.5	7388756.885	4771113.434	819.912
	0	7388758.305	4771113.918	819.949
	1.5	7388759.725	4771114.402	819.987
&				
P74 1+460		.00000 184.42	459g	
	-1.5	7388751.769	4771132.893	821.42
	0	7388753.224	4771133.256	821.457
	1.5	7388754.68	4771133.62	821.495
&				
P75 1+480		.00000 184.42	459g	
	-1.5	7388746.924	4771152.297	823.238
	0	7388748.38	4771152.661	823.275
	1.5	7388749.835	4771153.024	823.313
&				
P76 1+500		.00000 181.01	249g	
	-1.5	7388741.397	4771171.428	825.413
	0	7388742.831	4771171.869	825.45
	1.5	7388744.264	4771172.309	825.488
&				
P77 1+520		.00000 184.79	748g	
	-1.5	7388736.068	4771190.794	827.588
	0	7388737.525	4771191.149	827.625
	1.5	7388738.983	4771191.504	827.663
&				
P78 1+540		.00000 182.32	118g	
	-1.5	7388731.383	4771210.177	829.118
	0	7388732.825	4771210.588	829.156
	1.5	7388734.268	4771210.999	829.193
&				
P79 1+560		.00000 164.63	730g	
	-1.5	7388723.484	4771228.028	830.586
	0	7388724.759	4771228.819	830.624
	1.5	7388726.033	4771229.61	830.661
&				
P80 1+580		.00000 146.95	342g	
	-1.5	7388710.993	4771243.029	831.743
	0	7388712.002	4771244.139	831.78

	1.5	7388713.01	4771245.249	831.818
&				
P81 1+600	.00000	129.26	953g	
	-1.5	7388694.867	4771254.029	833.328
	0	7388695.533	4771255.373	833.366
	1.5	7388696.198	4771256.717	833.403
&				
P82 1+620	.00000	113.23	909g	
	-1.5	7388676.535	4771260.89	834.928
	0	7388676.845	4771262.358	834.966
	1.5	7388677.155	4771263.825	835.003
&				
P83 1+640	.00000	90.089	28g	
	-1.5	7388657.194	4771261.396	836.528
	0	7388656.962	4771262.878	836.566
	1.5	7388656.729	4771264.359	836.603
&				
P84 1+660	.00000	68.143	80g	
	-1.5	7388638.909	4771254.984	838.226
	0	7388638.189	4771256.3	838.264
	1.5	7388637.47	4771257.616	838.301
&				
P85 1+680	.00000	68.143	80g	
	-1.5	7388621.361	4771245.389	840.041
	0	7388620.641	4771246.705	840.079
	1.5	7388619.922	4771248.021	840.116
&				
P86 1+700	.00000	70.207	13g	
	-1.5	7388603.754	4771235.801	841.712
	0	7388603.077	4771237.139	841.75
	1.5	7388602.401	4771238.478	841.787
&				
P87 1+720	.00000	87.257	25g	
	-1.5	7388584.439	4771229.463	842.546
	0	7388584.141	4771230.933	842.584
	1.5	7388583.842	4771232.403	842.621
&				
P88 1+740	.00000	84.722	63g	
	-1.5	7388564.93	4771225.344	843.16
	0	7388564.574	4771226.801	843.197
	1.5	7388564.217	4771228.258	843.235
&				
P89 1+760	.00000	87.002	11g	
	-1.5	7388545.536	4771220.255	843.987
	0	7388545.232	4771221.724	844.024
	1.5	7388544.928	4771223.193	844.062
&				
P90 1+780	.00000	101.64	833g	
	-1.5	7388525.307	4771218.631	845.439
	0	7388525.346	4771220.13	845.476

	1.5	7388525.385	4771221.63	845.514
&				
P91 1+800		.00000 101.64	833g	
	-1.5	7388505.314	4771219.149	846.908
	0	7388505.353	4771220.648	846.945
	1.5	7388505.391	4771222.148	846.983
&				
P92 1+820		.00000 97.201	24g	
	-1.5	7388485.424	4771219.228	848.273
	0	7388485.358	4771220.727	848.311
	1.5	7388485.292	4771222.225	848.348
&				
P93 1+840		.00000 90.127	69g	
	-1.5	7388465.699	4771217.259	849.972
	0	7388465.467	4771218.741	850.01
	1.5	7388465.236	4771220.223	850.047
&				
P94 1+860		.00000 83.054	14g	
	-1.5	7388446.314	4771213.114	851.703
	0	7388445.919	4771214.561	851.74
	1.5	7388445.525	4771216.009	851.778
&				
P95 1+880		.00000 77.835	96g	
	-1.5	7388427.44	4771206.902	853.474
	0	7388426.929	4771208.312	853.511
	1.5	7388426.417	4771209.722	853.549
&				
P96 1+900		.00000 77.835	96g	
	-1.5	7388408.64	4771200.079	855.265
	0	7388408.129	4771201.489	855.302
	1.5	7388407.617	4771202.899	855.34
&				
P97 1+920		.00000 77.835	96g	
	-1.5	7388389.84	4771193.255	857.011
	0	7388389.329	4771194.665	857.048
	1.5	7388388.817	4771196.075	857.086
&				
P98 1+940		.00000 77.835	96g	
	-1.5	7388371.04	4771186.432	858.768
	0	7388370.528	4771187.842	858.805
	1.5	7388370.017	4771189.252	858.843
&				
P99 1+960		.00000 77.835	96g	
	-1.5	7388352.24	4771179.609	860.722
	0	7388351.728	4771181.019	860.759
	1.5	7388351.217	4771182.429	860.797
&				
P100 1+98		0.00000 86.80	008g	
	-1.5	7388333.002	4771173.485	862.826
	0	7388332.693	4771174.953	862.864

	1.5	7388332.384	4771176.421	862.901
&				
P101 2+0.		00000 102.715	57g	
	-1.5	7388312.749	4771171.813	865.109
	0	7388312.813	4771173.312	865.146
	1.5	7388312.877	4771174.811	865.184
&				
P102 2+20		.00000 118.63	107g	
	-1.5	7388292.712	4771175.204	866.682
	0	7388293.144	4771176.641	866.719
	1.5	7388293.577	4771178.077	866.757
&				
P103 2+40		.00000 128.66	516g	
	-1.5	7388274.1	4771183.079	868.318
	0	7388274.753	4771184.429	868.356
	1.5	7388275.406	4771185.78	868.393
&				
P104 2+60		.00000 128.66	516g	
	-1.5	7388256.094	4771191.783	869.919
	0	7388256.747	4771193.134	869.956
	1.5	7388257.399	4771194.484	869.994
&				
P105 2+80		.00000 128.66	516g	
	-1.5	7388238.087	4771200.487	872.352
	0	7388238.74	4771201.838	872.39
	1.5	7388239.393	4771203.188	872.427
&				
P106 2+10		0.00000 123.9	6816g	
	-1.5	7388220.081	4771208.924	875.261
	0	7388220.632	4771210.319	875.298
	1.5	7388221.184	4771211.714	875.336
&				
P107 2+12		0.00000 109.8	2106g	
	-1.5	7388201.142	4771214.071	877.542
	0	7388201.372	4771215.554	877.58
	1.5	7388201.603	4771217.036	877.617
&				
P108 2+14		0.00000 95.67	395g	
	-1.5	7388181.534	4771214.918	878.925
	0	7388181.432	4771216.415	878.963
	1.5	7388181.33	4771217.911	879
&				
P109 2+16		0.00000 81.52	684g	
	-1.5	7388162.221	4771211.423	880.607
	0	7388161.792	4771212.86	880.645
	1.5	7388161.363	4771214.297	880.682
&				
P110 2+18		0.00000 71.12	007g	
	-1.5	7388144.005	4771203.854	882.646
	0	7388143.348	4771205.202	882.684

	1.5	7388142.691	4771206.55	882.721
&				
P111 2+20	0.00000	71.12	007g	
	-1.5	7388126.028	4771195.089	884.88
	0	7388125.371	4771196.437	884.918
	1.5	7388124.714	4771197.786	884.955
&				
P112 2+22	0.00000	71.12	007g	
	-1.5	7388108.051	4771186.324	887.211
	0	7388107.394	4771187.672	887.248
	1.5	7388106.736	4771189.021	887.286
&				
P113 2+24	0.00000	71.12	007g	
	-1.5	7388090.074	4771177.559	889.474
	0	7388089.417	4771178.907	889.511
	1.5	7388088.759	4771180.256	889.549
&				
P114 2+26	0.00000	71.12	007g	
	-1.5	7388072.097	4771168.794	891.605
	0	7388071.44	4771170.143	891.642
	1.5	7388070.782	4771171.491	891.68
&				
P115 2+28	0.00000	71.12	007g	
	-1.5	7388054.12	4771160.029	893.616
	0	7388053.462	4771161.378	893.653
	1.5	7388052.805	4771162.726	893.691
&				
P116 2+30	0.00000	71.12	007g	
	-1.5	7388036.143	4771151.264	895.57
	0	7388035.485	4771152.613	895.607
	1.5	7388034.828	4771153.961	895.645
&				
P117 2+32	0.00000	71.12	007g	
	-1.5	7388018.166	4771142.5	897.443
	0	7388017.508	4771143.848	897.48
	1.5	7388016.851	4771145.196	897.518
&				
P118 2+34	0.00000	71.12	007g	
	-1.5	7388000.188	4771133.735	899.313
	0	7387999.531	4771135.083	899.351
	1.5	7387998.874	4771136.431	899.388
&				
P119 2+36	0.00000	82.64	719g	
	-1.5	7387981.393	4771126.235	901.16
	0	7387980.989	4771127.68	901.197
	1.5	7387980.585	4771129.124	901.235
&				
P120 2+38	0.00000	96.79	429g	
	-1.5	7387961.365	4771122.973	902.724
	0	7387961.29	4771124.471	902.761

	1.5	7387961.214	4771125.969	902.799
&				
P121 2+40	0.00000	106.9	8336g	
	-1.5	7387941.181	4771124.019	903.636
	0	7387941.345	4771125.51	903.674
	1.5	7387941.509	4771127.001	903.711
&				
P122 2+42	0.00000	106.9	8336g	
	-1.5	7387921.301	4771126.209	903.561
	0	7387921.465	4771127.7	903.598
	1.5	7387921.63	4771129.191	903.636
&				
P123 2+44	0.00000	89.87	507g	
	-1.5	7387901.772	4771125.886	903.232
	0	7387901.535	4771127.367	903.269
	1.5	7387901.297	4771128.848	903.307
&				
P124 2+46	0.00000	71.68	594g	
	-1.5	7387883.15	4771120.087	903.222
	0	7387882.504	4771121.441	903.259
	1.5	7387881.859	4771122.795	903.297
&				
P125 2+48	0.00000	63.23	136g	
	-1.5	7387866.254	4771109.796	903.939
	0	7387865.435	4771111.052	903.977
	1.5	7387864.616	4771112.309	904.014
&				
P126 2+50	0.00000	63.23	136g	
	-1.5	7387849.498	4771098.876	905.288
	0	7387848.679	4771100.133	905.326
	1.5	7387847.86	4771101.389	905.363
&				
P127 2+52	0.00000	63.23	136g	
	-1.5	7387832.742	4771087.956	907.007
	0	7387831.923	4771089.213	907.044
	1.5	7387831.104	4771090.47	907.082
&				
P128 2+54	0.00000	95.01	900g	
	-1.5	7387813.304	4771081.337	908.393
	0	7387813.187	4771082.832	908.431
	1.5	7387813.07	4771084.328	908.468
&				
P129 2+56	0.00000	126.8	4999g	
	-1.5	7387793.072	4771084.847	909.552
	0	7387793.686	4771086.215	909.589
	1.5	7387794.3	4771087.584	909.627
&				
P130 2+58	0.00000	146.0	3201g	
	-1.5	7387776.642	4771096.853	910.673
	0	7387777.634	4771097.978	910.682

	1.5	7387778.627	4771099.102	910.691
&				
P131 2+60	0.00000	141.0	8169g	
	-1.5	7387761.562	4771109.805	912.045
	0	7387762.464	4771111.003	912.008
	1.5	7387763.366	4771112.201	911.97
&				
P132 2+62	0.00000	126.9	3459g	
	-1.5	7387744.67	4771119.797	914.04
	0	7387745.286	4771121.165	914.002
	1.5	7387745.902	4771122.533	913.965
&				
P133 2+64	0.00000	112.7	8748g	
	-1.5	7387725.991	4771125.821	916.273
	0	7387726.29	4771127.291	916.236
	1.5	7387726.59	4771128.761	916.198
&				
P134 2+66	0.00000	98.64	037g	
	-1.5	7387706.444	4771127.581	918.575
	0	7387706.412	4771129.08	918.537
	1.5	7387706.38	4771130.58	918.5
&				
P135 2+68	0.00000	141.4	8850g	
	-1.5	7387685.867	4771128.153	921.097
	0	7387686.776	4771129.346	921.059
	3.231	7387688.736	4771131.914	920.978
&				
P136 2+70	0.00000	293.6	3252g	
	-1.5	7387693.783	4771143.033	922.737
	0	7387693.933	4771141.54	922.7
	2.328	7387694.166	4771139.224	922.642
&				
P137 2+72	0.00000	292.6	7728g	
	-1.5	7387713.659	4771145.048	924.965
	0	7387713.831	4771143.558	924.927
	1.5	7387714.003	4771142.068	924.89
&				
P138 2+74	0.00000	285.6	0373g	
	-1.5	7387733.194	4771148.413	927.529
	0	7387733.531	4771146.951	927.491
	1.5	7387733.867	4771145.489	927.454
&				
P139 2+76	0.00000	273.1	4751g	
	-1.5	7387752.014	4771154.158	929.83
	0	7387752.628	4771152.79	929.792
	1.5	7387753.242	4771151.421	929.755
&				
P140 2+78	0.00000	251.9	2685g	
	-1.5	7387768.159	4771164.932	932.477
	0	7387769.187	4771163.84	932.44

	1.5	7387770.215	4771162.748	932.402
&				
P141 2+80		0.00000 227.8	0627g	
	-1.5	7387780.055	4771180.212	935.015
	0	7387781.414	4771179.577	934.978
	1.5	7387782.773	4771178.943	934.94
&				
P142 2+82		0.00000 100.4	8231g	
	-1.5	7387772.417	4771192.307	937.425
	0	7387772.429	4771193.807	937.388
	1.5	7387772.44	4771195.307	937.35
&				
P143 2+84		0.00000 85.28	242g	
	-1.5	7387753.261	4771188.046	940.223
	0	7387752.918	4771189.506	940.213
	1.5	7387752.574	4771190.966	940.203
&				
P144 2+86		0.00000 85.28	242g	
	-1.5	7387733.793	4771183.463	942.865
	0	7387733.45	4771184.923	942.887
	1.5	7387733.106	4771186.383	942.908
&				
P145 2+88		0.00000 98.44	662g	
	-1.5	7387713.855	4771179.838	945.725
	0	7387713.819	4771181.338	945.763
	1.5	7387713.782	4771182.837	945.8
&				
P146 2+90		0.00000 100.3	5766g	
	-1.5	7387693.811	4771179.929	948.858
	0	7387693.819	4771181.429	948.896
	1.5	7387693.827	4771182.929	948.933
&				
P147 2+92		0.00000 133.3	2224g	
	-1.5	7387673.777	4771184.171	951.766
	0	7387674.526	4771185.47	951.803
	1.5	7387675.276	4771186.769	951.841
&				
P148 2+94		0.00000 165.8	6138g	
	-1.5	7387660.059	4771199.371	954.179
	0	7387661.349	4771200.137	954.216
	1.5	7387662.638	4771200.904	954.254
&				
P149 2+96		0.00000 154.7	8218g	
	-1.5	7387649.366	4771215.928	956.385
	0	7387650.504	4771216.906	956.423
	1.5	7387651.641	4771217.884	956.46
&				
P150 2+98		0.00000 129.3	1739g	
	-1.5	7387634.149	4771227.752	958.235
	0	7387634.815	4771229.095	958.272

	1.5	7387635.482	4771230.439	958.31
&				
P151 3+0.		00000 125.749	81g	
	-1.5	7387615.93	4771235.796	960.473
	0	7387616.521	4771237.175	960.51
	1.5	7387617.111	4771238.554	960.548
&				
P152 3+20		.00000 119.80	894g	
	-1.5	7387597.27	4771242.567	963.34
	0	7387597.73	4771243.995	963.378
	1.5	7387598.189	4771245.423	963.415
&				
P153 3+40		.00000 119.80	894g	
	-1.5	7387578.231	4771248.691	966.117
	0	7387578.69	4771250.119	966.155
	1.5	7387579.149	4771251.546	966.192
&				
P154 3+60		.00000 130.95	012g	
	-1.5	7387559.502	4771256.342	968.812
	0	7387560.203	4771257.669	968.849
	1.5	7387560.904	4771258.995	968.887
&				
P155 3+80		.00000 141.54	903g	
	-1.5	7387542.624	4771267.478	971.332
	0	7387543.535	4771268.669	971.37
	1.5	7387544.446	4771269.861	971.407
&				
P156 3+10		0.00000 130.4	1299g	
	-1.5	7387526.1	4771278.217	973.974
	0	7387526.789	4771279.549	974.012
	1.5	7387527.479	4771280.881	974.049
&				
P157 3+12		0.00000 118.3	3839g	
	-1.5	7387507.805	4771285.479	976.907
	0	7387508.232	4771286.918	976.931
	1.5	7387508.658	4771288.356	976.956
&				
P158 3+14		0.00000 153.6	2815g	
	-1.5	7387488.74	4771293.357	979.271
	0	7387489.86	4771294.355	979.234
	2.638	7387491.828	4771296.111	979.168
&				
P159 3+16		0.00000 278.8	9815g	
	-1.5	7387495.033	4771311.545	981.039
	0	7387495.521	4771310.127	981.001
	2.68	7387496.393	4771307.593	980.934
&				
P160 3+18		0.00000 286.0	8511g	
	-1.5	7387514.934	4771310.344	983.204
	0	7387515.259	4771308.879	983.241

	1.5	7387515.585	4771307.415	983.278
&				
P161 3+20	0.00000	142.7	0534g	
-1.498	7387512.279	4771322.929	985.538	
0	7387513.21	4771324.102	985.575	
1.5	7387514.143	4771325.277	985.612	
&				
P162 3+22	0.00000	121.6	5208g	
-1.5	7387494.752	4771331.315	988.275	
0	7387495.253	4771332.729	988.312	
1.5	7387495.753	4771334.143	988.349	
&				
P163 3+24	0.00000	98.50	227g	
-1.5	7387475.647	4771334.364	991.343	
0	7387475.612	4771335.864	991.38	
1.5	7387475.576	4771337.364	991.417	
&				
P164 3+26	0.00000	79.61	332g	
-1.5	7387456.318	4771331.895	993.868	
0	7387455.846	4771333.319	993.905	
1.5	7387455.374	4771334.742	993.942	
&				
P165 3+28	0.00000	69.96	144g	
-1.5	7387438.526	4771323.311	996.301	
0	7387437.844	4771324.647	996.338	
1.5	7387437.162	4771325.983	996.375	
&				
P166 3+30	0.00000	74.52	363g	
-1.5	7387420.58	4771314.245	998.559	
0	7387419.996	4771315.626	998.596	
1.5	7387419.411	4771317.008	998.633	
&				
P167 3+32	0.00000	99.18	247g	
-1.5	7387400.385	4771310.902	1001.033	
0	7387400.365	4771312.401	1001.07	
1.5	7387400.346	4771313.901	1001.107	
&				
P168 3+34	0.00000	117.1	3059g	
-1.5	7387380.203	4771313.539	1003.835	
0	7387380.601	4771314.985	1003.872	
1.5	7387381	4771316.431	1003.909	
&				
P169 3+36	0.00000	117.1	3059g	
-1.5	7387360.922	4771318.856	1006.395	
0	7387361.321	4771320.302	1006.432	
1.5	7387361.72	4771321.748	1006.469	
&				
P170 3+38	0.00000	108.2	0660g	
-1.5	7387341.675	4771323.365	1008.622	
0	7387341.868	4771324.853	1008.659	

	1.5	7387342.06	4771326.341	1008.697
&				
P171 3+40	0.00000	103.7	5506g	
	-1.5	7387321.83	4771324.729	1011.535
	0	7387321.919	4771326.227	1011.572
	1.5	7387322.007	4771327.724	1011.609
&				
P172 3+42	0.00000	114.0	7176g	
	-1.5	7387301.713	4771326.725	1014.561
	0	7387302.042	4771328.188	1014.598
	1.5	7387302.371	4771329.652	1014.635
&				
P173 3+44	0.00000	135.2	9242g	
	-1.5	7387282.822	4771334.439	1017.484
	0	7387283.612	4771335.714	1017.521
	1.5	7387284.402	4771336.99	1017.558
&				
P174 3+46	0.00000	156.5	1308g	
	-1.5	7387267.496	4771347.91	1020.38
	0	7387268.659	4771348.857	1020.417
	1.5	7387269.823	4771349.804	1020.455
&				
P175 3+48	0.00000	158.4	7022g	
	-1.5	7387255.538	4771363.998	1023.276
	0	7387256.73	4771364.908	1023.313
	1.5	7387257.922	4771365.819	1023.351
&				
P176 3+50	0.00000	149.9	8196g	
	-1.5	7387242.506	4771378.885	1026.155
	0	7387243.567	4771379.946	1026.192
	1.5	7387244.627	4771381.007	1026.23
&				
P177 3+52	0.00000	141.4	9370g	
	-1.5	7387227.612	4771391.908	1028.786
	0	7387228.521	4771393.101	1028.823
	1.5	7387229.431	4771394.293	1028.86
&				
P178 3+54	0.00000	139.5	2245g	
	-1.5	7387211.423	4771403.573	1031.15
	0	7387212.296	4771404.793	1031.187
	1.5	7387213.168	4771406.013	1031.225
&				
P179 3+56	0.00000	135.1	2084g	
	-1.5	7387195.147	4771415.011	1033.256
	0	7387195.934	4771416.289	1033.293
	1.5	7387196.72	4771417.566	1033.331
&				
P180 3+58	0.00000	116.9	3170g	
	-1.5	7387177.25	4771422.765	1035.131
	0	7387177.644	4771424.212	1035.168

	1.5	7387178.038	4771425.659	1035.206
&				
P181 3+60	0.00000	99.23	919g	
	-1.5	7387157.881	4771425.162	1036.988
	0	7387157.863	4771426.662	1037.026
	1.5	7387157.845	4771428.162	1037.063
&				
P182 3+62	0.00000	99.23	919g	
	-1.5	7387137.882	4771424.923	1038.885
	0	7387137.864	4771426.423	1038.922
	1.5	7387137.846	4771427.923	1038.96
&				
P183 3+64	0.00000	99.23	919g	
	-1.5	7387117.884	4771424.684	1040.782
	0	7387117.866	4771426.184	1040.819
	1.5	7387117.848	4771427.684	1040.856
&				
P184 3+66	0.00000	99.23	919g	
	-1.5	7387097.885	4771424.445	1042.585
	0	7387097.867	4771425.945	1042.622
	1.5	7387097.849	4771427.445	1042.659
&				
P185 3+68	0.00000	112.7	3972g	
	-1.5	7387077.639	4771425.388	1044.117
	0	7387077.937	4771426.858	1044.155
	1.5	7387078.236	4771428.328	1044.192
&				
P186 3+70	0.00000	96.01	924g	
	-1.5	7387058.254	4771427.33	1045.641
	0	7387058.161	4771428.827	1045.678
	1.5	7387058.067	4771430.324	1045.715
&				
P187 3+72	0.00000	96.01	924g	
	-1.5	7387038.293	4771426.08	1047.685
	0	7387038.2	4771427.577	1047.722
	1.5	7387038.106	4771429.074	1047.76
&				
P188 3+74	0.00000	104.9	1536g	
	-1.5	7387018.109	4771425.71	1049.694
	0	7387018.225	4771427.206	1049.731
	1.5	7387018.34	4771428.701	1049.769
&				
P189 3+76	0.00000	110.8	0671g	
	-1.5	7386998.205	4771428.724	1051.77
	0	7386998.459	4771430.203	1051.807
	1.5	7386998.712	4771431.681	1051.845
&				
P190 3+78	0.00000	88.90	601g	
	-1.5	7386978.912	4771429.049	1054.013
	0	7386978.652	4771430.527	1054.05

	1.5	7386978.392	4771432.004	1054.088
&				
P191 3+80	0.00000	92.42	050g	
	-1.5	7386959.084	4771425.881	1056.285
	0	7386958.906	4771427.371	1056.322
	1.5	7386958.728	4771428.86	1056.36
&				
P192 3+82	0.00000	98.57	073g	
	-1.5	7386938.997	4771424.458	1058.57
	0	7386938.963	4771425.957	1058.607
	1.5	7386938.93	4771427.457	1058.645
&				
P193 3+84	0.00000	93.89	332g	
	-1.5	7386919.131	4771423.681	1061.224
	0	7386918.987	4771425.174	1061.262
	1.5	7386918.844	4771426.667	1061.299
&				
P194 3+86	0.00000	85.88	681g	
	-1.5	7386899.582	4771420.55	1063.901
	0	7386899.252	4771422.013	1063.938
	1.5	7386898.922	4771423.477	1063.976
&				
P195 3+88	0.00000	85.57	783g	
	-1.5	7386880.099	4771416.061	1066.514
	0	7386879.763	4771417.523	1066.551
	1.5	7386879.426	4771418.985	1066.588
&				
P196 3+90	0.00000	85.57	783g	
	-1.5	7386860.61	4771411.569	1068.904
	0	7386860.274	4771413.031	1068.941
	1.5	7386859.937	4771414.492	1068.979
&				
P197 3+92	0.00000	52.78	321g	
	-1.5	7386843.585	4771403.183	1070.777
	0	7386842.572	4771404.289	1070.815
	1.5	7386841.558	4771405.395	1070.852
&				
P198 3+94	0.00000	25.08	734g	
	-1.5	7386833.45	4771386.937	1072.814
	0	7386832.065	4771387.513	1072.852
	1.5	7386830.68	4771388.089	1072.889
&				
P199 3+96	0.00000	27.51	176g	
	-1.5	7386825.575	4771368.493	1074.908
	0	7386824.213	4771369.121	1074.945
	1.5	7386822.851	4771369.749	1074.983
&				
P200 3+98	0.00000	27.51	176g	
	-1.5	7386817.198	4771350.331	1076.879
	0	7386815.836	4771350.96	1076.886

	1.5	7386814.474	4771351.588	1076.893
&				
P201 4+0.		00000 40.4970	0g	
	-1.5	7386807.937	4771332.306	1078.632
	0	7386806.73	4771333.197	1078.594
	1.742	7386805.329	4771334.232	1078.551
&				
P202 4+20		.00000 102.98	397g	
	-1.5	7386791.467	4771319.967	1080.494
	0	7386791.538	4771321.465	1080.457
	2.727	7386791.665	4771324.189	1080.389
&				
P203 4+40		.00000 228.91	491g	
	-1.5	7386783.338	4771336.629	1082.534
	0	7386784.686	4771335.971	1082.497
	2.301	7386786.754	4771334.961	1082.439
&				
P204 4+60		.00000 228.91	491g	
	-1.5	7386792.113	4771354.601	1084.48
	0	7386793.461	4771353.943	1084.442
	1.5	7386794.809	4771353.285	1084.405
&				
P205 4+80		.00000 214.31	878g	
	-1.5	7386798.621	4771373.074	1086.645
	0	7386800.083	4771372.74	1086.608
	1.5	7386801.545	4771372.405	1086.57
&				
P206 4+10		0.00000 196.2	1006g	
	-1.5	7386800.245	4771392.513	1088.61
	0	7386801.742	4771392.602	1088.573
	1.5	7386803.239	4771392.692	1088.535
&				
P207 4+12		0.00000 188.9	0142g	
	-1.5	7386797.253	4771412.102	1090.288
	0	7386798.73	4771412.362	1090.251
	1.5	7386800.207	4771412.622	1090.213
&				
P208 4+14		0.00000 217.5	7991g	
	-1.5	7386798.054	4771432.571	1091.728
	0	7386799.497	4771432.162	1091.691
	1.5	7386800.94	4771431.753	1091.653
&				
P209 4+16		0.00000 247.8	9513g	
	-1.5	7386808.147	4771450.436	1092.949
	0	7386809.242	4771449.411	1092.912
	1.5	7386810.337	4771448.386	1092.874
&				
P210 4+18		0.00000 253.2	5389g	
	-1.5	7386822.98	4771464.033	1094.136
	0	7386823.985	4771462.92	1094.098

	1.5	7386824.99	4771461.806	1094.061
&				
P211 4+20	0.00000	278.5	2002g	
	-1.5	7386840.333	4771474.828	1095.143
	0	7386840.83	4771473.413	1095.106
	1.5	7386841.327	4771471.997	1095.068
&				
P212 4+22	0.00000	277.6	2584g	
	-1.5	7386859.403	4771480.769	1096.446
	0	7386859.919	4771479.361	1096.408
	1.5	7386860.435	4771477.952	1096.371
&				
P213 4+24	0.00000	273.0	0104g	
	-1.5	7386877.684	4771488.593	1097.937
	0	7386878.301	4771487.226	1097.949
	1.5	7386878.919	4771485.859	1097.962
&				
P214 4+26	0.00000	174.6	5547g	
	-2.5	7386885.248	4771501.121	1099.906
	0	7386887.553	4771502.09	1099.968
	1.5	7386888.936	4771502.672	1100.006
&				
P215 4+28	0.00000	62.77	624g	
	-1.5	7386871.812	4771500.64	1101.673
	0	7386870.984	4771501.89	1101.711
	1.5	7386870.156	4771503.141	1101.748
&				
P216 4+30	0.00000	79.58	855g	
	-1.5	7386853.536	4771491.722	1103.244
	0	7386853.063	4771493.146	1103.281
	1.5	7386852.59	4771494.57	1103.319
&				
P217 4+32	0.00000	87.91	303g	
	-1.5	7386833.854	4771487.275	1104.512
	0	7386833.57	4771488.748	1104.549
	1.5	7386833.287	4771490.221	1104.587
&				
P218 4+34	0.00000	76.27	631g	
	-1.5	7386814.745	4771482.526	1105.634
	0	7386814.199	4771483.923	1105.671
	1.5	7386813.653	4771485.32	1105.709
&				
P219 4+36	0.00000	56.68	801g	
	-1.5	7386797.919	4771472.746	1106.646
	0	7386796.976	4771473.912	1106.684
	1.5	7386796.032	4771475.078	1106.721
&				
P220 4+38	0.00000	40.97	921g	
	-1.5	7386784.695	4771458.326	1107.623
	0	7386783.495	4771459.226	1107.66

	1.5	7386782.295	4771460.126	1107.698
&				
P221 4+40	0.00000	40.97	921g	
	-1.5	7386772.692	4771442.328	1108.403
	0	7386771.492	4771443.228	1108.44
	1.5	7386770.292	4771444.129	1108.478
&				
P222 4+42	0.00000	22.33	787g	
	-1.5	7386762.542	4771425.715	1109.032
	0	7386761.133	4771426.231	1109.069
	1.5	7386759.725	4771426.747	1109.107
&				
P223 4+44	0.00000	30.33	359g	
	-1.5	7386756.613	4771406.432	1110.073
	0	7386755.28	4771407.12	1110.036
	2.165	7386753.356	4771408.113	1109.982
&				
P224 4+46	0.00000	157.0	8532g	
	-1.5	7386737.352	4771404.597	1111.867
	0	7386738.523	4771405.533	1111.829
	2.966	7386740.841	4771407.385	1111.755
&				
P225 4+48	0.00000	234.2	2942g	
	-1.5	7386740.914	4771424.378	1114
	0	7386742.203	4771423.61	1113.962
	1.687	7386743.652	4771422.746	1113.92
&				
P226 4+50	0.00000	233.1	8077g	
	-1.5	7386751.11	4771441.555	1116.111
	0	7386752.411	4771440.808	1116.073
	1.5	7386753.711	4771440.061	1116.036
&				
P227 4+52	0.00000	228.9	3664g	
	-1.5	7386760.436	4771459.13	1118.048
	0	7386761.784	4771458.472	1118.011
	1.5	7386763.131	4771457.813	1117.973
&				
P228 4+54	0.00000	226.9	6624g	
	-1.5	7386768.767	4771477.26	1120.006
	0	7386770.135	4771476.644	1119.968
	1.5	7386771.502	4771476.027	1119.931
&				
P229 4+56	0.00000	226.9	6624g	
	-1.5	7386776.988	4771495.493	1122.331
	0	7386778.355	4771494.876	1122.294
	1.5	7386779.723	4771494.26	1122.256
&				
P230 4+58	0.00000	242.1	7136g	
	-1.5	7386787.389	4771512.932	1124.879
	0	7386788.572	4771512.01	1124.841

	1.5	7386789.754	4771511.087	1124.804
&				
P231 4+60	0.00000	258.0	8686g	
	-1.5	7386801.788	4771527.273	1127.34
	0	7386802.706	4771526.087	1127.303
	1.5	7386803.623	4771524.9	1127.265
&				
P232 4+62	0.00000	274.0	0235g	
	-1.5	7386819.287	4771537.606	1129.325
	0	7386819.883	4771536.229	1129.287
	1.5	7386820.478	4771534.852	1129.25
&				
P233 4+64	0.00000	289.9	1785g	
	-1.5	7386838.799	4771543.287	1130.902
	0	7386839.035	4771541.806	1130.865
	1.5	7386839.272	4771540.325	1130.827
&				
P234 4+66	0.00000	305.8	3334g	
	-1.5	7386859.109	4771543.965	1133.132
	0	7386858.972	4771542.472	1133.095
	1.5	7386858.835	4771540.978	1133.057
&				
P235 4+68	0.00000	297.5	6323g	
	-1.53	7386878.834	4771542.272	1136.028
	0	7386878.892	4771540.743	1136.066
	1.5	7386878.95	4771539.244	1136.103
&				
P236 4+70	0.00000	206.6	1755g	
	-2.052	7386890.24	4771553.493	1138.12
	0	7386892.281	4771553.28	1138.172
	1.5	7386893.773	4771553.124	1138.209
&				
P237 4+72	0.00000	153.7	6821g	
	-1.5	7386882.247	4771569.391	1140.737
	0	7386883.369	4771570.387	1140.774
	1.5	7386884.49	4771571.383	1140.812
&				
P238 4+74	0.00000	117.3	8994g	
	-1.5	7386866.237	4771579.404	1143.262
	0	7386866.641	4771580.848	1143.3
	1.5	7386867.046	4771582.292	1143.337
&				
P239 4+76	0.00000	81.01	167g	
	-1.5	7386847.355	4771579.167	1145.193
	0	7386846.914	4771580.6	1145.231
	1.5	7386846.473	4771582.034	1145.268
&				
P240 4+78	0.00000	71.60	981g	
	-1.5	7386829.37	4771570.973	1147.553
	0	7386828.723	4771572.326	1147.546

	1.5	7386828.076	4771573.679	1147.54
&				
P241 4+80	0.00000	137.7	5853g	
	-1.5	7386809.365	4771567.146	1150.55
	0	7386810.203	4771568.39	1150.512
	2.898	7386811.823	4771570.793	1150.44
&				
P242 4+82	0.00000	252.5	5203g	
	-1.5	7386810.884	4771586.127	1153.211
	0	7386811.901	4771585.025	1153.173
	2.085	7386813.316	4771583.492	1153.121
&				
P243 4+84	0.00000	252.5	5203g	
	-1.5	7386825.582	4771599.691	1155.064
	0	7386826.599	4771598.589	1155.026
	1.5	7386827.616	4771597.486	1154.989
&				
P244 4+86	0.00000	252.5	5203g	
	-1.5	7386840.279	4771613.255	1156.768
	0	7386841.297	4771612.153	1156.73
	1.5	7386842.314	4771611.05	1156.693
&				
P245 4+88	0.00000	256.9	1827g	
	-1.5	7386855.179	4771626.745	1158.35
	0	7386856.119	4771625.575	1158.313
	1.5	7386857.058	4771624.406	1158.275
&				
P246 4+90	0.00000	233.4	2834g	
	-3.145	7386869.186	4771639.251	1160.316
	0	7386871.907	4771637.675	1160.395
	1.5	7386873.205	4771636.923	1160.433
&				
P247 4+92	0.00000	86.33	066g	
	-2.72	7386863.904	4771648.331	1161.569
	0	7386863.325	4771650.988	1161.637
	1.5	7386863.005	4771652.454	1161.674
&				
P248 4+94	0.00000	50.82	395g	
	-1.5	7386849.365	4771636.983	1162.465
	0	7386848.318	4771638.058	1162.502
	1.5	7386847.271	4771639.132	1162.54
&				
P249 4+96	0.00000	51.60	656g	
	-1.5	7386835.022	4771623.018	1163.193
	0	7386833.989	4771624.105	1163.23
	1.5	7386832.955	4771625.192	1163.268
&				
P250 4+98	0.00000	59.39	855g	
	-1.5	7386819.283	4771610.409	1164.373
	0	7386818.39	4771611.614	1164.41

	1.5	7386817.497	4771612.819	1164.448
&				
P251 5+0.		00000 59.3985	5g	
	-1.5	7386803.215	4771598.501	1165.761
	0	7386802.322	4771599.706	1165.799
	1.5	7386801.428	4771600.911	1165.836
&				
P252 5+20		.00000 87.578	21g	
	-1.5	7386785.397	4771588.476	1167.135
	0	7386785.106	4771589.947	1167.173
	1.5	7386784.815	4771591.419	1167.21
&				
P253 5+40		.00000 115.75	601g	
	-1.5	7386765.105	4771590.969	1169.536
	0	7386765.472	4771592.423	1169.574
	1.5	7386765.839	4771593.878	1169.611
&				
P254 5+60		.00000 115.75	601g	
	-1.5	7386745.714	4771595.868	1171.689
	0	7386746.081	4771597.323	1171.727
	1.5	7386746.449	4771598.777	1171.764
&				
P255 5+80		.00000 108.98	062g	
	-1.5	7386726.444	4771600.571	1174.266
	0	7386726.655	4771602.056	1174.304
	1.5	7386726.866	4771603.541	1174.341
&				
P256 5+10		0.00000 66.53	930g	
	-1.5	7386708.138	4771597.007	1176.996
	0	7386707.385	4771598.305	1177.034
	1.5	7386706.633	4771599.602	1177.071
&				
P257 5+12		0.00000 24.09	798g	
	-1.5	7386695.955	4771582.887	1178.918
	0	7386694.561	4771583.441	1178.956
	1.5	7386693.167	4771583.995	1178.993
&				
P258 5+14		0.00000 6.188	23g	
	-1.5	7386692.95	4771563.615	1180.74
	0	7386691.457	4771563.76	1180.778
	1.5	7386689.964	4771563.906	1180.815
&				
P259 5+16		0.00000 62.50	285g	
	-1.5	7386683.271	4771545.527	1182.21
	0	7386682.438	4771546.774	1182.247
	1.5	7386681.605	4771548.021	1182.285
&				
P260 5+18		0.00000 76.02	823g	
	-1.5	7386664.586	4771537.618	1183.642
	0	7386664.034	4771539.013	1183.679

	1.5	7386663.482	4771540.408	1183.717
&				
P261 5+20	0.00000	71.63	011g	
	-1.5	7386646.221	4771529.976	1185.295
	0	7386645.574	4771531.329	1185.333
	1.5	7386644.928	4771532.683	1185.37
&				
P262 5+22	0.00000	63.14	185g	
	-1.5	7386628.976	4771520.277	1186.972
	0	7386628.155	4771521.533	1187.009
	1.5	7386627.334	4771522.788	1187.047
&				
P263 5+24	0.00000	64.34	580g	
	-1.5	7386612.33	4771509.141	1187.728
	0	7386611.533	4771510.412	1187.766
	1.5	7386610.736	4771511.683	1187.803
&				
P264 5+26	0.00000	71.08	428g	
	-1.5	7386594.693	4771499.399	1187.4
	0	7386594.035	4771500.747	1187.438
	1.5	7386593.377	4771502.095	1187.475
&				
P265 5+28	0.00000	81.07	832g	
	-1.5	7386576.165	4771491.331	1187.356
	0	7386575.726	4771492.766	1187.393
	1.5	7386575.286	4771494.2	1187.431
&				
P266 5+30	0.00000	99.26	746g	
	-1.5	7386556.048	4771488.201	1187.662
	0	7386556.031	4771489.701	1187.699
	1.5	7386556.013	4771491.201	1187.737
&				
P267 5+32	0.00000	109.8	5196g	
	-1.5	7386535.943	4771490.34	1188.192
	0	7386536.174	4771491.822	1188.229
	1.5	7386536.405	4771493.304	1188.267
&				
P268 5+34	0.00000	109.8	5196g	
	-1.5	7386516.182	4771493.423	1188.722
	0	7386516.413	4771494.905	1188.759
	1.5	7386516.644	4771496.387	1188.797
&				
P269 5+36	0.00000	109.6	5170g	
	-1.5	7386496.425	4771496.5	1189.252
	0	7386496.651	4771497.982	1189.289
	1.5	7386496.878	4771499.465	1189.327
&				
P270 5+38	0.00000	108.5	3902g	
	-1.5	7386476.651	4771499.322	1189.964
	0	7386476.852	4771500.808	1190.002

	1.5	7386477.053	4771502.295	1190.039
&				
P271 5+40	0.00000	108.5	3902g	
	-1.5	7386456.831	4771501.996	1190.71
	0	7386457.032	4771503.483	1190.748
	1.5	7386457.232	4771504.969	1190.785
&				
P272 5+42	0.00000	108.5	3902g	
	-1.5	7386437.011	4771504.671	1191.456
	0	7386437.211	4771506.157	1191.493
	1.5	7386437.412	4771507.644	1191.531
&				
P273 5+44	0.00000	104.7	2901g	
	-1.5	7386417.249	4771507.069	1192.416
	0	7386417.36	4771508.565	1192.454
	1.5	7386417.472	4771510.061	1192.491
&				
P274 5+46	0.00000	96.24	075g	
	-1.5	7386397.464	4771507.22	1193.53
	0	7386397.376	4771508.717	1193.567
	1.5	7386397.287	4771510.215	1193.605
&				
P275 5+48	0.00000	93.80	806g	
	-1.5	7386377.607	4771505.391	1194.309
	0	7386377.461	4771506.884	1194.347
	1.5	7386377.315	4771508.377	1194.384
&				
P276 5+50	0.00000	104.1	8613g	
	-1.5	7386357.4	4771504.772	1194.961
	0	7386357.499	4771506.269	1194.999
	1.5	7386357.597	4771507.765	1195.036
&				
P277 5+52	0.00000	116.9	1853g	
	-1.5	7386337.412	4771508.116	1195.736
	0	7386337.806	4771509.563	1195.774
	1.5	7386338.199	4771511.01	1195.811
&				
P278 5+54	0.00000	125.6	3081g	
	-1.5	7386318.49	4771515.143	1196.625
	0	7386319.078	4771516.523	1196.662
	1.5	7386319.665	4771517.903	1196.7
&				
P279 5+56	0.00000	125.6	3081g	
	-1.5	7386300.089	4771522.979	1197.727
	0	7386300.677	4771524.359	1197.764
	1.5	7386301.264	4771525.739	1197.802
&				
P280 5+58	0.00000	125.6	3081g	
	-1.5	7386281.688	4771530.815	1199.206
	0	7386282.276	4771532.195	1199.243

	1.5	7386282.864	4771533.575	1199.281
&				
P281 5+60	0.00000	125.6	3081g	
	-1.5	7386263.287	4771538.652	1200.899
	0	7386263.875	4771540.032	1200.936
	1.5	7386264.463	4771541.412	1200.974
&				
P282 5+62	0.00000	125.6	3081g	
	-1.5	7386244.886	4771546.488	1201.845
	0	7386245.474	4771547.868	1201.883
	1.5	7386246.062	4771549.248	1201.92
&				
P283 5+64	0.00000	125.1	0496g	
	-1.5	7386226.493	4771554.31	1202.685
	0	7386227.069	4771555.695	1202.722
	1.5	7386227.646	4771557.08	1202.76
&				
P284 5+66	0.00000	120.8	6083g	
	-1.5	7386207.879	4771561.338	1203.873
	0	7386208.362	4771562.758	1203.91
	1.5	7386208.845	4771564.178	1203.948
&				
P285 5+68	0.00000	117.6	5904g	
	-1.5	7386188.826	4771567.156	1205.563
	0	7386189.237	4771568.598	1205.601
	1.5	7386189.647	4771570.041	1205.638
&				
P286 5+70	0.00000	119.8	6314g	
	-1.5	7386169.586	4771572.8	1206.865
	0	7386170.046	4771574.227	1206.902
	1.5	7386170.507	4771575.655	1206.94
&				
P287 5+72	0.00000	124.6	6782g	
	-1.5	7386150.695	4771579.69	1208.157
	0	7386151.262	4771581.079	1208.194
	1.5	7386151.828	4771582.468	1208.232
&				
P288 5+74	0.00000	129.4	7250g	
	-1.5	7386132.377	4771587.985	1209.355
	0	7386133.047	4771589.327	1209.392
	1.5	7386133.717	4771590.669	1209.43
&				
P289 5+76	0.00000	134.2	7718g	
	-1.5	7386114.737	4771597.638	1210.552
	0	7386115.506	4771598.926	1210.589
	1.5	7386116.275	4771600.213	1210.627
&				
P290 5+78	0.00000	139.0	8185g	
	-1.5	7386097.875	4771608.593	1211.924
	0	7386098.739	4771609.819	1211.961

	1.5	7386099.603	4771611.045	1211.999
&				
P291 5+80	0.00000	143.8	8653g	
	-1.5	7386081.887	4771620.788	1213.301
	0	7386082.841	4771621.946	1213.338
	1.5	7386083.795	4771623.103	1213.376
&				
P292 5+82	0.00000	148.6	9121g	
	-1.5	7386066.864	4771634.155	1214.483
	0	7386067.902	4771635.237	1214.52
	1.5	7386068.941	4771636.319	1214.558
&				
P293 5+84	0.00000	153.4	9589g	
	-1.5	7386052.891	4771648.616	1215.605
	0	7386054.008	4771649.617	1215.643
	1.5	7386055.126	4771650.617	1215.68
&				
P294 5+86	0.00000	154.5	8730g	
	-1.5	7386039.758	4771663.733	1216.544
	0	7386040.892	4771664.714	1216.582
	1.5	7386042.026	4771665.696	1216.619
&				
P295 5+88	0.00000	154.5	8730g	
	-1.5	7386026.67	4771678.857	1217.466
	0	7386027.805	4771679.838	1217.504
	1.5	7386028.939	4771680.82	1217.541
&				
P296 5+90	0.00000	154.5	8730g	
	-1.5	7386013.583	4771693.98	1218.096
	0	7386014.717	4771694.962	1218.134
	1.5	7386015.851	4771695.943	1218.171
&				
P297 5+92	0.00000	150.9	0878g	
	-1.5	7386000.424	4771708.923	1218.39
	0	7386001.5	4771709.968	1218.427
	1.5	7386002.575	4771711.013	1218.465
&				
P298 5+94	0.00000	138.7	8269g	
	-1.5	7385985.425	4771721.67	1218.582
	0	7385986.283	4771722.901	1218.619
	1.5	7385987.141	4771724.131	1218.657
&				
P299 5+96	0.00000	126.6	5660g	
	-1.5	7385968.283	4771731.348	1219.063
	0	7385968.893	4771732.718	1219.101
	1.5	7385969.503	4771734.089	1219.138
&				
P300 5+98	0.00000	114.5	3051g	
	-1.5	7385949.62	4771737.605	1219.699
	0	7385949.959	4771739.066	1219.737

	1.5	7385950.299	4771740.527	1219.774
&				
P301 6+0.		00000 102.404	42g	
	-1.5	7385930.109	4771740.215	1220.102
	0	7385930.166	4771741.714	1220.139
	1.5	7385930.223	4771743.213	1220.177
&				
P302 6+20		.00000 90.278	33g	
	-1.5	7385910.457	4771739.085	1220.853
	0	7385910.229	4771740.567	1220.891
	1.5	7385910.001	4771742.05	1220.928
&				
P303 6+40		.00000 86.711	34g	
	-1.5	7385890.943	4771735.117	1221.184
	0	7385890.632	4771736.585	1221.221
	1.5	7385890.321	4771738.052	1221.259
&				
P304 6+60		.00000 83.253	31g	
	-1.5	7385871.506	4771730.776	1220.718
	0	7385871.116	4771732.225	1220.756
	1.5	7385870.726	4771733.673	1220.793
&				
P305 6+80		.00000 74.765	05g	
	-1.5	7385852.787	4771724.37	1219.948
	0	7385852.207	4771725.754	1219.985
	1.5	7385851.628	4771727.137	1220.023
&				
P306 6+10		0.00000 72.19	953g	
	-1.5	7385834.669	4771716.047	1219.629
	0	7385834.034	4771717.406	1219.666
	1.5	7385833.4	4771718.765	1219.704
&				
P307 6+12		0.00000 79.62	895g	
	-1.5	7385816.093	4771708.214	1219.383
	0	7385815.621	4771709.637	1219.421
	1.5	7385815.149	4771711.061	1219.458
&				
P308 6+14		0.00000 91.20	386g	
	-1.5	7385796.377	4771703.616	1219.346
	0	7385796.17	4771705.102	1219.383
	1.5	7385795.964	4771706.588	1219.421
&				
P309 6+16		0.00000 102.7	7876g	
	-1.5	7385776.155	4771702.66	1219.536
	0	7385776.22	4771704.159	1219.574
	1.5	7385776.286	4771705.657	1219.611
&				
P310 6+18		0.00000 109.4	3748g	
	-1.5	7385756.15	4771705.031	1220.173
	0	7385756.371	4771706.515	1220.21

	1.5	7385756.593	4771707.998	1220.248
&				
P311 6+20	0.00000	109.4	3748g	
	-1.5	7385736.369	4771707.985	1220.614
	0	7385736.591	4771709.469	1220.652
	1.5	7385736.812	4771710.952	1220.689
&				
P312 6+22	0.00000	104.9	6515g	
	-1.5	7385716.616	4771710.315	1221.275
	0	7385716.733	4771711.811	1221.312
	1.5	7385716.85	4771713.306	1221.35
&				
P313 6+24	0.00000	99.87	219g	
	-1.5	7385696.756	4771711.07	1221.951
	0	7385696.753	4771712.57	1221.989
	1.5	7385696.75	4771714.07	1222.026
&				
P314 6+26	0.00000	94.77	923g	
	-1.5	7385676.899	4771710.236	1222.461
	0	7385676.776	4771711.731	1222.498
	1.5	7385676.653	4771713.226	1222.536
&				
P315 6+28	0.00000	92.65	059g	
	-1.5	7385657.067	4771708.076	1222.863
	0	7385656.895	4771709.566	1222.9
	1.5	7385656.722	4771711.056	1222.938
&				
P316 6+30	0.00000	97.15	343g	
	-1.5	7385637.076	4771705.963	1223.265
	0	7385637.009	4771707.461	1223.302
	1.5	7385636.942	4771708.96	1223.34
&				
P317 6+32	0.00000	113.0	6892g	
	-1.5	7385616.82	4771707.593	1223.625
	0	7385617.126	4771709.061	1223.663
	1.5	7385617.432	4771710.53	1223.7
&				
P318 6+34	0.00000	128.9	8442g	
	-1.5	7385597.596	4771714.183	1224.143
	0	7385598.256	4771715.531	1224.18
	1.5	7385598.916	4771716.878	1224.218
&				
P319 6+36	0.00000	144.8	9991g	
	-1.5	7385580.601	4771725.325	1224.699
	0	7385581.573	4771726.467	1224.737
	1.5	7385582.546	4771727.61	1224.774
&				
P320 6+38	0.00000	142.5	3815g	
	-1.5	7385565.406	4771738.24	1225.364
	0	7385566.335	4771739.418	1225.402

	1.5	7385567.265	4771740.595	1225.439
&				
P321 6+40	0.00000	135.8	3689g	
	-1.5	7385549.213	4771749.692	1226.029
	0	7385550.014	4771750.961	1226.067
	1.5	7385550.814	4771752.229	1226.104
&				
P322 6+42	0.00000	129.1	3563g	
	-1.5	7385531.907	4771759.379	1226.781
	0	7385532.57	4771760.725	1226.818
	1.5	7385533.233	4771762.071	1226.856
&				
P323 6+44	0.00000	128.3	0266g	
	-1.5	7385513.876	4771767.987	1227.692
	0	7385514.521	4771769.341	1227.73
	1.5	7385515.166	4771770.695	1227.767
&				
P324 6+46	0.00000	128.3	0266g	
	-1.5	7385495.82	4771776.588	1228.556
	0	7385496.465	4771777.943	1228.594
	1.5	7385497.11	4771779.297	1228.631
&				
P325 6+48	0.00000	128.3	0266g	
	-1.5	7385477.764	4771785.19	1229.642
	0	7385478.409	4771786.544	1229.679
	1.5	7385479.054	4771787.898	1229.717
&				
P326 6+50	0.00000	128.3	0266g	
	-1.5	7385459.708	4771793.791	1231.192
	0	7385460.353	4771795.146	1231.23
	1.5	7385460.999	4771796.5	1231.267
&				
P327 6+52	0.00000	131.2	4371g	
	-1.5	7385441.629	4771802.501	1233.145
	0	7385442.336	4771803.824	1233.182
	1.5	7385443.042	4771805.147	1233.22
&				
P328 6+54	0.00000	147.1	5921g	
	-1.5	7385425.039	4771814.239	1234.845
	0	7385426.051	4771815.345	1234.883
	1.5	7385427.064	4771816.452	1234.92
&				
P329 6+56	0.00000	150.8	7046g	
	-1.5	7385410.933	4771828.537	1236.543
	0	7385412.008	4771829.583	1236.58
	1.5	7385413.084	4771830.629	1236.618
&				
P330 6+58	0.00000	150.8	7046g	
	-1.5	7385396.986	4771842.871	1238.095
	0	7385398.061	4771843.917	1238.133

	1.5	7385399.136	4771844.963	1238.17
&				
P331 6+60	0.00000	150.8	7046g	
	-1.5	7385383.038	4771857.205	1239.922
	0	7385384.114	4771858.251	1239.96
	1.5	7385385.189	4771859.297	1239.997
&				
P332 6+62	0.00000	150.8	7046g	
	-1.5	7385369.091	4771871.539	1242.407
	0	7385370.166	4771872.585	1242.445
	1.5	7385371.241	4771873.632	1242.482
&				
P333 6+64	0.00000	152.5	6199g	
	-1.5	7385355.167	4771885.951	1244.737
	0	7385356.27	4771886.968	1244.774
	1.5	7385357.372	4771887.986	1244.812
&				
P334 6+66	0.00000	158.9	2819g	
	-1.5	7385342.266	4771901.419	1247.151
	0	7385343.465	4771902.321	1247.188
	1.5	7385344.663	4771903.223	1247.226
&				
P335 6+68	0.00000	165.2	9439g	
	-1.5	7385330.974	4771918.098	1249.374
	0	7385332.257	4771918.875	1249.412
	1.5	7385333.539	4771919.653	1249.449
&				
P336 6+70	0.00000	171.6	6059g	
	-1.5	7385321.404	4771935.82	1251.235
	0	7385322.757	4771936.466	1251.273
	1.5	7385324.111	4771937.112	1251.31
&				
P337 6+72	0.00000	171.6	7240g	
	-1.5	7385312.795	4771953.873	1252.989
	0	7385314.149	4771954.519	1253.027
	1.5	7385315.503	4771955.164	1253.064
&				
P338 6+74	0.00000	169.4	4138g	
	-1.5	7385304.1	4771971.824	1254.419
	0	7385305.43	4771972.517	1254.456
	1.5	7385306.761	4771973.21	1254.494
&				
P339 6+76	0.00000	163.0	7518g	
	-1.5	7385294.069	4771988.944	1255.453
	0	7385295.323	4771989.766	1255.491
	1.5	7385296.578	4771990.588	1255.528
&				
P340 6+78	0.00000	156.7	0899g	
	-1.5	7385282.379	4772004.976	1255.588
	0	7385283.545	4772005.919	1255.626

	1.5	7385284.712	4772006.863	1255.663
&				
P341 6+80	0.00000	154.5	2772g	
	-1.5	7385269.4	4772020.124	1254.872
	0	7385270.533	4772021.107	1254.91
	1.5	7385271.667	4772022.089	1254.947
&				
P342 6+82	0.00000	154.5	2772g	
	-1.5	7385256.299	4772035.235	1253.659
	0	7385257.432	4772036.218	1253.696
	1.5	7385258.565	4772037.2	1253.734
&				
P343 6+84	0.00000	154.5	2772g	
	-1.5	7385243.197	4772050.347	1252.436
	0	7385244.33	4772051.329	1252.474
	1.5	7385245.464	4772052.312	1252.511
&				
P344 6+86	0.00000	154.5	2772g	
	-1.5	7385230.096	4772065.458	1251.119
	0	7385231.229	4772066.441	1251.157
	1.5	7385232.362	4772067.423	1251.194
&				
P345 6+88	0.00000	154.5	2772g	
	-1.5	7385216.994	4772080.569	1249.705
	0	7385218.128	4772081.552	1249.743
	1.5	7385219.261	4772082.535	1249.78
&				
P346 6+90	0.00000	166.7	5450g	
	-1.5	7385205.193	4772097.03	1248.625
	0	7385206.493	4772097.779	1248.663
	1.5	7385207.793	4772098.527	1248.7
&				
P347 6+92	0.00000	179.4	8690g	
	-1.5	7385196.888	4772115.517	1247.715
	0	7385198.311	4772115.992	1247.753
	1.5	7385199.733	4772116.467	1247.79
&				
P348 6+94	0.00000	183.7	8976g	
	-1.5	7385191.602	4772134.907	1246.883
	0	7385193.053	4772135.285	1246.92
	1.5	7385194.505	4772135.662	1246.958
&				
P349 6+96	0.00000	180.3	1331g	
	-1.5	7385186.386	4772154.127	1245.939
	0	7385187.814	4772154.583	1245.976
	1.5	7385189.243	4772155.04	1246.014
&				
P350 6+98	0.00000	171.2	1874g	
	-1.5	7385179.041	4772172.481	1245.106
	0	7385180.39	4772173.136	1245.144

	1.5	7385181.739	4772173.791	1245.181
&				
P351 7+0.		00000 162.186	03g	
	-1.5	7385169.157	4772189.603	1244.274
	0	7385170.4	4772190.443	1244.312
	1.5	7385171.643	4772191.282	1244.349
&				
P352 7+20		.00000 162.18	603g	
	-1.5	7385157.963	4772206.177	1243.442
	0	7385159.206	4772207.017	1243.48
	1.5	7385160.45	4772207.856	1243.517
&				
P353 7+40		.00000 166.41	677g	
	-1.5	7385147.051	4772223.051	1242.671
	0	7385148.347	4772223.806	1242.708
	1.5	7385149.644	4772224.562	1242.746
&				
P354 7+60		.00000 173.49	032g	
	-1.5	7385137.887	4772241.004	1241.906
	0	7385139.259	4772241.611	1241.943
	1.5	7385140.631	4772242.217	1241.981
&				
P355 7+80		.00000 180.56	388g	
	-1.5	7385130.771	4772259.862	1241.061
	0	7385132.201	4772260.313	1241.099
	1.5	7385133.632	4772260.764	1241.136
&				
P356 7+10		0.00000 186.1	8275g	
	-1.5	7385125.75	4772279.35	1240.224
	0	7385127.215	4772279.673	1240.262
	1.5	7385128.68	4772279.996	1240.299
&				
P357 7+12		0.00000 186.1	8275g	
	-1.5	7385121.443	4772298.881	1239.536
	0	7385122.908	4772299.204	1239.573
	1.5	7385124.373	4772299.527	1239.611
&				
P358 7+14		0.00000 186.1	8275g	
	-1.5	7385117.136	4772318.411	1238.975
	0	7385118.601	4772318.734	1239.013
	1.5	7385120.066	4772319.057	1239.05
&				
P359 7+16		0.00000 181.7	4749g	
	-1.5	7385112.537	4772337.763	1238.5
	0	7385113.976	4772338.187	1238.537
	1.5	7385115.415	4772338.611	1238.575
&				
P360 7+18		0.00000 172.3	1609g	
	-1.5	7385105.562	4772356.251	1238.164
	0	7385106.922	4772356.882	1238.202

	1.5	7385108.283	4772357.514	1238.239
&				
P361 7+20	0.00000	162.8	8468g	
	-1.5	7385095.934	4772373.506	1237.942
	0	7385097.186	4772374.332	1237.979
	1.5	7385098.439	4772375.158	1238.017
&				
P362 7+22	0.00000	153.4	5328g	
	-1.5	7385083.865	4772389.151	1237.634
	0	7385084.982	4772390.153	1237.671
	1.5	7385086.098	4772391.155	1237.709
&				
P363 7+24	0.00000	144.0	2187g	
	-1.5	7385069.618	4772402.844	1237.314
	0	7385070.575	4772403.999	1237.351
	1.5	7385071.531	4772405.155	1237.389
&				
P364 7+26	0.00000	134.5	9047g	
	-1.5	7385053.507	4772414.283	1236.992
	0	7385054.282	4772415.567	1237.029
	1.5	7385055.058	4772416.851	1237.067
&				
P365 7+28	0.00000	125.1	5907g	
	-1.5	7385035.883	4772423.219	1236.574
	0	7385036.461	4772424.604	1236.612
	1.5	7385037.038	4772425.988	1236.649
&				
P366 7+30	0.00000	115.7	2766g	
	-1.5	7385017.134	4772429.456	1236.124
	0	7385017.5	4772430.911	1236.162
	1.5	7385017.867	4772432.365	1236.199
&				
P367 7+32	0.00000	106.2	9626g	
	-1.5	7384997.669	4772432.857	1235.637
	0	7384997.817	4772434.35	1235.674
	1.5	7384997.965	4772435.842	1235.712
&				
P368 7+34	0.00000	103.5	1866g	
	-1.5	7384977.774	4772434.085	1235.149
	0	7384977.856	4772435.583	1235.187
	1.5	7384977.939	4772437.081	1235.224
&				
P369 7+36	0.00000	112.0	5302g	
	-1.5	7384957.676	4772435.929	1234.662
	0	7384957.959	4772437.403	1234.699
	1.5	7384958.241	4772438.876	1234.737
&				
P370 7+38	0.00000	127.9	6851g	
	-1.5	7384938.35	4772442.212	1234.037
	0	7384938.988	4772443.57	1234.075

	1.5	7384939.626	4772444.928	1234.112
&				
P371 7+40	0.00000	143.8	8401g	
	-1.5	7384921.179	4772453.082	1233.612
	0	7384922.133	4772454.239	1233.649
	1.5	7384923.087	4772455.397	1233.687
&				
P372 7+42	0.00000	159.7	9950g	
	-1.5	7384907.231	4772467.861	1233.266
	0	7384908.442	4772468.747	1233.303
	1.5	7384909.652	4772469.632	1233.341
&				
P373 7+44	0.00000	159.8	5908g	
	-1.5	7384895.439	4772484.017	1232.968
	0	7384896.65	4772484.901	1233.006
	1.5	7384897.862	4772485.785	1233.043
&				
P374 7+46	0.00000	159.8	5908g	
	-1.5	7384883.647	4772500.171	1232.695
	0	7384884.859	4772501.055	1232.732
	1.5	7384886.07	4772501.94	1232.77
&				
P375 7+48	0.00000	159.6	7153g	
	-1.5	7384871.857	4772516.321	1232.427
	0	7384873.066	4772517.209	1232.465
	1.5	7384874.275	4772518.097	1232.502
&				
P376 7+50	0.00000	154.5	7858g	
	-1.5	7384859.461	4772531.856	1232.048
	0	7384860.595	4772532.838	1232.085
	1.5	7384861.73	4772533.819	1232.123
&				
P377 7+52	0.00000	149.4	8562g	
	-1.5	7384845.863	4772546.351	1231.825
	0	7384846.915	4772547.42	1231.863
	1.5	7384847.968	4772548.489	1231.9
&				
P378 7+54	0.00000	145.8	7356g	
	-1.5	7384831.15	4772559.766	1231.7
	0	7384832.14	4772560.893	1231.737
	1.5	7384833.13	4772562.02	1231.775
&				
P379 7+56	0.00000	149.5	1139g	
	-1.5	7384816.444	4772573.443	1231.28
	0	7384817.497	4772574.512	1231.317
	1.5	7384818.549	4772575.58	1231.355
&				
P380 7+58	0.00000	151.0	0824g	
	-1.5	7384802.434	4772587.764	1231.054
	0	7384803.511	4772588.808	1231.091

	1.5	7384804.589	4772589.852	1231.129
&				
P381 7+60	0.00000	151.0	0824g	
	-1.5	7384788.518	4772602.129	1231.151
	0	7384789.595	4772603.172	1231.169
	1.5	7384790.672	4772604.216	1231.187
&				
P382 7+62	0.00000	154.3	7892g	
	-1.5	7384774.65	4772616.647	1231.603
	0	7384775.781	4772617.632	1231.565
	1.5	7384776.912	4772618.618	1231.528
&				
P383 7+64	0.00000	167.1	1132g	
	-1.5	7384762.93	4772633.181	1232.47
	0	7384764.235	4772633.922	1232.432
	1.5	7384765.539	4772634.663	1232.395
&				
P384 7+66	0.00000	145.1	8218g	
	-1.5	7384752.331	4772649.383	1233.804
	0	7384753.309	4772650.521	1233.767
	1.5	7384754.286	4772651.659	1233.729
&				
P385 7+68	0.00000	94.25	259g	
	-1.5	7384734.899	4772654.962	1235.89
	0	7384734.764	4772656.455	1235.853
	1.5	7384734.629	4772657.949	1235.815
&				
P386 7+70	0.00000	89.22	333g	
	-1.5	7384715.292	4772651.685	1238.08
	0	7384715.039	4772653.163	1238.042
	1.5	7384714.786	4772654.642	1238.005
&				
P387 7+72	0.00000	89.22	333g	
	-1.5	7384695.577	4772648.315	1240.105
	0	7384695.325	4772649.794	1240.067
	1.5	7384695.072	4772651.272	1240.03
&				
P388 7+74	0.00000	89.22	333g	
	-1.5	7384675.863	4772644.946	1242.468
	0	7384675.611	4772646.424	1242.431
	1.5	7384675.358	4772647.903	1242.393
&				
P389 7+76	0.00000	173.1	6992g	
	-1.5	7384657.81	4772654.423	1244.465
	0	7384659.179	4772655.037	1244.427
	1.5	7384660.547	4772655.65	1244.39
&				
P390 7+78	0.00000	186.1	3243g	
	-1.5	7384656.248	4772674.447	1246.427
	0	7384657.712	4772674.771	1246.389

	1.5	7384659.177	4772675.095	1246.352
&				
P391 7+80	0.00000	150.8	1324g	
	-1.5	7384646.487	4772690.584	1249.135
	0	7384647.561	4772691.631	1249.097
	1.5	7384648.635	4772692.679	1249.06
&				
P392 7+82	0.00000	153.0	0691g	
	-1.5	7384632.577	4772705.026	1251.314
	0	7384633.687	4772706.035	1251.276
	1.5	7384634.796	4772707.044	1251.239
&				
P393 7+84	0.00000	158.2	9187g	
	-1.5	7384619.777	4772720.545	1252.434
	0	7384620.967	4772721.459	1252.397
	1.5	7384622.156	4772722.373	1252.359
&				
P394 7+86	0.00000	153.8	7622g	
	-1.5	7384607.19	4772735.947	1253.701
	0	7384608.313	4772736.941	1253.663
	1.5	7384609.436	4772737.935	1253.626
&				
P395 7+88	0.00000	148.7	8326g	
	-1.5	7384593.433	4772750.291	1255.266
	0	7384594.473	4772751.372	1255.228
	1.5	7384595.513	4772752.453	1255.191
&				
P396 7+90	0.00000	147.8	4426g	
	-1.5	7384578.855	4772763.951	1256.63
	0	7384579.879	4772765.047	1256.592
	1.5	7384580.903	4772766.143	1256.555
&				
P397 7+92	0.00000	149.4	5142g	
	-1.5	7384564.254	4772777.674	1257.436
	0	7384565.305	4772778.744	1257.398
	1.5	7384566.357	4772779.813	1257.361
&				
P398 7+94	0.00000	156.5	2497g	
	-1.5	7384550.686	4772792.58	1257.835
	0	7384551.849	4772793.526	1257.798
	1.5	7384553.013	4772794.473	1257.76
&				
P399 7+96	0.00000	163.3	6283g	
	-1.5	7384538.856	4772808.893	1257.551
	0	7384540.114	4772809.709	1257.517
	1.5	7384541.373	4772810.525	1257.483
&				
P400 7+98	0.00000	149.8	4146g	
	-1.5	7384527.542	4772824.949	1257.201
	0	7384528.6	4772826.013	1257.239

	1.5	7384529.658	4772827.076	1257.276
&				
P401 8+0.		00000 113.463	19g	
	-1.5	7384510.945	4772833.956	1256.954
	0	7384511.26	4772835.422	1256.992
	1.5	7384511.574	4772836.889	1257.029
&				
P402 8+20		.00000 77.084	91g	
	-1.5	7384492.113	4772832.555	1256.048
	0	7384491.585	4772833.959	1256.086
	1.5	7384491.057	4772835.363	1256.123
&				
P403 8+40		.00000 71.640	87g	
	-1.5	7384474.131	4772824.105	1254.798
	0	7384473.485	4772825.459	1254.836
	1.5	7384472.839	4772826.812	1254.873
&				
P404 8+60		.00000 71.640	87g	
	-1.5	7384456.083	4772815.488	1254.171
	0	7384455.437	4772816.841	1254.154
	1.5	7384454.79	4772818.195	1254.137
&				
P405 8+80		.00000 122.89	423g	
	-1.5	7384435.848	4772812.459	1254.478
	0	7384436.375	4772813.863	1254.44
	1.5	7384436.903	4772815.267	1254.403
&				
P406 8+10		0.00000 147.9	6935g	
	-1.5	7384420.103	4772825.48	1255.648
	0	7384421.13	4772826.574	1255.61
	1.5	7384422.156	4772827.668	1255.573
&				
P407 8+12		0.00000 144.3	3153g	
	-1.5	7384405.199	4772838.683	1256.869
	0	7384406.161	4772839.834	1256.831
	1.5	7384407.123	4772840.984	1256.794
&				
P408 8+14		0.00000 145.9	1098g	
	-1.5	7384389.644	4772851.311	1257.578
	0	7384390.634	4772852.438	1257.54
	1.5	7384391.625	4772853.564	1257.503
&				
P409 8+16		0.00000 169.0	0748g	
	-1.5	7384376.898	4772867.273	1258.246
	0	7384378.224	4772867.975	1258.209
	1.5	7384379.55	4772868.677	1258.171
&				
P410 8+18		0.00000 190.0	6255g	
	-1.5	7384370.771	4772886.724	1259.174
	0	7384372.253	4772886.957	1259.137

	1.5	7384373.735	4772887.19	1259.099
&				
P411 8+20	0.00000	191.3	1393g	
	-1.5	7384368.012	4772906.562	1259.912
	0	7384369.498	4772906.766	1259.874
	1.5	7384370.984	4772906.97	1259.837
&				
P412 8+22	0.00000	161.2	8045g	
	-1.5	7384361.101	4772924.379	1260.175
	0	7384362.332	4772925.236	1260.138
	1.5	7384363.563	4772926.094	1260.1
&				
P413 8+24	0.00000	130.9	6522g	
	-1.5	7384346.795	4772937.041	1260.377
	0	7384347.496	4772938.367	1260.34
	1.5	7384348.197	4772939.693	1260.302
&				
P414 8+26	0.00000	117.8	8666g	
	-1.5	7384328.167	4772943.303	1260.766
	0	7384328.583	4772944.744	1260.729
	1.5	7384328.999	4772946.185	1260.691
&				
P415 8+28	0.00000	117.8	8666g	
	-1.5	7384308.952	4772948.849	1261.111
	0	7384309.368	4772950.29	1261.074
	1.5	7384309.783	4772951.731	1261.036
&				
P416 8+30	0.00000	102.4	8382g	
	-1.5	7384289.686	4772952.332	1260.868
	0	7384289.745	4772953.831	1260.831
	1.5	7384289.803	4772955.33	1260.793
&				
P417 8+32	0.00000	84.29	469g	
	-1.5	7384270.286	4772950.31	1260.582
	0	7384269.92	4772951.765	1260.544
	1.5	7384269.554	4772953.219	1260.507
&				
P418 8+34	0.00000	70.83	082g	
	-1.5	7384252.055	4772943.02	1260.509
	0	7384251.392	4772944.366	1260.471
	1.5	7384250.728	4772945.711	1260.434
&				
P419 8+36	0.00000	70.13	043g	
	-1.5	7384234.146	4772934.154	1260.457
	0	7384233.468	4772935.492	1260.42
	1.5	7384232.79	4772936.83	1260.382
&				
P420 8+38	0.00000	67.58	395g	
	-1.5	7384216.546	4772924.785	1260.624
	0	7384215.815	4772926.095	1260.586

	1.5	7384215.084	4772927.404	1260.549
&				
P421 8+40	0.00000	65.89	347g	
	-1.5	7384199.294	4772914.747	1261.107
	0	7384198.529	4772916.037	1261.069
	1.5	7384197.763	4772917.327	1261.032
&				
P422 8+42	0.00000	65.89	347g	
	-1.5	7384182.097	4772904.538	1261.741
	0	7384181.331	4772905.828	1261.703
	1.5	7384180.565	4772907.118	1261.666
&				
P423 8+44	0.00000	74.00	806g	
	-1.5	7384164.594	4772894.492	1261.803
	0	7384163.999	4772895.868	1261.765
	1.5	7384163.403	4772897.245	1261.728
&				
P424 8+46	0.00000	110.3	8633g	
	-1.5	7384144.174	4772891.976	1261.4
	0	7384144.418	4772893.456	1261.362
	1.5	7384144.661	4772894.936	1261.325
&				
P425 8+48	0.00000	140.6	5252g	
	-1.5	7384125.649	4772900.687	1260.677
	0	7384126.543	4772901.891	1260.64
	1.5	7384127.437	4772903.096	1260.602
&				
P426 8+50	0.00000	140.6	5252g	
	-1.5	7384109.59	4772912.608	1259.852
	0	7384110.484	4772913.812	1259.814
	1.5	7384111.378	4772915.017	1259.777
&				
P427 8+52	0.00000	140.6	5252g	
	-1.5	7384093.531	4772924.529	1258.849
	0	7384094.425	4772925.733	1258.868
	1.5	7384095.319	4772926.937	1258.886
&				
P428 8+54	0.00000	131.1	4157g	
	-1.5	7384077.041	4772935.402	1258.338
	0	7384077.746	4772936.726	1258.376
	1.5	7384078.451	4772938.051	1258.413
&				
P429 8+56	0.00000	118.4	0918g	
	-1.5	7384058.845	4772942.865	1258.205
	0	7384059.273	4772944.302	1258.242
	1.5	7384059.7	4772945.74	1258.28
&				
P430 8+58	0.00000	110.2	4341g	
	-1.5	7384039.452	4772946.801	1258.055
	0	7384039.692	4772948.281	1258.093

	1.5	7384039.933	4772949.762	1258.13
&				
P431 8+60	0.00000	113.9	9410g	
	-1.5	7384019.76	4772950.753	1257.806
	0	7384020.087	4772952.217	1257.824
	1.5	7384020.415	4772953.681	1257.842
&				
P432 8+62	0.00000	113.9	9410g	
	-1.5	7384000.242	4772955.114	1257.874
	0	7384000.569	4772956.578	1257.836
	1.5	7384000.896	4772958.042	1257.799
&				
P433 8+64	0.00000	96.33	916g	
	-1.5	7383980.917	4772957.729	1258.529
	0	7383980.831	4772959.227	1258.492
	1.5	7383980.744	4772960.724	1258.454
&				
P434 8+66	0.00000	86.32	545g	
	-1.5	7383961.646	4772953.531	1259.643
	0	7383961.327	4772954.996	1259.605
	1.5	7383961.007	4772956.462	1259.568
&				
P435 8+68	0.00000	100.0	7139g	
	-1.5	7383941.473	4772951.429	1260.754
	0	7383941.475	4772952.929	1260.719
	1.5	7383941.477	4772954.429	1260.683
&				
P436 8+70	0.00000	100.0	7139g	
	-1.5	7383921.473	4772951.451	1261.993
	0	7383921.475	4772952.951	1262.031
	1.5	7383921.477	4772954.451	1262.068
&				
P437 8+72	0.00000	98.61	620g	
	-1.5	7383901.509	4772951.343	1263.571
	0	7383901.476	4772952.843	1263.609
	1.5	7383901.443	4772954.343	1263.646
&				
P438 8+74	0.00000	96.36	130g	
	-1.5	7383881.58	4772950.516	1264.791
	0	7383881.494	4772952.014	1264.817
	1.5	7383881.409	4772953.511	1264.842
&				
P439 8+75	1.51700	96.36	130g	
	-1.5	7383870.082	4772949.858	1265.49
	0	7383869.996	4772951.356	1265.452
	1.5	7383869.911	4772952.853	1265.415

1.3.2 Dokaznica

Quantity take

	Stat	TAMPON_0_32		POSTELJICA	
Sect.	Dist.	[m ² /m ³]	Dist.	[m/m ²]	Dist.
P1	0+0.00	0.629		3.551	
	20	14.805	20	75.98	20
P2	0+20.00	0.852		4.047	
	20	17.188	20	84.209	20
P3	0+40.00	0.867		4.374	
	20	15.859	20	86.51	20
P4	0+60.00	0.719		4.277	
	20	13.945	20	84.97	20
P5	0+80.00	0.676		4.22	
	20	14.648	20	81.986	20
P6	0+100.00	0.789		3.979	
	20	14.063	20	81.042	20
P7	0+120.00	0.617		4.125	
	20	13.203	20	81.629	20
P8	0+140.00	0.703		4.037	
	20	14.258	20	212.912	20
P9	0+160.00	0.723		17.254	
	20	14.375	20	214.956	20
P10	0+180.00	0.715		4.242	
	20	14.688	20	85.501	20
P11	0+200.00	0.754		4.308	
	20	14.727	20	85.783	20
P12	0+220.00	0.719		4.27	
	20	15.078	20	86.898	20
P13	0+240.00	0.789		4.42	
	20	14.453	20	80.944	20
P14	0+260.00	0.656		3.675	
	20	13.711	20	81.003	20
P15	0+280.00	0.715		4.426	
	20	14.18	20	90.042	20
P16	0+300.00	0.703		4.579	
	20	14.961	20	88.372	20
P17	0+320.00	0.793		4.259	
	20	15.898	20	85.921	20
P18	0+340.00	0.797		4.333	
	20	15.742	20	86.299	20
P19	0+360.00	0.777		4.297	
	20	15.156	20	87.777	20
P20	0+380.00	0.738		4.481	
	20	14.453	20	84.906	20
P21	0+400.00	0.707		4.009	

	20	13.711	20	79.97	20
P22	0+420.00	0.664		3.988	
	20	13.398	20	78.588	20
P23	0+440.00	0.676		3.871	
	20	15.938	20	83.216	20
P24	0+460.00	0.918		4.45	
	20	15.938	20	85.289	20
P25	0+480.00	0.676		4.078	
	20	13.672	20	81.179	20
P26	0+500.00	0.691		4.04	
	20	14.375	20	84.095	20
P27	0+520.00	0.746		4.37	
	20	15	20	86.976	20
P28	0+540.00	0.754		4.328	
	20	14.648	20	84.474	20
P29	0+560.00	0.711		4.12	
	20	15.703	20	81.386	20
P30	0+580.00	0.859		4.019	
	20	15.898	20	83.212	20
P31	0+600.00	0.73		4.302	
	20	14.141	20	82.394	20
P32	0+620.00	0.684		3.937	
	20	13.594	20	78.252	20
P33	0+640.00	0.676		3.888	
	20	12.969	20	83.96	20
P34	0+660.00	0.621		4.508	
	20	15.313	20	87.256	20
P35	0+680.00	0.91		4.218	
	20	16.25	20	81.71	20
P36	0+700.00	0.715		3.953	
	20	14.102	20	80.922	20
P37	0+720.00	0.695		4.139	
	20	16.953	20	84.408	20
P38	0+740.00	1		4.302	
	20	18.438	20	88.804	20
P39	0+760.00	0.844		4.579	
	20	16.914	20	90.085	20
P40	0+780.00	0.848		4.43	
	20	15.039	20	89.183	20
P41	0+800.00	0.656		4.488	
	20	15.313	20	86.389	20
P42	0+820.00	0.875		4.151	
	20	22.109	20	89.733	20
P43	0+840.00	1.336		4.823	
	20	39.844	20	110.852	20
P44	0+860.00	2.648		6.263	
	20	33.555	20	104.886	20

P45	0+880.00	0.707		4.226	
	20	15.664	20	82.698	20
P46	0+900.00	0.859		4.044	
	20	16.016	20	84.623	20
P47	0+920.00	0.742		4.418	
	20	15.82	20	93.35	20
P48	0+940.00	0.84		4.917	
	20	15.547	20	91.498	20
P49	0+960.00	0.715		4.233	
	20	14.922	20	88.117	20
P50	0+980.00	0.777		4.579	
	20	15.469	20	89.773	20
P51	1+0.00	0.77		4.399	
	20	15.352	20	87.242	20
P52	1+20.00	0.766		4.325	
	20	15.078	20	85.525	20
P53	1+40.00	0.742		4.227	
	20	14.766	20	81.848	20
P54	1+60.00	0.734		3.958	
	20	17.969	20	96.171	20
P55	1+80.00	1.063		5.659	
	20	18.594	20	104.177	20
P56	1+100.00	0.797		4.758	
	20	16.289	20	89.286	20
P57	1+120.00	0.832		4.17	
	20	16.172	20	83.908	20
P58	1+140.00	0.785		4.22	
	20	16.602	20	84.789	20
P59	1+160.00	0.875		4.258	
	20	15.898	20	85.552	20
P60	1+180.00	0.715		4.297	
	20	14.297	20	86.721	20
P61	1+200.00	0.715		4.375	
	20	17.07	20	83.46	20
P62	1+220.00	0.992		3.971	
	20	18.438	20	80.155	20
P63	1+240.00	0.852		4.045	
	20	18.203	20	84.749	20
P64	1+260.00	0.969		4.43	
	20	16.641	20	89.024	20
P65	1+280.00	0.695		4.472	
	20	14.766	20	88.666	20
P66	1+300.00	0.781		4.394	
	20	16.719	20	92.776	20
P67	1+320.00	0.891		4.883	
	20	17.539	20	95.746	20
P68	1+340.00	0.863		4.691	

	20	17.07	20	89.802	20
P69	1+360.00	0.844		4.289	
	20	14.961	20	88.58	20
P70	1+380.00	0.652		4.569	
	20	13.789	20	90.527	20
P71	1+400.00	0.727		4.484	
	20	14.063	20	86.099	20
P72	1+420.00	0.68		4.126	
	20	14.492	20	84.3	20
P73	1+440.00	0.77		4.304	
	20	16.172	20	85.854	20
P74	1+460.00	0.848		4.282	
	20	15.078	20	88.602	20
P75	1+480.00	0.66		4.579	
	20	14.609	20	89.559	20
P76	1+500.00	0.801		4.377	
	20	15.234	20	87.001	20
P77	1+520.00	0.723		4.323	
	20	15.117	20	85.457	20
P78	1+540.00	0.789		4.223	
	20	14.648	20	88.015	20
P79	1+560.00	0.676		4.579	
	20	13.867	20	89.307	20
P80	1+580.00	0.711		4.352	
	20	14.336	20	87.685	20
P81	1+600.00	0.723		4.416	
	20	13.477	20	89.948	20
P82	1+620.00	0.625		4.579	
	20	13.477	20	88.003	20
P83	1+640.00	0.723		4.222	
	20	14.414	20	83.481	20
P84	1+660.00	0.719		4.126	
	20	14.805	20	85.271	20
P85	1+680.00	0.762		4.401	
	20	15.273	20	86.162	20
P86	1+700.00	0.766		4.215	
	20	14.453	20	83.504	20
P87	1+720.00	0.68		4.135	
	20	16.328	20	87.134	20
P88	1+740.00	0.953		4.579	
	20	17.461	20	88.297	20
P89	1+760.00	0.793		4.251	
	20	15.078	20	82.996	20
P90	1+780.00	0.715		4.048	
	20	14.492	20	85.891	20
P91	1+800.00	0.734		4.541	
	20	14.883	20	91.192	20

P92	1+820.00	0.754		4.579	
	20	13.594	20	91.57	20
P93	1+840.00	0.605		4.579	
	20	13.594	20	90.081	20
P94	1+860.00	0.754		4.43	
	20	15.352	20	84.158	20
P95	1+880.00	0.781		3.986	
	20	14.766	20	81.945	20
P96	1+900.00	0.695		4.208	
	20	14.336	20	86.738	20
P97	1+920.00	0.738		4.465	
	20	14.492	20	86.601	20
P98	1+940.00	0.711		4.195	
	20	14.023	20	82.831	20
P99	1+960.00	0.691		4.089	
	20	13.594	20	81.744	20
P100	1+980.00	0.668		4.086	
	20	13.477	20	86.125	20
P101	2+0.00	0.68		4.527	
	20	15.586	20	89.368	20
P102	2+20.00	0.879		4.41	
	20	16.836	20	89.887	20
P103	2+40.00	0.805		4.579	
	20	9.141	20	89.802	20
P104	2+60.00	0.109		4.402	
	20	7.734	20	83.917	20
P105	2+80.00	0.664		3.99	
	20	16.719	20	78.945	20
P106	2+100.00	1.008		3.905	
	20	17.305	20	82.523	20
P107	2+120.00	0.723		4.348	
	20	14.531	20	88.066	20
P108	2+140.00	0.73		4.459	
	20	15.039	20	86.224	20
P109	2+160.00	0.773		4.164	
	20	15.938	20	85.211	20
P110	2+180.00	0.82		4.357	
	20	15.781	20	85.335	20
P111	2+200.00	0.758		4.176	
	20	15.703	20	86.366	20
P112	2+220.00	0.813		4.461	
	20	15.742	20	88.504	20
P113	2+240.00	0.762		4.39	
	20	15.391	20	84.847	20
P114	2+260.00	0.777		4.095	
	20	15.352	20	83.496	20
P115	2+280.00	0.758		4.255	

	20	14.922	20	86.74	20
P116	2+300.00	0.734		4.419	
	20	13.789	20	89.978	20
P117	2+320.00	0.645		4.579	
	20	15.234	20	83.555	20
P118	2+340.00	0.879		3.777	
	20	15.664	20	79.04	20
P119	2+360.00	0.688		4.127	
	20	14.18	20	82.667	20
P120	2+380.00	0.73		4.14	
	20	12.383	20	83.018	20
P121	2+400.00	0.508		4.162	
	20	11.484	20	82.637	20
P122	2+420.00	0.641		4.102	
	20	12.813	20	86.636	20
P123	2+440.00	0.641		4.562	
	20	13.555	20	88.394	20
P124	2+460.00	0.715		4.277	
	20	14.336	20	86.115	20
P125	2+480.00	0.719		4.334	
	20	13.555	20	85.609	20
P126	2+500.00	0.637		4.227	
	20	13.398	20	84.631	20
P127	2+520.00	0.703		4.236	
	20	14.336	20	81.428	20
P128	2+540.00	0.73		3.906	
	20	15.742	20	79.738	20
P129	2+560.00	0.844		4.067	
	20	15.938	20	81.221	20
P130	2+580.00	0.75		4.055	
	20	14.688	20	83.363	20
P131	2+600.00	0.719		4.282	
	20	15.43	20	84.869	20
P132	2+620.00	0.824		4.205	
	20	16.289	20	83.233	20
P133	2+640.00	0.805		4.118	
	20	15.352	20	80.007	20
P134	2+660.00	0.73		3.883	
	20	18.008	20	98.627	20
P135	2+680.00	1.07		5.98	
	20	19.492	20	109.9	20
P136	2+700.00	0.879		5.01	
	20	15.508	20	90.352	20
P137	2+720.00	0.672		4.025	
	20	13.867	20	83.691	20
P138	2+740.00	0.715		4.344	
	20	14.922	20	86.18	20

P139	2+760.00	0.777		4.274	
	20	14.57	20	88.525	20
P140	2+780.00	0.68		4.579	
	20	13.828	20	87.402	20
P141	2+800.00	0.703		4.162	
	20	10.82	20	81.526	20
P142	2+820.00	0.379		3.991	
	20	12.148	20	83.155	20
P143	2+840.00	0.836		4.325	
	20	11.641	20	82.416	20
P144	2+860.00	0.328		3.917	
	20	10.234	20	80.415	20
P145	2+880.00	0.695		4.125	
	20	14.18	20	86.363	20
P146	2+900.00	0.723		4.512	
	20	13.711	20	86.816	20
P147	2+920.00	0.648		4.17	
	20	15.313	20	85.259	20
P148	2+940.00	0.883		4.356	
	20	8.945	20	89.147	20
P149	2+960.00	0.012		4.559	
	20	7.344	20	90.122	20
P150	2+980.00	0.723		4.454	
	20	14.141	20	84.705	20
P151	3+0.00	0.691		4.017	
	20	14.727	20	82.139	20
P152	3+20.00	0.781		4.197	
	20	15.859	20	84.884	20
P153	3+40.00	0.805		4.291	
	20	15.977	20	84.795	20
P154	3+60.00	0.793		4.188	
	20	14.648	20	87.665	20
P155	3+80.00	0.672		4.579	
	20	13.984	20	88.904	20
P156	3+100.00	0.727		4.312	
	20	15.039	20	89.077	20
P157	3+120.00	0.777		4.596	
	20	9.297	20	103.404	20
P158	3+140.00	0.152		5.745	
	20	3.594	20	109.4	20
P159	3+160.00	0.207		5.195	
	20	4.883	20	90.044	20
P160	3+180.00	0.281		3.809	
	20	9.688	20	78.784	20
P161	3+200.00	0.688		4.069	
	20	14.063	20	82.661	20
P162	3+220.00	0.719		4.197	

	20	14.297	20	83.955	20
P163	3+240.00	0.711		4.199	
	20	14.414	20	85.711	20
P164	3+260.00	0.73		4.372	
	20	9.805	20	85.736	20
P165	3+280.00	0.25		4.201	
	20	10.547	20	85.147	20
P166	3+300.00	0.805		4.314	
	20	15.078	20	85.186	20
P167	3+320.00	0.703		4.205	
	20	10.039	20	84.589	20
P168	3+340.00	0.301		4.254	
	20	10.195	20	84.196	20
P169	3+360.00	0.719		4.166	
	20	14.414	20	83.226	20
P170	3+380.00	0.723		4.157	
	20	14.375	20	84.011	20
P171	3+400.00	0.715		4.244	
	20	15.156	20	85.396	20
P172	3+420.00	0.801		4.295	
	20	15.469	20	83.763	20
P173	3+440.00	0.746		4.081	
	20	13.281	20	81.504	20
P174	3+460.00	0.582		4.07	
	20	13.633	20	86.351	20
P175	3+480.00	0.781		4.566	
	20	10.117	20	84.282	20
P176	3+500.00	0.23		3.863	
	20	3.242	20	79.979	20
P177	3+520.00	0.094		4.135	
	20	7.734	20	79.958	20
P178	3+540.00	0.68		3.861	
	20	11.836	20	81.276	20
P179	3+560.00	0.504		4.267	
	20	12.305	20	87.081	20
P180	3+580.00	0.727		4.441	
	20	14.297	20	85.166	20
P181	3+600.00	0.703		4.075	
	20	10.977	20	81.364	20
P182	3+620.00	0.395		4.061	
	20	11.367	20	84.161	20
P183	3+640.00	0.742		4.355	
	20	14.18	20	83.588	20
P184	3+660.00	0.676		4.004	
	20	13.906	20	81.873	20
P185	3+680.00	0.715		4.184	
	20	9.609	20	84.446	20

P186	3+700.00	0.246		4.261	
	20	12.148	20	88.398	20
P187	3+720.00	0.969		4.579	
	20	17.617	20	87.733	20
P188	3+740.00	0.793		4.194	
	20	14.961	20	87.013	20
P189	3+760.00	0.703		4.507	
	20	14.805	20	90.857	20
P190	3+780.00	0.777		4.579	
	20	10.391	20	89.59	20
P191	3+800.00	0.262		4.38	
	20	2.695	20	87.321	20
P192	3+820.00	0.008		4.352	
	20	7.891	20	87.432	20
P193	3+840.00	0.781		4.391	
	20	14.805	20	85.679	20
P194	3+860.00	0.699		4.177	
	20	8.906	20	84.9	20
P195	3+880.00	0.191		4.313	
	20	8.516	20	88.903	20
P196	3+900.00	0.66		4.577	
	20	9.727	20	85.72	20
P197	3+920.00	0.313		3.995	
	20	4.57	20	84.107	20
P198	3+940.00	0.145		4.416	
	20	4.648	20	81.27	20
P199	3+960.00	0.32		3.711	
	20	5.703	20	81.306	20
P200	3+980.00	0.25		4.419	
	20	4.336	20	89.824	20
P201	4+0.00	0.184		4.563	
	20	1.836	20	102.017	20
P202	4+20.00	0		5.638	
	20	1.25	20	106.886	20
P203	4+40.00	0.125		5.05	
	20	8.281	20	90.66	20
P204	4+60.00	0.703		4.016	
	20	10.039	20	81.69	20
P205	4+80.00	0.301		4.153	
	20	9.961	20	82.673	20
P206	4+100.00	0.695		4.114	
	20	15.039	20	83.84	20
P207	4+120.00	0.809		4.27	
	20	15.391	20	87.954	20
P208	4+140.00	0.73		4.526	
	20	9.609	20	86.711	20
P209	4+160.00	0.23		4.146	

	20	9.492	20	84.974	20
P210	4+180.00	0.719		4.352	
	20	14.727	20	88.305	20
P211	4+200.00	0.754		4.479	
	20	20.82	20	90.572	20
P212	4+220.00	1.328		4.579	
	20	20.82	20	87.756	20
P213	4+240.00	0.754		4.197	
	20	10.586	20	90.894	20
P214	4+260.00	0.305		4.892	
	20	4.531	20	91.331	20
P215	4+280.00	0.148		4.241	
	20	8.75	20	85.517	20
P216	4+300.00	0.727		4.311	
	20	14.375	20	88.894	20
P217	4+320.00	0.711		4.579	
	20	14.297	20	88.229	20
P218	4+340.00	0.719		4.244	
	20	9.336	20	81.776	20
P219	4+360.00	0.215		3.933	
	20	9.414	20	84.973	20
P220	4+380.00	0.727		4.564	
	20	13.711	20	88.042	20
P221	4+400.00	0.645		4.24	
	20	8.828	20	83.553	20
P222	4+420.00	0.238		4.115	
	20	10.82	20	88.744	20
P223	4+440.00	0.844		4.759	
	20	18.359	20	102.259	20
P224	4+460.00	0.992		5.467	
	20	17.383	20	99.998	20
P225	4+480.00	0.746		4.533	
	20	13.984	20	85.262	20
P226	4+500.00	0.652		3.993	
	20	13.828	20	82.674	20
P227	4+520.00	0.73		4.274	
	20	14.336	20	84.129	20
P228	4+540.00	0.703		4.139	
	20	13.906	20	85.232	20
P229	4+560.00	0.688		4.385	
	20	13.203	20	88.395	20
P230	4+580.00	0.633		4.455	
	20	13.203	20	88.57	20
P231	4+600.00	0.688		4.402	
	20	8.711	20	87.071	20
P232	4+620.00	0.184		4.305	
	20	8.633	20	87.556	20

P233	4+640.00	0.68		4.45	
	20	14.063	20	87.799	20
P234	4+660.00	0.727		4.329	
	20	10.313	20	85.231	20
P235	4+680.00	0.305		4.194	
	20	4.609	20	90.043	20
P236	4+700.00	0.156		4.811	
	20	8.75	20	90.718	20
P237	4+720.00	0.719		4.261	
	20	14.414	20	87.052	20
P238	4+740.00	0.723		4.444	
	20	14.336	20	87.58	20
P239	4+760.00	0.711		4.314	
	20	15.703	20	84.121	20
P240	4+780.00	0.859		4.098	
	20	23.008	20	96.323	20
P241	4+800.00	1.441		5.534	
	20	15.859	20	104.67	20
P242	4+820.00	0.145		4.933	
	20	4.648	20	88.209	20
P243	4+840.00	0.32		3.888	
	20	10.234	20	80.273	20
P244	4+860.00	0.703		4.139	
	20	14.258	20	84.305	20
P245	4+880.00	0.723		4.291	
	20	8.906	20	103.731	20
P246	4+900.00	0.168		6.082	
	20	3.242	20	114.711	20
P247	4+920.00	0.156		5.389	
	20	8.945	20	99.677	20
P248	4+940.00	0.738		4.579	
	20	15.117	20	90.29	20
P249	4+960.00	0.773		4.45	
	20	14.844	20	86.127	20
P250	4+980.00	0.711		4.162	
	20	13.281	20	87.408	20
P251	5+0.00	0.617		4.579	
	20	12.773	20	82.84	20
P252	5+20.00	0.66		3.705	
	20	13.789	20	77.999	20
P253	5+40.00	0.719		4.094	
	20	14.727	20	81.54	20
P254	5+60.00	0.754		4.06	
	20	9.961	20	81.415	20
P255	5+80.00	0.242		4.082	
	20	4.141	20	86.604	20
P256	5+100.00	0.172		4.579	

	20	9.57	20	91.31	20
P257	5+120.00	0.785		4.552	
	20	15.938	20	88.035	20
P258	5+140.00	0.809		4.251	
	20	16.094	20	84.181	20
P259	5+160.00	0.801		4.167	
	20	15.234	20	84.619	20
P260	5+180.00	0.723		4.295	
	20	13.945	20	88.733	20
P261	5+200.00	0.672		4.579	
	20	13.906	20	88.741	20
P262	5+220.00	0.719		4.296	
	20	14.492	20	86.928	20
P263	5+240.00	0.73		4.397	
	20	15.078	20	86.524	20
P264	5+260.00	0.777		4.255	
	20	14.492	20	87.433	20
P265	5+280.00	0.672		4.488	
	20	16.445	20	87.23	20
P266	5+300.00	0.973		4.235	
	20	16.602	20	82.724	20
P267	5+320.00	0.688		4.038	
	20	16.719	20	85.59	20
P268	5+340.00	0.984		4.521	
	20	16.914	20	88.432	20
P269	5+360.00	0.707		4.322	
	20	9.766	20	84.726	20
P270	5+380.00	0.27		4.151	
	20	9.57	20	82.271	20
P271	5+400.00	0.688		4.076	
	20	13.984	20	83.88	20
P272	5+420.00	0.711		4.312	
	20	14.492	20	87.096	20
P273	5+440.00	0.738		4.398	
	20	14.102	20	83.634	20
P274	5+460.00	0.672		3.965	
	20	14.57	20	81.538	20
P275	5+480.00	0.785		4.188	
	20	15.703	20	81.735	20
P276	5+500.00	0.785		3.985	
	20	16.016	20	82.014	20
P277	5+520.00	0.816		4.216	
	20	16.367	20	84.165	20
P278	5+540.00	0.82		4.2	
	20	13.945	20	84.397	20
P279	5+560.00	0.574		4.24	
	20	13.32	20	85.767	20

P280	5+580.00	0.758		4.337	
	20	15.234	20	85.827	20
P281	5+600.00	0.766		4.246	
	20	14.883	20	85.482	20
P282	5+620.00	0.723		4.303	
	20	15.469	20	86.387	20
P283	5+640.00	0.824		4.336	
	20	15.352	20	86.41	20
P284	5+660.00	0.711		4.305	
	20	14.883	20	86.297	20
P285	5+680.00	0.777		4.325	
	20	15.469	20	87.545	20
P286	5+700.00	0.77		4.43	
	20	14.648	20	89.928	20
P287	5+720.00	0.695		4.563	
	20	13.984	20	88.346	20
P288	5+740.00	0.703		4.271	
	20	14.102	20	83.141	20
P289	5+760.00	0.707		4.043	
	20	13.906	20	79.284	20
P290	5+780.00	0.684		3.886	
	20	13.828	20	79.406	20
P291	5+800.00	0.699		4.055	
	20	12.891	20	85.932	20
P292	5+820.00	0.59		4.538	
	20	13.633	20	89.261	20
P293	5+840.00	0.773		4.388	
	20	14.609	20	84.959	20
P294	5+860.00	0.688		4.108	
	20	14.922	20	85.223	20
P295	5+880.00	0.805		4.414	
	20	15.391	20	87.814	20
P296	5+900.00	0.734		4.367	
	20	15.313	20	87.369	20
P297	5+920.00	0.797		4.37	
	20	11.172	20	82.937	20
P298	5+940.00	0.32		3.924	
	20	10.234	20	78.758	20
P299	5+960.00	0.703		3.952	
	20	14.258	20	82.378	20
P300	5+980.00	0.723		4.286	
	20	14.57	20	86.111	20
P301	6+0.00	0.734		4.325	
	20	13.906	20	85.603	20
P302	6+20.00	0.656		4.235	
	20	14.766	20	85.298	20
P303	6+40.00	0.82		4.295	

	20	17.109	20	84.893	20
P304	6+60.00	0.891		4.195	
	20	15.664	20	87.135	20
P305	6+80.00	0.676		4.519	
	20	14.063	20	88.752	20
P306	6+100.00	0.73		4.356	
	20	14.961	20	88.069	20
P307	6+120.00	0.766		4.45	
	20	15.547	20	90.29	20
P308	6+140.00	0.789		4.579	
	20	16.445	20	87.755	20
P309	6+160.00	0.855		4.197	
	20	16.797	20	83.711	20
P310	6+180.00	0.824		4.174	
	20	15.039	20	85.988	20
P311	6+200.00	0.68		4.425	
	20	13.945	20	87.891	20
P312	6+220.00	0.715		4.364	
	20	15.273	20	86.253	20
P313	6+240.00	0.813		4.261	
	20	17.344	20	85.581	20
P314	6+260.00	0.922		4.297	
	20	17.305	20	86.239	20
P315	6+280.00	0.809		4.327	
	20	16.211	20	84.965	20
P316	6+300.00	0.813		4.17	
	20	12.852	20	80.699	20
P317	6+320.00	0.473		3.9	
	20	13.086	20	80.276	20
P318	6+340.00	0.836		4.128	
	20	15.43	20	84.286	20
P319	6+360.00	0.707		4.301	
	20	14.141	20	85.981	20
P320	6+380.00	0.707		4.297	
	20	14.336	20	86.461	20
P321	6+400.00	0.727		4.349	
	20	15.078	20	85.062	20
P322	6+420.00	0.781		4.157	
	20	15.742	20	83.7	20
P323	6+440.00	0.793		4.213	
	20	14.102	20	83.973	20
P324	6+460.00	0.617		4.185	
	20	11.797	20	84.656	20
P325	6+480.00	0.563		4.281	
	20	12.539	20	84.027	20
P326	6+500.00	0.691		4.122	
	20	14.844	20	85.457	20

P327	6+520.00	0.793		4.424	
	20	14.961	20	85.953	20
P328	6+540.00	0.703		4.171	
	20	16.172	20	84.441	20
P329	6+560.00	0.914		4.273	
	20	18.398	20	84.013	20
P330	6+580.00	0.926		4.128	
	20	17.188	20	82.907	20
P331	6+600.00	0.793		4.162	
	20	9.297	20	85.017	20
P332	6+620.00	0.137		4.339	
	20	8.789	20	87.439	20
P333	6+640.00	0.742		4.404	
	20	14.219	20	84.304	20
P334	6+660.00	0.68		4.026	
	20	11.797	20	81.728	20
P335	6+680.00	0.5		4.147	
	20	11.563	20	81.345	20
P336	6+700.00	0.656		3.988	
	20	6.797	20	82.357	20
P337	6+720.00	0.023		4.248	
	20	9.063	20	84.119	20
P338	6+740.00	0.883		4.164	
	20	16.445	20	81.514	20
P339	6+760.00	0.762		3.988	
	20	15.391	20	82.529	20
P340	6+780.00	0.777		4.265	
	20	15.547	20	85.767	20
P341	6+800.00	0.777		4.311	
	20	15.039	20	86.118	20
P342	6+820.00	0.727		4.3	
	20	16.797	20	86.038	20
P343	6+840.00	0.953		4.303	
	20	16.797	20	86.899	20
P344	6+860.00	0.727		4.387	
	20	15.664	20	87.035	20
P345	6+880.00	0.84		4.317	
	20	16.211	20	88.955	20
P346	6+900.00	0.781		4.579	
	20	14.219	20	90.546	20
P347	6+920.00	0.641		4.476	
	20	14.57	20	87.561	20
P348	6+940.00	0.816		4.28	
	20	11.836	20	84.662	20
P349	6+960.00	0.367		4.186	
	20	9.609	20	84.292	20
P350	6+980.00	0.594		4.243	

	20	12.305	20	85.378	20
P351	7+0.00	0.637		4.295	
	20	13.359	20	84.028	20
P352	7+20.00	0.699		4.108	
	20	13.633	20	78.167	20
P353	7+40.00	0.664		3.709	
	20	14.492	20	77.6	20
P354	7+60.00	0.785		4.051	
	20	15.547	20	85.019	20
P355	7+80.00	0.77		4.45	
	20	14.883	20	87.895	20
P356	7+100.00	0.719		4.339	
	20	15.078	20	87.381	20
P357	7+120.00	0.789		4.399	
	20	11.25	20	86.076	20
P358	7+140.00	0.336		4.208	
	20	10.938	20	85.39	20
P359	7+160.00	0.758		4.331	
	20	15.156	20	85.836	20
P360	7+180.00	0.758		4.253	
	20	14.766	20	85.129	20
P361	7+200.00	0.719		4.26	
	20	14.297	20	86.28	20
P362	7+220.00	0.711		4.368	
	20	16.68	20	89.466	20
P363	7+240.00	0.957		4.579	
	20	16.445	20	91.57	20
P364	7+260.00	0.688		4.579	
	20	13.945	20	86.356	20
P365	7+280.00	0.707		4.057	
	20	13.984	20	80.021	20
P366	7+300.00	0.691		3.945	
	20	13.75	20	80.839	20
P367	7+320.00	0.684		4.139	
	20	12.93	20	85.894	20
P368	7+340.00	0.609		4.45	
	20	8.867	20	83.872	20
P369	7+360.00	0.277		3.937	
	20	10.859	20	79.525	20
P370	7+380.00	0.809		4.016	
	20	16.211	20	83.483	20
P371	7+400.00	0.813		4.333	
	20	15.664	20	89.11	20
P372	7+420.00	0.754		4.579	
	20	14.688	20	88.896	20
P373	7+440.00	0.715		4.311	
	20	14.453	20	86.591	20

P374	7+460.00	0.73		4.348	
	20	14.922	20	85.235	20
P375	7+480.00	0.762		4.175	
	20	15.195	20	83.007	20
P376	7+500.00	0.758		4.125	
	20	15.43	20	81.802	20
P377	7+520.00	0.785		4.055	
	20	15.82	20	83.465	20
P378	7+540.00	0.797		4.292	
	20	15.938	20	85.103	20
P379	7+560.00	0.797		4.219	
	20	16.445	20	84.817	20
P380	7+580.00	0.848		4.263	
	20	16.953	20	84.288	20
P381	7+600.00	0.848		4.166	
	20	16.289	20	87.443	20
P382	7+620.00	0.781		4.579	
	20	17.305	20	90.179	20
P383	7+640.00	0.949		4.439	
	20	17.344	20	86.762	20
P384	7+660.00	0.785		4.237	
	20	14.922	20	84.406	20
P385	7+680.00	0.707		4.204	
	20	14.375	20	83.933	20
P386	7+700.00	0.73		4.19	
	20	15.352	20	84.873	20
P387	7+720.00	0.805		4.298	
	20	9.609	20	83.147	20
P388	7+740.00	0.156		4.017	
	20	8.555	20	81.715	20
P389	7+760.00	0.699		4.155	
	20	14.219	20	85.176	20
P390	7+780.00	0.723		4.363	
	20	14.219	20	83.502	20
P391	7+800.00	0.699		3.987	
	20	8.438	20	78.467	20
P392	7+820.00	0.145		3.86	
	20	8.867	20	81.65	20
P393	7+840.00	0.742		4.305	
	20	15.117	20	86.727	20
P394	7+860.00	0.77		4.367	
	20	14.883	20	85.372	20
P395	7+880.00	0.719		4.17	
	20	14.453	20	83.783	20
P396	7+900.00	0.727		4.208	
	20	15.391	20	84.976	20
P397	7+920.00	0.813		4.289	

	20	16.016	20	85.339	20
P398	7+940.00	0.789		4.245	
	20	15.742	20	84.217	20
P399	7+960.00	0.785		4.177	
	20	15.039	20	87.555	20
P400	7+980.00	0.719		4.579	
	20	14.18	20	88.602	20
P401	8+0.00	0.699		4.282	
	20	10.859	20	80.65	20
P402	8+20.00	0.387		3.783	
	20	13.242	20	79.766	20
P403	8+40.00	0.938		4.193	
	20	11.758	20	85.365	20
P404	8+60.00	0.238		4.343	
	20	9.961	20	87.567	20
P405	8+80.00	0.758		4.413	
	20	10.898	20	82.218	20
P406	8+100.00	0.332		3.808	
	20	10.43	20	80.35	20
P407	8+120.00	0.711		4.227	
	20	14.453	20	84.922	20
P408	8+140.00	0.734		4.266	
	20	15.078	20	88.441	20
P409	8+160.00	0.773		4.579	
	20	13.828	20	88.802	20
P410	8+180.00	0.609		4.302	
	20	12.734	20	83.508	20
P411	8+200.00	0.664		4.049	
	20	13.828	20	83.387	20
P412	8+220.00	0.719		4.29	
	20	14.648	20	88.096	20
P413	8+240.00	0.746		4.52	
	20	14.57	20	83.513	20
P414	8+260.00	0.711		3.831	
	20	13.867	20	78.957	20
P415	8+280.00	0.676		4.064	
	20	15	20	83.473	20
P416	8+300.00	0.824		4.283	
	20	16.172	20	86.939	20
P417	8+320.00	0.793		4.411	
	20	15.273	20	88.589	20
P418	8+340.00	0.734		4.448	
	20	15.703	20	88.978	20
P419	8+360.00	0.836		4.45	
	20	16.406	20	86.062	20
P420	8+380.00	0.805		4.156	
	20	15.43	20	82.464	20

P421	8+400.00	0.738		4.09	
	20	14.844	20	81.508	20
P422	8+420.00	0.746		4.061	
	20	15.352	20	84.416	20
P423	8+440.00	0.789		4.381	
	20	15.273	20	86.35	20
P424	8+460.00	0.738		4.254	
	20	14.805	20	83.174	20
P425	8+480.00	0.742		4.063	
	20	14.453	20	80.389	20
P426	8+500.00	0.703		3.976	
	20	15.273	20	82.396	20
P427	8+520.00	0.824		4.264	
	20	15.391	20	86.434	20
P428	8+540.00	0.715		4.379	
	20	15.547	20	86.905	20
P429	8+560.00	0.84		4.311	
	20	14.883	20	86.265	20
P430	8+580.00	0.648		4.315	
	20	14.023	20	86.799	20
P431	8+600.00	0.754		4.364	
	20	14.961	20	87.568	20
P432	8+620.00	0.742		4.392	
	20	8.984	20	85.821	20
P433	8+640.00	0.156		4.19	
	20	8.281	20	78.96	20
P434	8+660.00	0.672		3.706	
	20	14.648	20	81.037	20
P435	8+680.00	0.793		4.398	
	20	15.156	20	84.064	20
P436	8+700.00	0.723		4.009	
	20	13.711	20	76.015	20
P437	8+720.00	0.648		3.593	
	20	13.398	20	75.812	20
P438	8+740.00	0.691		3.988	
	11.52	8.393	11.52	47.809	11.52
P439	8+751.52	0.766		4.312	

6083.939

37886.863

TAMPON_0_32

POSTELJICA

Sume:

[m³]

[m²]

Calculation method:

**1.3.4 Opšti tehnički ulovi za izvođenje
radova**

A – 1.0

Geodetsko obilježavanje trase

1.1 Opis

Pozicija obuhvata detaljno snimanje trase puta u skladu sa projektom, kao i vršenje mjera bezbednosti saobraćaja za vrijeme izvođenja radova i van radnog vremena gradilišta.

2.2. Izvođenje

Obilježavanje se vrši uz pomoć instrumenta a sve u skladu sa projektom

Za vrijeme obilježavanja, moraju se preduzeti mjere za bezbedno odvijanje saobraćaja.

2.3 Mjerenje i plaćanje

Izvršeni rad mjeri se u m1 obilježavanje trase a plaća se po jediničnim cjenama po m1

A-2.0

Rušenje postojećeg asfalta sa utovarom i odvozom na deponiju

1.1 Opis

Pozicija obuhvata rušenje postojećeg asfalta u debljini $d=10\text{cm}$, klasiranje materijala, utovar i odvoz na deponiju investitora, kao i vršenje mjera bezbednosti saobraćaja za vrijeme izvođenja radova i van radnog vremena gradilišta.

1.2. Izvođenje

Rušenje se vrši mašinski sa selekcijom materijala (iz asfaltnih i tamponskog sloja).

Za vrijeme rušenja, najmanje na projektnim profilima i na drugim mjestima po izboru nadzornog organa konstatuje se debljina pojedinih slojeva i vrsta materijala od kojih su izgrađeni, za potrebe obračuna radova.

Za vrijeme rušenja, utovara i odvoza materijala na deponiju izvođača, moraju se prijeduzeti mjere za bezbedno odvijanje saobraćaja.

1.3 Mjerenje i plaćanje

Izvršeni rad mjeri se u m3 i to za ukupnu debljinu postojeće kolovozne konstrukcije prosječne debljine od 10 cm (kolovoz) plaća se po jediničnim cjenama po m3 rušene konstrukcije

A - 2.0

Zasijecanje postojećeg kolovoza, na vezi postojeće i planirane kolovozne konstrukcije

4.1 Opis

Ovaj rad obuhvata zasjecanje kolovoza u debljini postojećih asfaltnih slojeva. Opsecanje izvršiti mašinskim putem pri čemu je neophodno oformiti pravilnu ivicu.

4.2 Mjerenje i plaćanje

Plaća se po m1 zasječenog sloja.

A – 3.0

Mašinsko struganje postojećeg sloja od asfalt betona

5.1 Opis

Pozicija obuhvata skidanje-struganje asfalta robotom debljine sloja prosečno $d=3-4\text{ cm}$ i transport ostruganog materijala. Skidanje se obavlja mašinskim putem pomoću mašine Wirtgen ili neke druge glodalice. Ostrugani materijal se transportuje na deponiju koju će odrediti nadzorni organ.

5.2 Mjerenje i plaćanje

Plaća se po 1 m2 ostrugane površine

B - 1.0

Iskop u širokom otkopu na trasi -prifilisanje puta- u materijalu svih kategorija

1.1 Obim i sadržaj radova

Iskop u širokom otkopu-prifilisanje puta- na trasi u materijalu svih kategorija, i razastiranje materijala na lokalne puteve kao i skidanje ostataka od nasipa pored puta radi nesmetanog oticanja atmosferske vode. Sve iskope treba izvršiti prema profilima, opisanim kotama i projektom propisanim nagibima, na način opisan u tehničkim uslovima. Iskop treba obaviti mašinski ili ručno po uslovima koje će na licu mesta odrediti nadzorni organ.

Takođe je potrebno izvršiti čišćenje i produbljivanje kanala za odvod atmosferske vode duž ivica usjeka i obezbijediti nesmetan protok vode

1.2 Propisi za izvršenje radova

JUS U.E1.010 Zemljani radovi na izgradnji puteva.

1.3 Izvođenje radova

U načelu, iskop treba obavljati upotrebom mehanizacije i drugih sredstava, tako da se ručni rad ograniči na neophodni minimum. Iskope u tvrdom kamenom materijalu treba izvoditi mašinskim bušenjem, dubinskim i običnim miniranjem i ponovnim miniranjem većih stijena, ukoliko bi to zahtijevala namjenska upotreba iskopanog materijala. Treba uzeti u obzir, takođe, mehaničko guranje, odnosno utovar materijala, te prijevoz do mjesta upotrebe, odnosno do deponije sa istovarom. Sav iskopani materijal iz iskopa mora biti prilagođen zahtjevima namenske upotrebe prijema projektu i ovim tehničkim uslovima.

Sve iskope treba izvršiti prijema profilima, prijedviđenim visinskim kotama i propisanim nagibima po projektu, odnosno po zahtjevima nadzornog organa. Pri izvođenju iskopa treba sprovesti potrebne zaštitne mjere za potpunu sigurnost pri radu i sva potrebna osiguranja postojećih objekata i komunikacija. U ovoj fazi rada mora biti omogućeno efikasno odvodnjavanje platoa.

Nagibe kosina u iskopu treba urediti po projektu, odnosno po zahtjevima nadzornog organa. Taj rad zahtijeva, takođe, osiguranje rastresenih zona, čepova, kaverna, izvora vode itd., ako takvi radovi nisu prijedviđeni već u drugim radovima, kao napr., zaštita kosina usjeka u skladu sa uslovima zemljanog materijala, geološkim nalazima i drugim pojavama u iskopima, što izvođač mora uzeti u obzir u toku rada, usled čega izvođač nema pravo na izmjenu jediničnih cijena.

Pri izvođenju radova treba paziti da ne dođe do potkopavanja, poremećaja ravnoteže, ili oštećenja kosina iskopa koje su projektom prijedviđene. Svaki takav slučaj izvođač je dužan naknadno da sanira po uputstvima nadzornog organa, s tim da ne može zahtijevati bilo kakvu odštetu, ili priznanje plaćanja za veći ili neprijedviđeni rad.

Pri samom izvođenju radova na iskopima, treba po mogućnosti svesti na minimum sve uticaje koji bi prouzrokovali ometanje saobraćaja, ljudi i okoline pri čemu valja izvršiti, takođe, i svu potrebnu saobraćajnu i sigurnosnu signalizaciju, a po posebnom odobrenju nadležnog organa, što treba da pribavi izvođač. Ukoliko bi takve smetnje nastale izvođač je dužan da ih odmah odstrani o svom trošku.

Izradu nasipa treba izvršiti iz probranog dijela materijala prijema projektovanim kotama i detaljima iz projekta

1.4 Odvoz lokalnog materijala za agregate i ispitivanja

Prije i za vrijeme rada treba na svim promjenama u iskopu odnosno kvalitetu zemljanih materijala uzeti odgovarajuće uzorke za ispitivanje upotrebljivosti materijala za namjenu za koju će se upotrebljavati. Od ovlašćene institucije treba dobiti atest u pogledu upotrebljivosti materijala iz svakog značajnog većeg usjeka, ili na mjetima gdje bi bilo moguće upotrebljavati lokalni materijal. Ukoliko se namjerava da se materijal iz iskopa upotrebi treba ga ugraditi u nasipe odnosno deponovati na posebno mjesto koje će prijedložiti odnosno prihvatiti nadzorni organ ukoliko prijedstavlja višak.

1.5 Mjerenje

Mjerenje količina za obračun iskopa vrši se na osnovu stvarne kubature iskopa, mjereno u samoniklom stanju, na osnovu mjerenja poprijernih profila nakon skidanja humusa i po konačnom iskopu u okviru projekta odnosno promjena koje je odobrio nadzorni organ. Više

iskopane količine od projektovanih ne plaćaju se ukoliko su nastale greškom izvođača. Za određivanje količine različitih vrsta zemljanih materijala u iskopu usvaja se sledeći kriterijum:

- Prijema popriječnim profilima, određuju se za vrijeme gradnje, u procentu od cjelokupne površine popriječnog profila, količine pojedinih vrsta zemljanih materijala, što je osnova za određivanje ukupnih količina za pojedinu vrstu-kategoriju. Pri otkopavanju u širokom otkopu, u mješovitom materijalu, kategorisanje iskopa je obavezno i, bez obzira na to da li postoji zahtjev izvođača.

Kategorizaciju iskopa obavlja komisija u sastavu: predstavnik investitora na terenu, nadzorni organ (ukoliko postoji šef nadzorne službe na terenu, onda je to lice obavezno član komisije), a u ime izvođača ovlašćeni predstavnik. Komisija o svom radu sačinjava zapisnik i na osnovu priznatih procjenata, kroz zapisnik, predstavnik investitora obračunava kategorije i to upisuje u građevinsku knjigu (primjenjivati GN 200).

Sočiva, gnijezda i kaverne među pojedinim vrstama zemljanih materijala, koje ne prijelaze 1m², ne odbijaju se pri određivanju površine odnosno kubature, a veće površine odbijaju se od površina pojedinih odgovarajućih vrsta.

Praznine iznad 1 m² se odbijaju. Sav materijal iz iskopa koji se upotrebi za drugu namjenu, osim za nasip, i ukoliko ga izvođač nije nadoknadio iz pozajmišta, odbija se pri određivanju količine od ukupne mase iskopa. Iskop iz pozajmišta koji nije ugrađen u nasip odbija se pri utvrđivanju količina.

1.6 Plaćanje

Plaćanje se obavlja po kubnom metru samoniklog iskopa, po jediničnoj cjeni iz ugovorenog prijedračuna, i to odvojeno za pojedine vrste zemljanih materijala. Ova cijena obuhvata sve radove na iskopu sa razastiranjem materijala na određenom mjestu upotrebe prijema rasporedu masa na deponiju na posebno mjesto koje će prijedložiti odnosno prihvatiti nadzorni organ.

B - 2.0

Uređenje posteljice

3.1 Opis

Pozicija obuhvata razastiranje, grubo i fino planiranje i nabijanje, sanacije pojedinih manjih nehomogenih mesta, kvašenje, odnosno prosušivanje zemlje uz zbijanje do propisane zbijenosti.

Opisane radove treba izvoditi do kota prijedviđenih u Projektu po celoj širini posteljice i u skladu sa ovim tehničkim uslovima.

3.2 Prijethodna ispitivanja materijala

Potrebno je izvršiti sledeća ispitivanja:

Standardnim Proktorovim postupkom odrediti maksimalnu suhu zaprijeminsku težinu, optimalnu vlažnost i stvarnu vlažnost.

Ispitati granulometrijski sastav i stepen neravnomernosti.

Ispitati Aterbergove granice konzistencije, granice tečenja, granice plastičnosti, indeks plastičnosti i proveriti osetljivost na dejstvo mraza (Kasagrandeov kriterijum)

Utvrditi grupni indeks (Ig).

Utvrditi Kalifornijski indeks nosivosti tla (CBR) po JUS-u U.B1 042.

Kriterijum za ocenu kvaliteta materijala prije ugrađivanja

Vlažnost materijala treba da je takva da se može pri sabijanju postići propisani kvalitet (bliža optimalnoj);

Maksimalna zaprijeminska težina ostvarena u laboratoriji sa energijom $E = 60 \text{ MNm/m}^3$ treba da je veća od 16,5 kN/m³;

Optimalna vlažnost manja od 20%;

Granica tečenja manja od 40% a indeks plastičnosti manji od 20%;

Stepen neravnomernosti "U" ne manji od 9 i da najveće zrno u tom sloju nije veće od 60 mm (10% do 70 mm);

Kalifornijski indeks nosivosti CBR veći ili jednak od 5% i to za sve materijale koji se ugrađuju u planum nasipa i useka.

3.3 Izvođenje i kvalitet radova

Celokupna širina posteljice prijema Projektu mora biti mehanički ili hemijski stabilizovana.

Iskopani ili nasuti i razasrti materijal za posteljicu mora se odmah nabiti.

U slučaju da posteljica ne može zadovoljiti potrebnu zbijenost Nadzorni organ je dužan odobriti zamjenu materijala na tom potezu

U slučaju da je već zbijena posteljica duže vreme izložena vremenskim nepogodama ili na neki drugi način oštećena, Izvođač je dužan da je ponovo dovede u stanje zahtevano ovim tehničkim uslovima. Nasipani i izravnati materijal na posteljici koji je prijedviđen za kasniju hemijsku stabilizaciju mora biti isto tako odmah mehanički zbijen da se spriječi proceđivanje oborinske vode kroz pripremljenu površinu posteljice.

3.4 Zahtevi kvaliteta za posteljicu

Ravnost

Površina završnog sloja puta (posteljica) mora biti izravnata tako da se dozvoljavaju maksimalna odstupanja od merne ravni -30 mm. Ravnost se meri krstovima ili kanapom u svakom profilu u svim pravcima (uporedni, podužni i dijagonalni).

Kote površine

Kote površine završnog sloja posteljice na bilo kom mestu mogu odstupati od projektovanih najviše za -30 mm.

Kote pojedinih mernih mesta treba odrediti nivelmanski, a mesta će odrediti nadzorni organ po slobodnom izboru, a obavezno na svakom poprijječnom profilu.

Poprijezni i uzdužni nagibi posteljice moraju se izvesti prijema projektu.

Niže izvedena posteljica dopunjava se na teret izvođača, materijalom za donji noseći sloj. Više izvedena posteljica mora se ukloniti do projektovane kote.

3.5 Kontrola kvaliteta ugrađivanja

Propisi po kojima se vrši kontrola kvaliteta ugrađivanja (JUS):

U.B1 010 - uzimanje uzoraka

U.B1 012 - određivanje vlažnosti tla

U.B1 016 - određivanje zaprijeminske težine tla

U.B1 046 - određivanje modula stižljivosti metodom kružne ploče.

3.6 Kriterijum za ocenu kvaliteta ugrađivanja

Za posteljicu od koherentnog materijala i mešanog materijala sadržaja do 20% kamenitih materijala, zahtevana zbijenost treba da je veća od 98% u odnosu na maksimalnu zaprijeminsku težinu dobijenu po modifikovanom Proktorovom opitu.

Za posteljicu od nekoherentnog i mešanog materijala sa više od 20% kamenitih materijala zahteva se minimalna vrednost modula stižljivosti M_s , dobijena opitnom pločom priječnika 30cm prijema sledećem:

za mešane materijale sa 20 - 35% kamenitih materijala $M_s = 30 \text{ Mpa}$

za mešane materijale sa 35 - 50% kamenitih materijala $M_s = 35 \text{ Mpa}$

za mešane materijale sa više od 50% kamenitih materijala $M_s = 40 \text{ Mpa}$

za nekoherentne materijale $M_s = 50 \text{ Mpa}$

Navedena ispitivanja se vrše pri optimalnoj vlažnosti ili njoj bliskoj ($\pm 2\%$).

3.7 Obim tekućih kontrolnih ispitivanja

Ispitivanje zbijenosti ili nosivosti vršiti na svakih 20-25 m¹ sa dva opita u neposrednoj blizini.

Priznaju se rezultati koji daju približno istu vrednost kod oba opita;

CBR opit raditi za svaki usek i nasip kao i za svaku promenu materijala.

3.7 Prijem radova

Prijem posteljice vrši Nadzorni organ neposredno prije sledeće faze izvođenja radova.

3.8 Merenje i plaćanje

Merenje i plaćanje se vrši po kvadratnom metru (m²) uređene posteljice po projektnim količinama.

Donji noseći sloj od od pjeskovito-šljunkovitog materijala,

1.1 Opis rada

Rad obuhvata izrada donjeg mehanički stabilizovanog nosećeg sloja (tampona) od pjeskovito-šljunkovitog materijala, 0/31,5mm, debljine 25cm i 15 cm ($M_s=80 \text{ MN/m}^2$). U poziciju uključeni nabavka, transport, razastiranje i zbijanje). Dozvoljena odstupanja ugrađenog sloja 10mm, Rad obuhvata nabavku, prijevoz, razastiranje i zbijanje. Debljina ugrađenog i zbijenog sloja iznosi 30 cm ispod asfaltnih slojeva, odnosno 15 cm ispod trotoara, prijema glavnom projektu.

1.2 Izrada

Donji noseći sloj ugrađivati na posteljicu koja mora biti pripremljena prijema zahtjevima iz ovih tehničkih uslova. Tek kada nadzorni organ primi posteljicu i odobri rad, može početi navoženje materijala za donji noseći sloj. Vozila sa blatnim točkovima ne smiju se voziti po razastrtom ili sabijenom materijalu. Nakon navoženja, materijal razastrti i fino isplanirati, u debljini potrebnoj da se nakon sabijanja dobije sloj projektovane debljine. U radu treba paziti da ne dođe do segregacije materijala. Sabijanje se vrši odgovarajućim vibro sredstvima.

Planum sabijenog sloja mora da ima projektovane kote, širinu i pad, kako je to dato u projektu.

1.3 Kontrola kvaliteta

Kontrola kvaliteta obuhvata prijetodna i kontrolna ispitivanja materijala, kao i kontrolu ugrađenog i zbijenog sloja.

1.4 Prijetodna ispitivanja

Materijal mora da zadovolji određene zahtjeve u pogledu:

- fizičko-mehaničkih i mineraloško petrografskih osobina agregata;
- granulometrijskog sastava ukupnog materijala;
- nosivosti;
- sadržaja organskih materijala i lakih čestica.

U pogledu fizičko-mehaničkih i mineraloško petrografskih osobina, materijal mora da zadovolji sledeće kriterijume:

- oblik zrna.....	nepovoljno do 50%
- trošna zrna.....	do 7%
- sadržaj muljevito glinovitih i organskih čestica	do 5%
- habanje po Los Angeles-u.....	max 50%
- postojanost agregata na smrzavanje	postojan

- mineraloško petrografski sastavutvrđuje se mineraloško petrografskom analizom koja treba da da učešće pojedinih vrsta stena po obimu zastupljenosti. Ne dozvoljava se prisustvo laporaca, glinenih škriljaca, mekih i glinovitih pješčara, konglomerata raspadutih granita i gnajseva.

Kriva granulometrijskog sastava materijala mora se nalaziti unutar granica datih na sledećoj tabeli:

Otvor sita u mm kvadratna	Prolaz kroz sita %
45	100
31.5	85-100
22.4	68-93
16	56-85
8	38-69
4	27-56
2	20-44
1	15-35
0.5	11-30
0.25	8-23
0.09	2-11

Sem ovoga granulometrijski sastav mora zadovoljiti i:

- sadržaj zrna manjih od 0.02 mm, ne smije biti veći od 5%
- stepen neravnomjernosti granulometrijskog sastava $U = 15 - 100$
- Nosivost materijala izražena kalifornijskim indeksom nosivosti mora biti CBR 30% pri relativnoj zbijenosti od 95%, u odnosu na maksimalnu zaprijeminsku masu po modificiranom Proktor-ovom postupku.
- Sadržaj organskih materija i lakih čestica ne smije biti veći od 5%.

1.5 Kontrolna ispitivanja ugrađenog sloja

Kontrola se vrši ispitivanjem stepena relativne zbijenosti u odnosu na modifikovan Proctor-ov postupak, najmanje na svakih 500 m².

- Stepen zbijenosti S_z (%) >98%

Kontrolu granulometrijskog sastava vršiti na svakih 3000 m². Ravnost ispitivati letvom dužine 4 m, na svakom popriječnom profilu. Dozvoljeno odstupanje je 10 mm. Visina izrađenog nosećeg sloja u bilo kojoj tački može odstupati od projektovane najviše za 10 mm, što se provjerava nivelmanskim snimanjem. Odstupanje debljine izvedenog sloja ne smije biti veće od 15 mm. Odstupanja veća od datih nisu dozvoljena. U slučaju da odstupanja ostaju trajna nadzorni organ i investitor moraju dati svoje mišljenje i stav po ovom pitanju kako bi se prijeduzele odgovarajuće mjere za održanje projektovanog kvaliteta radova, odnosno da bi se znalo koje mjere treba prijeduzeti pri obračunu radova.

1.6 Mjerenje i plaćanje

Obračun po kubnom metru stvarno ugrađenog i zbijenog donjeg nosećeg sloja.

C - 2.0

Noseći sloj od bituminiziranog šljunka BNS 22

3.1 Opis

Pozicija obuhvata spravljanje, ugrađivanje i zbijanje mješavine od mineralnog materijala i bitumena, u jednom sloju (6 cm) ukupne debljine d=6 cm.

3.2 Osnovni materijali

Za izradu nosećeg sloja od bituminizovanog materijala treba primjeniti sledeće osnovne materijale: pjeskovit šljunak, kameno brašno, vezivo Bit 60.

3.3 Kvalitet osnovnih materijala

3.3.1 Pjeskovit šljunak

Materijal mora da zadovolji određene zahtjeve u pogledu:

- fizičko-mehaničkih i mineraloško-petrografskih osobina samih zrna, shodno JUS U.E9.021;

- habanje po Los Angelesu max 28%
- sadržaj zrna nepovoljnog oblika..... max 20%
- sadržaj grudvi gline max 0.25%
- upijanje vode..... max 1.2%
- prionljivost za bitumen..... dobra
- postojanost na smrzavanje..... postojan
- granulometrijski sastav mora da odgovara zadatom području

Kvadratni otvor sita mm	Prolaz kroz sita u % mase BNS 22
0.09	4-14
0.25	7-37
0.71	12-53
2	21-65
4	30-74
8	44-85
11.2	54-92
16.0	70-100
22.4	97-100
31.5	100

3.3.2 Kameno brašno

Kameno brašno u svemu mora da odgovara kriterijumima datim u JUS B.B3.045.

3.3.3 Bitumen

Bitumen može biti Bit 45 ili Bit 60. Bitumen u svemu mora da odgovara kriterijima JUS U.M3.010 za predviđeni tip bitumena.

3.3.4 Emulzija

Za vezu između slojeva primjenjivati katjonsku polustabilnu emulziju, prema JUS U.M3.024, ili anjonske emulzije, prema JUS U.M3.022.

3.4 Mješavina

U asfaltnoj mješavini učešće bitumena orijentaciono iznosi 3.5-4%. Linije prosijavanja mineralne mješavine treba da leže u granicama navedenim pod 2.3.1.

3.5 Fizičko-mehaničke osobine asfaltne mješavine

Asfaltna mješavina sabijena u Maršalove kalupe na 155-160°C i mineralna mješavina od ekstrahovane asfaltne mase treba da zadovolje sledeće uslove:

Red. br.	Vrsta ispitivanja	Uslovi kvaliteta
1.	Zaostale šupljine (%)	3-9
2.	Stabilnost (kN)	min 6
3.	Ukočenost kN/mm	min 2.2
4.	Tolerancija odstupanja linije prosijavanja ekstrahirane mineralne mješavine u odnosu na usvojenu mješavinu probnim radom mašine	sito 0.09 mm 0.8% sito 0.25 mm 2.0% sito 0.71 mm 3.0% sito 2 mm 3.0% sito 4 mm 4.0% rešeto 8 mm 4.0% rešeto 11 mm 4.0%
5.	Tolerancija odstupanja količine veziva u odnosu na usvojenu recepturu	Utvrđuje se prethodnim ispitivanjima, a tolerancija je u granicama $\pm 0,5\%$ od vrijdnosti utvrđene u prethodnom sastavu asfaltne mješavine.

Ugrađeni sloj od bitumenizovanog šljunka mora imati sledeće osobine:

Red. br.	Osobine	Uslovi kvaliteta
----------	---------	------------------

1. Zaostale šupljine (%)	2-10
2. Uvaljanost (zbijenost) sloja (%)	min 97
3. Ravnost sloja pod ravnjačom 4 m	max 20 mm
4. Odstupanje površine sloja od propisane visine	max + 10 mm
5. Odstupanje od zahtjevanog poprečnog pada	max $\pm$ 0.4% aps

Odstupanja veća od datih nisu dozvoljena. U slučaju da odstupanja ostaju trajna nadzorni organ i investitor moraju dati svoje mišljenje i stav po ovom pitanju kako bi se preduzele odgovarajuće mjere za održanje projektovanog kvaliteta radova, odnosno da bi se znalo koje mjere treba preduzeti pri obračunu radova.

3.6 Tehnologija izvršenja

3.6.1 Priprema podloge

Asfaltni sloj može se polagati na podlogu koja je suva i nije smrznuta. Prije početka radova podloga mora da je dobro oprana, očišćena čeličnim četkama i izduvana kompresorom. Pošto se završi čišćenje podloge, nadzorni organ snimiće nivoletu i ravnost podloge. Na djelovima gdje površina sloja podloge odstupa od propisane visine za više od 20 mm neophodno je da izvođač izvrši popravku podloge prema zahtjevima traženim projektnim rješenjem, odnosno:

- na mjestima gdje je površina podloge ispod propisane nivelete, treba popravku izvršiti povećanjem sloja asfaltne mješavine;
- na mjestima gdje je površina podloge iznad propisane nivelete, treba na odgovarajući način skinuti višak u podlozi.

Prije izrade asfaltnog sloja obavezno je nanošenje sloja emulzije u količini od 150 g bitumenskog veziva po m². Vrsta emulzije je u zavisnosti od vrste podloge.

3.6.2 Spravljanje i transport asfaltne mješavine

Temperatura bitumena treba da bude od 150-170oC. Temperatura agregata ne smije da je viša od temperature bitumena, odnosno ne da je veća od 150oC. Temperatura asfaltne mješavine u mješalici treba da se kreće u granicama 150-170oC (izuzetno 175oC). Asfaltna masa može se transportovati samo u vozilima čiji je tovarni sanduk prethodno očišćen i premazan rastvorom silikonske emulzije. Upotreba nafte i naftnih derivata je zabranjena. U transportu asfaltna masa mora se pokrivati. Osovinski pritisak vozila ne smije da pređe dozvoljeno osovinsko opterećenje od 10 t.

3.6.3 Ugrađivanje asfaltne mješavine

Asfaltni sloj ugrađuje se jednim finišerom i odgovarajućom garniturom valjaka po tehnologiji usvojenoj na probnoj deonici. Istovremeni rad sa dva finišera dozvoljen je samo ako je to projektom uslovljeno.

Temperatura asfaltne mješavine na mjestu ugrađivanja ne smije da bude niža od 130oC i viša od 175oC. Asfaltni sloj valja se dok se ne postigne zahtjevana zbijenost koja se kontroliše na licu mjeta izotopnom sondom.

a) Radni spojevi

Prilikom nastavljanja radova, posle dužih radnih zastoja ili prekida rada, mjetu sastava odsjeći po cjeloj debljini i premazati bitumenskom emulzijom.

3.6.4 Period izvršenja radova

Noseći sloj sa specifikacijama iz ovih tehničkih uslova može se ugrađivati isključivo kada su temperature vazduha veće od 5oC, bez vjetra ili minimum 10oC sa vjetrom. Asfaltna mješavina ne smije se ugrađivati kada je izmaglica ili kiša. Temperatura podloge ne smije da bude niža od +5oC.

3.7 Kontrola kvaliteta

3.7.1 Prethodna ispitivanja asfaltne mješavine

Prije početka radova, izvođač je obavezan da izradi u ovlašćenoj laboratoriji projekat prethodne asfaltne mješavine u svemu saglasan sa zahtjevima ovih tehničkih uslova.

Nikakav rad ne smije da započne dok izvođač ne predloži prethodnu mješavinu na saglasnost nadzornom organu. Atesti o osnovnim materijalima i prethodnoj mješavini ne smiju biti stariji od 6 mjeeci. Ukoliko nastanu promene u kvalitetu osnovnih materijala, izvođač je dužan da predloži nadzornom organu pismenim dopisom predlog za promenu asfaltne mješavine, odnosno da predloži novu prethodnu mješavinu na saglasnost, pre početka upotrebe tih materijala.

3.7.2 Dokazni radni sastav asfaltne mješavine

Početak probnog rada može da počne kada je obezbeđeno na deponijama najmanje 40% potrebnih količina kamene sitneži koja mora biti deponovana u odvojene deponije. Kvalitet prethodne asfaltne mješavine dokazuje se probnim radom, s tim da se asfaltna mješavina usvaja na samom postrojenju, a kvalitet ugrađivanja na opitnoj dionici. Ukoliko kvalitet osnovnih materijala na gradilištu ne odgovara ovim tehničkim uslovima, izvođač je dužan da obezbjedi kvalitetnije osnovne materijale. Ukoliko se doziranjem osnovnih materijala, prema prethodnoj mješavini, ne mogu zadovoljiti svi propisani zahtjevi za fizičko-mehaničke osobine asfaltne mješavine i za ugrađeni sloj, neophodno je korigovati doziranje osnovnih materijala i ponoviti probni rad. Tek kada se probnim radom postignu svi postavljeni zahtjevi, nadzorni organ usvojiće radnu mješavinu i dati saglasnost za neprekidni rad.

Dokazivanje radnog sastava asfaltne mješavine vrši operativna ovlašćena laboratorija.

3.7.3 Ispitivanje bitumena

Izvođač radova može da nabavi bitumen samo pod uslovom da za svaku isporuku

obezbjedi atest proizvođača koji će biti odmah dostavljen na uvid nadzornom organu, odnosno laboratoriji.

Pored uvida u atest proizvođača, operativna laboratorija vršiće i redovna ispitivanja u skraćenom obimu (PK, penetracija i tačka loma), i to:

- na početku radova i
- za svaku cisternu bitumena na asfaltnoj bazi prije upotrebe.

Zabranjuje se upotreba bitumena iz neispitanih cisterni.

3.7.4 Ispitivanje filera

Laboratorija će ispitati granulometrijski sastav filera:

- na početku radova i
- na svakih 100 t dobavljenog filera

3.7.5 Ispitivanje fizičko-mehaničkih osobina asfaltne mješavine i ugrađenog sloja

Ova ispitivanja vršiće operativna laboratorija:

- na početku radova i
- na svakih 2000 m².

Uzorak asfaltne mase uzima se iz vruće tek razastrte asfaltne mješavine iza finišera. Kontrola zbijenosti i šupljina u zastoru obavlja se vađenjem kernova iz gotovog zastora, na istom mjetu gdje je uzet uzorak vruće asfaltne mješavine.

3.7.6 Ravnost sloja

Mjerenje obavlja nadzorni organ na poprečnom profilu, s tim da međusobni razmak ne bude veći od 30 m.

Mjerenje se vrši ravnjačom 4 m dužine (levo, desno, sredina).

3.7.7 Granulometrijski sastav mineralne mješavine

Ukoliko ima više od 5% rezultata sa odstupanjima u frakciji filera i bitumena od dozvoljenih, asfaltni sloj se ne može prihvatiti kao dobar.

3.8 Mjerenje i plaćanje

Obračun po m² stvarno izvršenog asfaltnog sloja određene debljine u svemu po ovome opisu.

D. OSTALI RADOVI

1.2. PROPUSTI I BETONIRANJE ULAZNO IZLAZNIH GLAVA

Opis

Za odvodnjavanje pretežno se upotrebljavaju propusti, koji su kružnog, paraboličnog ili ovalnog presjeka, a izgrađeni su od cijevi iz cementnog betona, polimera ili duktilnog livenog metala.

Parabolični i ovalni propusti mogu se raditi i od odgovarajućeg profilisanog lima.

Propusti se završavaju sa ulaznim i izlaznim glavama koje se oblikuje po posebnom detalju.

Za odvajanje većih količina vode upotrebljavaju se pločasti propusti pravougaonog presjeka (većih dimenzija), koji se rade iz ojačanog cementnog betona na licu mjesta ili iz prefabrikovanih (montažnih) elemanta. U izuzetnim slučajevima može se upotrijebiti i drvo.

Izrada propusta uključuje nabavku svih odgovarajućih materijala i ugrađivanje na mjestima, koja su određena po projektnoj dokumentaciji.

Vodu iz iskopa za propuste treba ispumpavati sve dok propust sa zasipanjem ne iziđe izvan nivoa podzemne vode. Štetu, koja bi nastala zbog prekida ispumpavanja vode, mora nadoknaditi izvođač radova.

Način izvođenja propusta određen je u projektnoj dokumentaciji. Ako nije onda to određuje nadzor.

Osnovni materijali

Osnovni materijali za izradu propusta su materijali za podložne slojeve, za propuste i glave propusta, za oblaganje (obetoniranje) cijevi.

Materijali za podložne slojeve

Podložni slojevi ispod propusta mogu se izgraditi iz dvije vrste materijala:

- donji sloj za izravnavanje i ravnomjerno nalijeganje propusta iz smjese kamenih frakcija,
- gornji sloj, na kome neposredno leži propust, je iz mješavine cementnog betona.

Materijali za propuste i glave propusta

Za izradu propusta okruglog presjeka upotrebljavaju se prefabrikovane cijevi iz cementnog betona, polimernih i drugih materijala, koji odgovaraju zahtjevima projektne dokumentacije.

Propusti paraboličnog i pravougaonog presjeka, obično se izrađuju na licu mjesta iz:

- mješavine cementnog betona,
- čelika za ojačanje (armature).

Pored navedenih materijala, za izradu propusta potrebna je oplata, cementni malter lomljeni kamen za kaldrmisanje (oblaganje).

Za izradu ulaznih i izlaznih glava propusta okruglog i paraboličnog presjeka potrebno je: mješavina cementnog betona, čelik za ojačanje, oplata, cementni malter.

Propusti i glave propusta

Izvođač može početi sa izgradnjom propusta i glava tek kada je nadzor preuzeo podložni sloj i odobrio postupak izrade propusta.

Ako je u projektnoj dokumentaciji predviđena obrada površine cementnog betona sa cementnim malterom, onda se izvodi na odgovarajuće pripremljenu površinu još dok se cementni beton nalazi u fazi početka stvrdnjavanja.

Svi radovi se moraju obaviti tako da je obezbijeđena vodonepropusnost propusta i nesmetani protok vode kroz propust te u dimenzijama iz projektne dokumentacije. Svaku promjenu prethodno mora odobriti nadzor.

Obloga (obetoniranje) cijevi propusta

Izvođač može početi sa ugrađivanjem cementnog betona za oblogu (obetoniranje) propusta tek kada mu to odobri nadzor. Pri tome svi spojevi cijevi iz cementnoga betona moraju se zapuniti sa cementnim malterom.

Kvalitet izrade

Ugrađivanje djelomično oštećenih prefabrikovanih elemenata za propuste može odobriti nadzor, pod uslovom da se ne smanjuje kvalitet propusta.

Prije početka ugrađivanja izvođač mora dostaviti nadzoru i prethodni (laboratorijski) sastav mješavine cementnog betona i cementnog maltera, koje namjerava upotrijebiti u toku izgradnje propusta.

Prije dobivanja saglasnosti nadzora za prethodni sastav mješavine cementnog betona i cementnog maltera, izvođač ne smije početi sa ugrađivanjem. u odnosu na karakteristike i značaj pojedinačnog rada.

Provjeravanje kvaliteta izrade

Unutrašnja kontrola

Obim unutrašnje kontrole za izgradnju propusta, koju mora izvoditi ovlašteni laboratorij, određuje nadzor na osnovu predložene dokumentacije i na osnovu napredovanja radova.

Minimalni obim unutrašnje kontrole za izgradnju propusta naveden je u tabeli 4.17.

Tabela 4.17: Minimalna učestalost ispitivanja za unutrašnju kontrolu pri izgradnji propusta

Osobine	Minimalna učestalost ispitivanja
- smjesa kamenih frakcija	200 m ³
- mješavina cementnog betona	20 m ³
- prefabrikovani elementi	100 kosov
- čelik za ojačanje	5 t
- cementni malter	10 m ³

Vanjska kontrola

Obim ispitivanja za vanjsku kontrolu, koju izvodi ovlaštena institucija naručioca, po pravilu je u omjeru 1:5 u odnosu na ispitivanje unutrašnje kontrole. Mjesto za oduzimanje uzoraka za vanjsku kontrolu skladnosti izrade mora odrediti nadzor po statističkom slučajnom izboru.


Mjerenje radova

Sve količine treba izmjeriti po stvarno izvedenom obimu i vrsti radova, koji su izvedeni u okviru dimenzija iz projektne dokumentacije ili na osnovu dopuna i promjena koje je odobrio nadzor. Izmjerene količine treba blagovremeno pismeno dokumentovati.


Odgovorni projektant:

BAOŠIĆ RADOJE dipl.inž.građ

1.4 GRAFIČKA DOKUMENTACIJA


[illegible]


	Qimada ka tartaarid par dila
	Gariifka ka tartaarid par dila
- Put	
Sub - diweni	
Soo b-znaak	
Corma	
Droo	
Zida na ogra da	


[illegible]


LEGENDA:


- 2020/2021
- 2021/2022
- 2022/2023
- 2023/2024
- 2024/2025
- 2025/2026
- 2026/2027
- 2027/2028
- 2028/2029
- 2029/2030
- 2030/2031
- 2031/2032
- 2032/2033
- 2033/2034
- 2034/2035
- 2035/2036
- 2036/2037
- 2037/2038
- 2038/2039
- 2039/2040
- 2040/2041
- 2041/2042
- 2042/2043
- 2043/2044
- 2044/2045
- 2045/2046
- 2046/2047
- 2047/2048
- 2048/2049
- 2049/2050
- 2050/2051
- 2051/2052
- 2052/2053
- 2053/2054
- 2054/2055
- 2055/2056
- 2056/2057
- 2057/2058
- 2058/2059
- 2059/2060
- 2060/2061
- 2061/2062
- 2062/2063
- 2063/2064
- 2064/2065
- 2065/2066
- 2066/2067
- 2067/2068
- 2068/2069
- 2069/2070
- 2070/2071
- 2071/2072
- 2072/2073
- 2073/2074
- 2074/2075
- 2075/2076
- 2076/2077
- 2077/2078
- 2078/2079
- 2079/2080
- 2080/2081
- 2081/2082
- 2082/2083
- 2083/2084
- 2084/2085
- 2085/2086
- 2086/2087
- 2087/2088
- 2088/2089
- 2089/2090
- 2090/2091
- 2091/2092
- 2092/2093
- 2093/2094
- 2094/2095
- 2095/2096
- 2096/2097
- 2097/2098
- 2098/2099
- 2099/2100
- 2100/2101
- 2101/2102
- 2102/2103
- 2103/2104
- 2104/2105
- 2105/2106
- 2106/2107
- 2107/2108
- 2108/2109
- 2109/2110
- 2110/2111
- 2111/2112
- 2112/2113
- 2113/2114
- 2114/2115
- 2115/2116
- 2116/2117
- 2117/2118
- 2118/2119
- 2119/2120
- 2120/2121
- 2121/2122
- 2122/2123
- 2123/2124
- 2124/2125
- 2125/2126
- 2126/2127
- 2127/2128
- 2128/2129
- 2129/2130
- 2130/2131
- 2131/2132
- 2132/2133
- 2133/2134
- 2134/2135
- 2135/2136
- 2136/2137
- 2137/2138
- 2138/2139
- 2139/2140
- 2140/2141
- 2141/2142
- 2142/2143
- 2143/2144
- 2144/2145
- 2145/2146
- 2146/2147
- 2147/2148
- 2148/2149
- 2149/2150
- 2150/2151
- 2151/2152
- 2152/2153
- 2153/2154
- 2154/2155
- 2155/2156
- 2156/2157
- 2157/2158
- 2158/2159
- 2159/2160
- 2160/2161
- 2161/2162
- 2162/2163
- 2163/2164
- 2164/2165
- 2165/2166
- 2166/2167
- 2167/2168
- 2168/2169
- 2169/2170
- 2170/2171
- 2171/2172
- 2172/2173
- 2173/2174
- 2174/2175
- 2175/2176
- 2176/2177
- 2177/2178
- 2178/2179
- 2179/2180
- 2180/2181
- 2181/2182
- 2182/2183
- 2183/2184
- 2184/2185
- 2185/2186
- 2186/2187
- 2187/2188
- 2188/2189
- 2189/2190
- 2190/2191
- 2191/2192
- 2192/2193
- 2193/2194
- 2194/2195
- 2195/2196
- 2196/2197
- 2197/2198
- 2198/2199
- 2199/2200
- 2200/2201
- 2201/2202
- 2202/2203
- 2203/2204
- 2204/2205
- 2205/2206
- 2206/2207
- 2207/2208
- 2208/2209
- 2209/2210
- 2210/2211
- 2211/2212
- 2212/2213
- 2213/2214
- 2214/2215
- 2215/2216
- 2216/2217
- 2217/2218
- 2218/2219
- 2219/2220
- 2220/2221
- 2221/2222
- 2222/2223
- 2223/2224
- 2224/2225
- 2225/2226
- 2226/2227
- 2227/2228
- 2228/2229
- 2229/2230
- 2230/2231
- 2231/2232
- 2232/2233
- 2233/2234
- 2234/2235
- 2235/2236
- 2236/2237
- 2237/2238
- 2238/2239
- 2239/2240
- 2240/2241
- 2241/2242
- 2242/2243
- 2243/2244
- 2244/2245
- 2245/2246
- 2246/2247
- 2247/2248
- 2248/2249
- 2249/2250
- 2250/2251
- 2251/2252
- 2252/2253
- 2253/2254
- 2254/2255
- 2255/2256
- 2256/2257
- 2257/2258
- 2258/2259
- 2259/2260
- 2260/2261
- 2261/2262
- 2262/2263
- 2263/2264
- 2264/2265
- 2265/2266
- 2266/2267
- 2267/2268
- 2268/2269
- 2269/2270
- 2270/2271
- 2271/2272
- 2272/2273
- 2273/2274
- 2274/2275
- 2275/2276
- 2276/2277
- 2277/2278
- 2278/2279
- 2279/2280
- 2280/2281
- 2281/2282
- 2282/2283
- 2283/2284
- 2284/2285
- 2285/2286
- 2286/2287
- 2287/2288
- 2288/2289
- 2289/2290
- 2290/2291
- 2291/2292
- 229























LEGENDA:


	OGGI
	MICA ASFALTA
	BANCA
	POLVERINA ALZATA


LEGENDA:


	Oznaka katastarske parcelne
	Grafička katastarska parcelna
	Put
	Stab - drveći
	Stožbina k
	Cesma
	Dvori
	Zidana ograda
	Zidana ograda
	Stijena ograda
	Stijena


NOTA:
 Preispitivanje sadržaja izveštaja OŠen, izveštaji po lokaciji parastate
 kvartala su izvedeni i sukladno su izveštaju izveštaja.


PROJEKANT:	IMBIR	FAKULTET:	OPŠTINA BUELO POJUE
"BMR BAOČIĆ" - doo B.Pojue			
Naziv projekta br. 242 243,244, 498... JO TOMASEVO na sat. parcelama br. 346, 3142254, 3142255, 3142256, 3142257, 3142258, 3142259, 3142260, 3142261, 3142262, 3142263, 3142264, 3142265, 3142266, 3142267, 3142268, 3142269, 3142270, 3142271, 3142272, 3142273, 3142274, 3142275, 3142276, 3142277, 3142278, 3142279, 3142280, 3142281, 3142282, 3142283, 3142284, 3142285, 3142286, 3142287, 3142288, 3142289, 3142290, 3142291, 3142292, 3142293, 3142294, 3142295, 3142296, 3142297, 3142298, 3142299, 3142300, 3142301, 3142302, 3142303, 3142304, 3142305, 3142306, 3142307, 3142308, 3142309, 3142310, 3142311, 3142312, 3142313, 3142314, 3142315, 3142316, 3142317, 3142318, 3142319, 3142320, 3142321, 3142322, 3142323, 3142324, 3142325, 3142326, 3142327, 3142328, 3142329, 3142330, 3142331, 3142332, 3142333, 3142334, 3142335, 3142336, 3142337, 3142338, 3142339, 3142340, 3142341, 3142342, 3142343, 3142344, 3142345, 3142346, 3142347, 3142348, 3142349, 3142350, 3142351, 3142352, 3142353, 3142354, 3142355, 3142356, 3142357, 3142358, 3142359, 3142360, 3142361, 3142362, 3142363, 3142364, 3142365, 3142366, 3142367, 3142368, 3142369, 3142370, 3142371, 3142372, 3142373, 3142374, 3142375, 3142376, 3142377, 3142378, 3142379, 3142380, 3142381, 3142382, 3142383, 3142384, 3142385, 3142386, 3142387, 3142388, 3142389, 3142390, 3142391, 3142392, 3142393, 3142394, 3142395, 3142396, 3142397, 3142398, 3142399, 3142400, 3142401, 3142402, 3142403, 3142404, 3142405, 3142406, 3142407, 3142408, 3142409, 3142410, 3142411, 3142412, 3142413, 3142414, 3142415, 3142416, 3142417, 3142418, 3142419, 3142420, 3142421, 3142422, 3142423, 3142424, 3142425, 3142426, 3142427, 3142428, 3142429, 3142430, 3142431, 3142432, 3142433, 3142434, 3142435, 3142436, 3142437, 3142438, 3142439, 3142440, 3142441, 3142442, 3142443, 3142444, 3142445, 3142446, 3142447, 3142448, 3142449, 3142450, 3142451, 3142452, 3142453, 3142454, 3142455, 3142456, 3142457, 3142458, 3142459, 3142460, 3142461, 3142462, 3142463, 3142464, 3142465, 3142466, 3142467, 3142468, 3142469, 3142470, 3142471, 3142472, 3142473, 3142474, 3142475, 3142476, 3142477, 3142478, 3142479, 3142480, 3142481, 3142482, 3142483, 3142484, 3142485, 3142486, 3142487, 3142488, 3142489, 3142490, 3142491, 3142492, 3142493, 3142494, 3142495, 3142496, 3142497, 3142498, 3142499, 3142500, 3142501, 3142502, 3142503, 3142504, 3142505, 3142506, 3142507, 3142508, 3142509, 3142510, 3142511, 3142512, 3142513, 3142514, 3142515, 3142516, 3142517, 3142518, 3142519, 3142520, 3142521, 3142522, 3142523, 3142524, 3142525, 3142526, 3142527, 3142528, 3142529, 3142530, 3142531, 3142532, 3142533, 3142534, 3142535, 3142536, 3142537, 3142538, 3142539, 3142540, 3142541, 3142542, 3142543, 3142544, 3142545, 3142546, 3142547, 3142548, 3142549, 3142550, 3142551, 3142552, 3142553, 3142554, 3142555, 3142556, 3142557, 3142558, 3142559, 3142560, 3142561, 3142562, 3142563, 3142564, 3142565, 3142566, 3142567, 3142568, 3142569, 3142570, 3142571, 3142572, 3142573, 3142574, 3142575, 3142576, 3142577, 3142578, 3142579, 3142580, 3142581, 3142582, 3142583, 3142584, 3142585, 3142586, 3142587, 3142588, 3142589, 3142590, 3142591, 3142592, 3142593, 3142594, 3142595, 3142596, 3142597, 3142598, 3142599, 3142600, 3142601, 3142602, 3142603, 3142604, 3142605, 3142606, 3142607, 3142608, 3142609, 3142610, 3142611, 3142612, 3142613, 3142614, 3142615, 3142616, 3142617, 3142618, 3142619, 3142620, 3142621, 3142622, 3142623, 3142624, 3142625, 3142626, 3142627, 3142628, 3142629, 3142630, 3142631, 3142632, 3142633, 3142634, 3142635, 3142636, 3142637, 3142638, 3142639, 3142640, 3142641, 3142642, 3142643, 3142644, 3142645, 3142646, 3142647, 3142648, 3142649, 3142650, 3142651, 3142652, 3142653, 3142654, 3142655, 3142656, 3142657, 3142658, 3142659, 3142660, 3142661, 3142662, 3142663, 3142664, 3142665, 3142666, 3142667, 3142668, 3142669, 3142670, 3142671, 3142672, 3142673, 3142674, 3142675, 3142676, 3142677, 3142678, 3142679, 3142680, 3142681, 3142682, 3142683, 3142684, 3142685, 3142686, 3142687, 3142688, 3142689, 3142690, 3142691, 3142692, 3142693, 3142694, 3142695, 3142696, 3142697, 3142698, 3142699, 3142700, 3142701, 3142702, 3142703, 3142704, 3142705, 3142706, 3142707, 3142708, 3142709, 3142710, 3142711, 3142712, 3142713, 3142714, 3142715, 3142716, 3142717, 3142718, 3142719, 3142720, 3142721, 3142722, 3142723, 3142724, 3142725, 3142726, 3142727, 3142728, 3142729, 3142730, 3142731, 3142732, 3142733, 3142734, 3142735, 3142736, 3142737, 3142738, 3142739, 3142740, 3142741, 3142742, 3142743, 3142744, 3142745, 3142746, 3142747, 3142748, 3142749, 3142750, 3142751, 3142752, 3142753, 3142754, 3142755, 3142756, 3142757, 3142758, 3142759, 3142760, 3142761, 3142762, 3142763, 3142764, 3142765, 3142766, 3142767, 3142768, 3142769, 3142770, 3142771, 3142772, 3142773, 3142774, 3142775, 3142776, 3142777, 3142778, 3142779, 3142780, 3142781, 3142782, 3142783, 3142784, 3142785, 3142786, 3142787, 3142788, 3142789, 3142790, 3142791, 3142792, 3142793, 3142794, 3142795, 3142796, 3142797, 3142798, 3142799, 3142800, 3142801, 3142802, 3142803, 3142804, 3142805, 3142806, 3142807, 3142808, 3142809, 3142810, 3142811, 3142812, 3142813, 3142814, 3142815, 3142816, 3142817, 3142818, 3142819, 3142820, 3142821, 3142822, 3142823, 3142824, 3142825, 3142826, 3142827, 3142828, 3142829, 3142830, 3142831, 3142832, 3142833, 3142834, 3142835, 3142836, 3142837, 3142838, 3142839, 3142840, 3142841, 3142842, 3142843, 3142844, 3142845, 3142846, 3142847, 3142848, 3142849, 3142850, 3142851, 3142852, 3142853, 3142854, 3142855, 3142856, 3142857, 3142858, 3142859, 3142860, 3142861, 3142862, 3142863, 3142864, 3142865, 3142866, 3142867, 3142868, 3142869, 3142870, 3142871, 3142872, 3142873, 3142874, 3142875, 3142876, 3142877, 3142878, 3142879, 3142880, 3142881, 3142882, 3142883, 3142884, 3142885, 3142886, 3142887, 3142888, 3142889, 3142890, 3142891, 3142892, 3142893, 3142894, 3142895, 3142896, 3142897, 3142898, 3142899, 3142900, 3142901, 3142902, 3142903, 3142904, 3142905, 3142906, 3142907, 3142908, 3142909, 3142910, 3142911, 3142912, 3142913, 3142914, 3142915, 3142916, 3142917, 3142918, 3142919, 3142920, 3142921, 3142922, 3142923, 3142924, 3142925, 3142926, 3142927, 3142928, 3142929, 3142930, 3142931, 3142932, 3142933, 3142934, 3142935, 3142936, 3142937, 3142938, 3142939, 3142940, 3142941, 3142942, 3142943, 3142944, 3142945, 3142946, 3142947, 3142948, 3142949, 3142950, 3142951, 3142952, 3142953, 3142954, 3142955, 3142956, 3142957, 3142958, 3142959, 3142960, 3142961, 3142962, 3142963, 3142964, 3142965, 3142966, 3142967, 3142968, 3142969, 3142970, 3142971, 3142972, 3142973, 3142974, 3142975, 3142976, 3142977, 3142978, 3142979, 3142980, 3142981, 3142982, 3142983, 3142984, 3142985, 3142986, 3142987, 3142988, 3142989, 3142990, 3142991, 3142992, 3142993, 3142994, 3142995, 3142996, 3142997, 3142998, 3142999, 3143000, 3143001, 3143002, 3143003, 3143004, 3143005, 3143006, 3143007, 3143008, 3143009, 3143010, 3143011, 3143012, 3143013, 3143014, 3143015, 3143016, 3143017, 3143018, 3143019, 3143020, 3143021, 3143022, 3143023, 3143024, 3143025, 3143026, 3143027, 3143028, 3143029, 3143030, 3143031, 3143032, 3143033, 3143034, 3143035, 3143036, 3143037, 3143038, 3143039, 3143040, 3143041, 3143042, 3143043, 3143044, 3143045, 3143046, 3143047, 3143048, 3143049, 3143050, 3143051, 3143052, 3143053, 3143054, 3143055, 3143056, 3143057, 3143058, 3143059, 3143060, 3143061, 3143062, 3143063, 3143064, 3143065, 3143066, 3143067, 3143068, 3143069, 3143070, 3143071, 3143072, 3143073, 3143074, 3143075, 3143076, 3143077, 3143078, 3143079, 3143080, 3143081, 3143082, 3143083, 3143084, 3143085, 3143086, 3143087, 3143088, 3143089, 3143090, 3143091, 3143092, 3143093, 3143094, 3143095, 3143096, 3143097, 3143098, 3143099, 3143100, 3143101, 3143102, 3143103, 3143104, 3143105, 3143106, 3143107, 3143108, 3143109, 3143110, 3143111, 3143112, 3143113, 3143114, 3143115, 3143116, 3143117, 3143118, 3143119, 3143120, 3143121, 3143122, 3143123, 3143124, 3143125, 3143126, 3143127, 3143128, 3143129, 3143130, 3143131, 3143132, 3143133, 3143134, 3143135, 3143136, 3143137, 3143138, 3143139, 3143140, 3143141, 3143142, 3143143, 3143144, 3143145, 3143146, 3143147, 3143148, 3143149, 3143150, 3143151, 3143152, 3143153, 3143154, 3143155, 3143156, 3143157, 3143158, 3143159, 3143160, 3143161, 3143162, 3143163, 3143164, 3143165, 3143166, 3143167, 3143168, 3143169, 3143170, 3143171, 3143172, 3143173, 3143174, 3143175, 3143176, 3143177, 3143178, 3143179, 3143180, 3143181, 3143182, 3143183, 3143184, 3143185, 3143186, 3143187, 3143188, 3143189, 3143190, 3143191, 3143192, 3143193, 3143194, 3143195, 3143196, 3143197, 3143198, 3143199, 3143200, 3143201, 3143202, 3143203, 3143204, 3143205, 3143206, 3143207, 3143208, 3143209, 3143210, 3143211, 3143212, 3143213, 3143214, 3143215, 3143216, 3143217, 3143218, 3143219, 3143220, 3143221, 3143222, 3143223, 3143224, 3143225, 3143226, 3143227, 3143228, 3143229, 3143230, 3143231, 3143232, 3143233, 3143234, 3143235, 3143236, 3143237, 3143238, 3143239, 3143240, 3143241, 3143242, 3143243, 3143244, 3143245, 3143246, 3143247, 3143248, 3143249, 3143250, 3143251, 3143252, 3143253, 3143254, 3143255, 3143256, 3143257, 3143258, 3143259, 3143260, 3143261, 3143262, 3143263, 3143264, 3143265, 3143266, 3143267, 3143268, 3143269, 3143270, 3143271, 3143272, 3143273, 3143274, 3143275, 3143276, 3143277, 3143278, 3143279, 3143280, 3143281, 3143282, 3143283, 3143284, 3143285, 3143286, 3143287, 3143288, 3143289, 3143290, 3143291, 3143292, 3143293, 3143294, 3143295, 3143296, 3143297, 3143298, 3143299, 3143300, 3143301, 3143302, 3143303, 3143304, 3143305, 3143306, 3143307, 3143308, 3143309, 3143310, 3143311, 3143312, 3143313, 3143314, 3143315, 3143316, 3143317, 3143318, 3143319, 3143320, 3143321, 3143322, 3143323, 3143324, 3143325, 3143326, 3143327, 3143328, 3143329, 3143330, 3143331, 3143332, 3143333, 3143334, 3143335, 3143336, 3143337, 3143338, 3143339, 3143340, 3143341, 3143342, 3143343, 3143344, 3143345, 3143346, 3143347, 3143348, 3143349, 3143350, 3143351, 3143352, 3143353, 3143354, 3143355, 3143356, 3143357, 3143358, 3143359, 3143360, 3143361, 3143362, 3143363, 3143364, 3143365, 3143366, 3143367, 3143368, 3143369, 3143370, 3143371, 3143372, 3143373, 3143374, 3143375, 3143376, 3143377, 3143378, 3143379, 3143380, 3143381, 3143382, 3143383, 3143384, 3143385, 3143386, 3143387, 3143388, 3143389, 3143390, 3143391, 3143392, 3143393, 3143394, 3143395, 3143396, 3143397, 3143398, 3143399, 3143400, 3143401, 3143402, 3143403, 3143404, 3143405, 3143406, 3143407, 3143408, 3143409, 3143410, 3143411, 3143412, 3143413, 3143414, 3143415, 3143416, 3143417, 3143418, 3143419, 3143420, 3143421, 3143422, 3143423, 3143424, 3143425, 3143426, 3143427, 3143428, 3143429, 3143430, 3143431, 3143432, 3143433, 3143434, 3143435, 3143436, 3143437, 3143438, 3143439, 3143440, 3143441, 3143442, 3143443, 3143444, 3143445, 3143446, 3143447, 3143448, 3143449, 3143450, 3143451, 3143452, 3143453, 3143454, 3143455, 3143456, 3143457, 3143458, 3143459, 3143460, 3143461, 3143462, 3143463, 3143464, 3143465, 3143466, 3143467, 3143468, 3143469, 3143470, 3143471, 3143472, 3143473, 3143474, 3143475, 3143476, 3143477, 3143478, 3143479, 3143480, 3143481, 3143482, 3143483, 3143484, 3143485, 3143486, 3143487, 3143488, 3143489, 3143490, 3143491, 3143492, 3143493, 3143494, 3143495, 3143496, 3143497, 3143498, 3143499, 3143500, 3143501, 3143502, 3143503, 3143504, 3143505, 3143506, 3143507, 3143508, 3143509, 3143510, 3143511, 3143512, 3143513, 3143514, 3143515, 3143516, 3143517, 3143518, 3143519, 3143520, 3143521, 3143522, 3143523, 3143524, 3143525, 3143526, 3143527, 3143528, 3143529, 3143530, 3143531, 3143532, 3143533, 3143534, 3143535, 3143536, 3143537, 3143538, 3143539, 3143540, 3143541, 3143542, 3143543, 3143544, 3143545, 3143546, 3143547, 3143548, 3143549, 3143550, 3143551, 3143552, 3143553, 3143554, 3143555, 3143556, 3143557, 3143558, 3143559, 3143560, 3143561, 3143562, 3143563, 3143564, 3143565, 3143566, 3143567, 3143568, 3143569, 3143570, 3143571, 3143572, 3143573, 3143574, 3143575, 3143576, 3143577, 3143578, 3143579, 3143580, 3143581, 3143582, 3143583, 3143584, 3143585, 3143586, 3143587, 3143588, 3143589, 3143590, 3143591, 3143592, 3143593, 3143594, 3143595, 3143596, 3143597, 3143598, 3143599, 3143600, 3143601, 3143602, 3143603, 3143604, 3143605, 3143606, 3143607, 3143608, 3143609, 3143610, 3143611, 3143612, 3143613, 3143614, 314361			




















LEGGI NOA:

Osserva la tua esca: perché
differenzia i dati e ti rende paroli te

Più

Stile - di vesti

Sapore

Cerchia

Drive

Tieni aggrada

Tieni aggrada

Diventa aggrada

Signora

SARACCHIA

insapori per natura nella D.O.P.G., la tua preferenza personale

[illegible]


[illegible]

CROSS-SECTION NUMBER	STATION	PROJEKTANT:																				INVESTITOR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		"BMR BAOŠIĆ" d.o.o B.Polje																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
TERRAIN ELEVATION		P1	20.00	P2	20.00	P3	20.00	P4	20.00	P5	20.00	P6	20.00	P7	20.00	P8	20.00	P9	20.00	P10	20.00	P11	20.00	P12	20.00	P13	20.00	P14	20.00	P15	20.00	P16	20.00	P17	20.00	P18	20.00	P19	20.00	P20	20.00	P21	20.00	P22	20.00	P23	20.00	P24	20.00	P25	20.00	P26	20.00	P27	20.00	P28	20.00	P29	20.00	P30	20.00	P31	20.00	P32	20.00	P33	20.00	P34	20.00	P35	20.00	P36	20.00	P37	20.00	P38	20.00	P39	20.00	P40	20.00	P41	20.00	P42	20.00	P43	20.00	P44	20.00	P45	20.00	P46	20.00	P47	20.00	P48	20.00	P49	20.00	P50	20.00	P51	20.00	P52	20.00	P53	20.00	P54	20.00	P55	20.00	P56	20.00	P57	20.00	P58	20.00	P59	20.00	P60	20.00	P61	20.00	P62	20.00	P63	20.00	P64	20.00	P65	20.00	P66	20.00	P67	20.00	P68	20.00	P69	20.00	P70	20.00	P71	20.00	P72	20.00	P73	20.00	P74	20.00	P75	20.00	P76	20.00	P77	20.00	P78	20.00	P79	20.00	P80	20.00	P81	20.00	P82	20.00	P83	20.00	P84	20.00	P85	20.00	P86	20.00	P87	20.00	P88	20.00	P89	20.00	P90	20.00	P91	20.00	P92	20.00	P93	20.00	P94	20.00	P95	20.00	P96	20.00	P97	20.00	P98	20.00	P99	20.00	P100	20.00	P101	20.00	P102	20.00	P103	20.00	P104	20.00	P105	20.00	P106	20.00	P107	20.00	P108	20.00	P109	20.00	P110	20.00	P111	20.00	P112	20.00	P113	20.00	P114	20.00	P115	20.00	P116	20.00	P117	20.00	P118	20.00	P119	20.00	P120	20.00	P121	20.00	P122	20.00	P123	20.00	P124	20.00	P125	20.00	P126	20.00	P127	20.00	P128	20.00	P129	20.00	P130	20.00	P131	20.00	P132	20.00	P133	20.00	P134	20.00	P135	20.00	P136	20.00	P137	20.00	P138	20.00	P139	20.00	P140	20.00	P141	20.00	P142	20.00	P143	20.00	P144	20.00	P145	20.00	P146	20.00	P147	20.00	P148	20.00	P149	20.00	P150	20.00	P151	20.00	P152	20.00	P153	20.00	P154	20.00	P155	20.00	P156	20.00	P157	20.00	P158	20.00	P159	20.00	P160	20.00	P161	20.00	P162	20.00	P163	20.00	P164	20.00	P165	20.00	P166	20.00	P167	20.00	P168	20.00	P169	20.00	P170	20.00	P171	20.00	P172	20.00	P173	20.00	P174	20.00	P175	20.00	P176	20.00	P177	20.00	P178	20.00	P179	20.00	P180	20.00	P181	20.00	P182	20.00	P183	20.00	P184	20.00	P185	20.00	P186	20.00	P187	20.00	P188	20.00	P189	20.00	P190	20.00	P191	20.00	P192	20.00	P193	20.00	P194	20.00	P195	20.00	P196	20.00	P197	20.00	P198	20.00	P199	20.00	P200	20.00	P201	20.00	P202	20.00	P203	20.00	P204	20.00	P205	20.00	P206	20.00	P207	20.00	P208	20.00	P209	20.00	P210	20.00	P211	20.00	P212	20.00	P213	20.00	P214	20.00	P215	20.00	P216	20.00	P217	20.00	P218	20.00	P219	20.00	P220	20.00	P221	20.00	P222	20.00	P223	20.00	P224	20.00	P225	20.00	P226	20.00	P227	20.00	P228	20.00	P229	20.00	P230	20.00	P231	20.00	P232	20.00	P233	20.00	P234	20.00	P235	20.00	P236	20.00	P237	20.00	P238	20.00	P239	20.00	P240	20.00	P241	20.00	P242	20.00	P243	20.00	P244	20.00	P245	20.00	P246	20.00	P247	20.00	P248	20.00	P249	20.00	P250	20.00	P251	20.00	P252	20.00	P253	20.00	P254	20.00	P255	20.00	P256	20.00	P257	20.00	P258	20.00	P259	20.00	P260	20.00	P261	20.00	P262	20.00	P263	20.00	P264	20.00	P265	20.00	P266	20.00	P267	20.00	P268	20.00	P269	20.00	P270	20.00	P271	20.00	P272	20.00	P273	20.00	P274	20.00	P275	20.00	P276	20.00	P277	20.00	P278	20.00	P279	20.00	P280	20.00	P281	20.00	P282	20.00	P283	20.00	P284	20.00	P285	20.00	P286	20.00	P287	20.00	P288	20.00	P289	20.00	P290	20.00	P291	20.00	P292	20.00	P293	20.00	P294	20.00	P295	20.00	P296	20.00	P297	20.00	P298	20.00	P299	20.00	P300	20.00	P301	20.00	P302	20.00	P303	20.00	P304	20.00	P305	20.00	P306	20.00	P307	20.00	P308	20.00	P309	20.00	P310	20.00	P311	20.00	P312	20.00	P313	20.00	P314	20.00	P315	20.00	P316	20.00	P317	20.00	P318	20.00	P319	20.00	P320	20.00	P321	20.00	P322	20.00	P323	20.00	P324	20.00	P325	20.00	P326	20.00	P327	20.00	P328	20.00	P329	20.00	P330	20.00	P331	20.00	P332	20.00	P333	20.00	P334	20.00	P335	20.00	P336	20.00	P337	20.00	P338	20.00	P339	20.00	P340	20.00	P341	20.00	P342	20.00	P343	20.00	P344	20.00	P345	20.00	P346	20.00	P347	20.00	P348	20.00	P349	20.00	P350	20.00	P351	20.00	P352	20.00	P353	20.00	P354	20.00	P355	20.00	P356	20.00	P357	20.00	P358	20.00	P359	20.00	P360	20.00	P361	20.00	P362	20.00	P363	20.00	P364	20.00	P365	20.00	P366	20.00	P367	20.00	P368	20.00	P369	20.00	P370	20.00	P371	20.00	P372	20.00	P373	20.00	P374	20.00	P375	20.00	P376	20.00	P377	20.00	P378	20.00	P379	20.00	P380	20.00	P381	20.00	P382	20.00	P383	20.00	P384	20.00	P385	20.00	P386	20.00	P387	20.00	P388	20.00	P389	20.00	P390	20.00	P391	20.00	P392	20.00	P393	20.00	P394	20.00	P395	20.00	P396	20.00	P397	20.00	P398	20.00	P399	20.00	P400	20.00	P401	20.00	P402	20.00	P403	20.00	P404	20.00	P405	20.00	P406	20.00	P407	20.00	P408	20.00	P409	20.00	P410	20.00	P411	20.00	P412	20.00	P413	20.00	P414	20.00	P415	20.00	P416	20.00	P417	20.00	P418	20.00	P419	20.00	P420	20.00	P421	20.00	P422	20.00	P423	20.00	P424	20.00	P425	20.00	P426	20.00	P427	20.00	P428	20.00	P429	20.00	P430	20.00	P431	20.00	P432	20.00	P433	20.00	P434	20.00	P435	20.00	P436	20.00	P437	20.00	P438	20.00	P439	20.00	P440	20.00	P441	20.00	P442	20.00	P443	20.00	P444	20.00	P445	20.00	P446	20.00	P447	20.00	P448	20.00	P449	20.00	P450	20.00	P451	20.00	P452	20.00	P453	20.00	P454	20.00	P455	20.00	P456	20.00	P457	20.00	P458	20.00	P459	20.00	P460	20.00	P461	20.00	P462	20.00	P463	20.00	P464	20.00	P465	20.00	P466	20.00	P467	20.00	P468	20.00	P469	20.00	P470	20.00	P471	20.00	P472	20.00	P473	20.00	P474	20.00	P475	20.00	P476	20.00	P477	20.00	P478	20.00	P479	20.00	P480	20.00	P481	20.00	P482	20.00	P483	20.00	P484	20.00	P485	20.00	P486	20.00	P487	20.00	P488	20.00	P489	20.00	P490	20.00	P491	20.00	P492	20.00	P493	20.00	P494	20.00	P495	20.00	P496	20.00	P497	20.00	P498	20.00	P499	20.00	P500	20.00	P501	20.00	P502	20.00	P503	20.00	P504	20.00	P505	20.00	P506	20.00	P507	20.00	P508	20.00	P509	20.00	P510	20.00	P511	20.00	P512	20.00	P513	20.00	P514	20.00	P515	20.00	P516	20.00	P517	20.00	P518	20.00	P519	20.00	P520	20.00	P521	20.00	P522	20.00	P523	20.00	P524	20.00	P525	20.00	P526	20.00	P527	20.00	P528	20.00	P529	20.00	P530	20.00	P531	20.00	P532	20.00	P533	20.00	P534	20.00	P535	20.00	P536	20.00	P537	20.00	P538	20.00	P539	20.00	P540	20.00	P541	20.00	P542	20.00	P543	20.00	P544	20.00	P545	20.00	P546	20.00	P547	20.00	P548	20.00	P549	20.00	P550	20.00	P551	20.00	P552	20.00	P553	20.00	P554	20.00	P555	20.00	P556	20.00	P557	20.00	P558	20.00	P559	20.00	P560	20.00	P561	20.00	P562	20.00	P563	20.00	P564	20.00	P565	20.00	P566	20.00	P567	20.00	P568	20.00	P569	20.00	P570	20.00	P571	20.00	P572	20.00	P573	20.00	P574	20.00	P575	20.00	P576	20.00	P577	20.00	P578	20.00	P579	20.00	P580	20.00	P581	20.00	P582	20.00	P583	20.00	P584	20.00	P585	20.00	P586	20.00	P587	20.00	P588	20.00	P589	20.00	P590	20.00	P591	20.00	P592	20.00	P593	20.00	P594	20.00	P595	20.00	P596	20.00	P597	20.00	P598	20.00	P599	20.00	P600	20.00	P601	20.00	P602	20.00	P603	20.00	P604	20.00	P605	20.00	P606	20.00	P607	20.00	P608	20.00	P609	20.00	P610	20.00	P611	20.00	P612	20.00	P613	20.00	P614	20.00	P615	20.00	P616	20.00	P617	20.00	P618	20.00	P619	20.00	P620	20.00	P621	20.00	P622	20.00	P623	20.00	P624	20.00	P625	20.00	P626	20.00	P627	20.00	P628	20.00	P629	20.00	P630	20.00	P631	20.00	P632	20.00	P633	20.00	P634	20.00	P635	20.00	P636	20.00	P637	20.00	P638	20.00	P639	20.00	P640	20.00	P641	20.00	P642	20.00	P643	20.00	P644	20.00	P645	20.00	P646	20.00	P647	20.00	P648	20.00	P649	20.00	P650	20.00	P651	20.00	P652	20.00	P653	20.00	P654	20.00	P655	20.00	P656	20.00	P657	20.00	P658	20.00	P659	20.00	P660	20.00	P661	20.00	P662	20.00	P663	20.00	P664	20.00	P665	20.00	P666	20.00	P667	20.00	P668	20.00	P669	20.00	P670	20.00	P671	20.00	P672	20.00	P673	20.00	P674	20.00	P675	20.00	P676	20.00	P677	20.00	P678	20.00	P679	20.00	P680	20.00	P681	20.00	P682	20.00	P683	20.00	P684	20.00	P685	20.00	P686	20.00	P687	20.00	P688	20.00	P689

[illegible]


CROSS-SECTION NUMBER	STATION	PROJEKTANT	INVESTITOR
		"BMR BAOSIĆ" d.o.o B.Polje	OPŠTINA BUELO POLJE
		Objekat: Adaptacija i izgradnja puta Tomislavo-Sokolac: Autor projekta: Baosić Radoje dipl.inj. grad. Vrsta tendere dokumentacije: Voditelj projekatant:	Načelnik: par. 242, 243, 244, 408. KO TOMASJEVO na kat. parcelama br. 345, 314, 2334, 130, ...KO LUESKA na kat. parcelama br.1262, 1240, 694, 1211, ...KO SOKOLAC-Bjelelo Polje Do tehničke dokumentacije: GRAĐEVINSKI PROJEKT - SAGRAĐAJ 1:1000 / 1000
		Opis: Baosić Radoje dipl.inj. grad.	Prilog Br. strane 2, 2
		Poduzni profil	
		Datum izrade	

SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje		OPŠTINA BUELO POLJE	
Objekt: Adaptacija lokalnog puta Tomislavo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408,...KO TOMASEVO na kat. parcelama br.345, 314,2334, 130,...KO LUESKA na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-BUELO Polje	
Autor projekta: Baošić Radoje dipl.ing grad.		Vrsta izvedbe dokumentacije: ELABORAT ADAPTACIJE	
Voditelj projekata:		Dio izvedbe dokumentacije: GRAĐEVINSKI PROJEKT - SAOBRAĆAJ	
Opisovani projektant:		Razmjera: 1:1000 /1000	
Baošić Radoje dipl.ing grad.		Prilog Bilješka Br. strane 2,3	
Datum izrade		Datum revizije	


SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje		OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomislavo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMASEVO na kat. parcelama br. 345, 314, 2334, 130, ... KO LUESKA na kat. parcelama br. 1262, 1240, 694, 1211, ... KO SOKOLAC-BUELO Polje	
Autor projekta: Baošić Radoje dipl.ing grad.		Vrsta zemljišne dokumentacije: ELABORAT ADAPTACIJE	
Vodoinicijator: Baošić Radoje dipl.ing grad.		Dio zemljišne dokumentacije: GRAĐEVINSKI PROJEKT -	
Odgovorni projektant: Baošić Radoje dipl.ing grad.		Razmjera: 1:100 / 1000	
Smatra se:		Prilog Br. priloga: Br. strane: 2, 4	
Datum izrade		Datum revizije	
STATION		TERRAIN ELEVATION	
ALIGNMENT ELEVATION		HORIZONTAL ELEMENTS	
SUPERELEVATION		L. 1:1000 L. 1:1000 L. 1:1000	

CROSS-SECTION NUMBER	PROJEKTANT	INVESTITOR
STATION	"BMR BAOŠIĆ" d.o.o B.Polje	OPŠTINA BUELO POLJE
TERRAIN ELEVATION	Opisputi: Na kat. parcelama br. 242, 243, 244, 408...KO TOMAŠEVO na kat. parcelama br. 345, 314, 2334, 130...KO LUESKA na kat. parcelama br.1262, 1240 894, 1211...KO SOKOLAC-Bjelelo Polje	
ALIGNMENT ELEVATION	Autor projekta Baosić Radioje dpljng grad.	
HORIZONTAL ELEMENTS	Vođa i izradila dokumentacije Baosić Radioje dpljng grad.	ELABORAT ADAPTACIJE
SUPERELEVATION	Objavljena dokumentacija: GRAĐEVINSKI PROJEKT - SAGRAĐAN	Razmjena: 1:50 / 500
	Širina kolnika: Br. strane: 2,5	Br. položaja: Br. strane: 2,5
	Datum izrade	Datum revizije

SECTION-1: AXIS_0
SCALE 1:1000/100



877.00

CROSS-SECTION NUMBER

STATION

TERRAIN ELEVATION


ALIGNMENT ELEVATION

HORIZONTAL ELEMENTS

SUPERELEVATION


PROJECTANT: "BMR BAOŠIĆ" d.o.o B.Polje		INVESTITOR: OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomislavo-Sokolac 408...KO TOMASEVO na kat: parcelarna br.345, 314,2334, 130...KO LUESKA na kat: parcelarna br.1262, 1240,694,1211,...KO SOKOLAC-BUELO Polje Vrsta zemljišta: poljoprivredna		Lokacija: Na kat: parcelarna br. 242, 243, 244, 408...KO TOMASEVO na kat: parcelarna br.345, 314,2334, 130...KO LUESKA na kat: parcelarna br.1262, 1240,694,1211,...KO SOKOLAC-BUELO Polje Vrsta zemljišta: poljoprivredna	
Autor projekta: Baosić Radoje dipl.ing grad.		Voditelj projekta: Baosić Radoje dipl.ing grad.	
Odgovorni projektant: Baosić Radoje dipl.ing grad.		Razmjera: GRAĐEVINSKI PROJEKT - SAGIBRACI 1:100 / 1000	
Sadržaj:		Prilog: Br. priloga: Br. strane: 2, 6	
Datum izrade:		Datum revizije:	

SECTION-1: AXIS_0
SCALE 1:1000/100




PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje		OPŠTINA BUELO POLJE	
Objekt:		Lokacija:	
Adaptacija lokalnog puta Tomislavo-Sokolac		Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMASEVO na kat. parcelama br. 345, 314, 2334, 130, ... KO LUESKA na kat. parcelama br. 1262, 1240, 694, 1211, ... KO SOKOLAC-BUELO Polje	
Autor projekta:		Vrsta zemljišne dokumentacije:	
Baošić Radoje dipl.ing grad.		ELABORAT ADAPTACIJE	
Vodeni projekat:		Dio zemljišne dokumentacije:	
Baošić Radoje dipl.ing grad.		GRAĐEVINSKI PROJEKT - SAOBRAĆAJ	
Skizma:		Razmjera:	
PODUZNI PROFIL		1:100 / 1000	
Datum izrade		Prilog	
		Br. priloga: Br. strane:	
		2, 7	
		Datum revizije	

SECTION-1: AXIS_0
SCALE 1:1000/100




PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje		OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomislavo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMASEVO na kat. parcelama br.345, 314, 2334, 130, ... KO LUESKA na kat. parcelama br.1262, 1240,694,1211,... KO SOKOLAC-BUELO POLJE	
Autor projekta: Baosić Radoje dipl.ing grad.		Vrsta zemljišta: Posjedovanje	
Vodost projektant:		ELABORAT ADAPTACIJE	
Baosić Radoje dipl.ing grad.		Dio zemljišta dokumentacije: GRAĐEVINSKI PROJEKT - SAOBRAĆAJ	
Baosić Radoje dipl.ing grad.		Razmjera: 1:100 / 1000	
Sadržaj:		Prilog: Poduzni profil	
Datum izrade		Datum revizije	

SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje		OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomislavo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408, ...KO TOMASEVO na kat. parcelama br.345, 314, 234, 130, ...KO LUESKA na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-BUELO Polje	
Autor projekta: Baošić Radoje dipl.ing grad.		Vrsta zemljišta: zemljište	
Vodeni projekat:		ELABORAT ADAPTACIJE	
Baošić Radoje dipl.ing grad.		Dio zemljišta dokumentacije:	
Baošić Radoje dipl.ing grad.		GRAĐEVINSKI PROJEKT -	
Sadržaj:		Razmjera:	
PODUZNI PROFIL		1:100 / 1000	
Datum izrade		Br. priloga: Br. strane:	
		2, 9	
		Datum revizije	


SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje		OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomislavo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408, ...KO TOMASEVO na kat. parcelama br.345, 314,234, 130,...KO LUESKA na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-BUELO Polje	
Autor projekta: Baošić Radoje dipl.ing grad.		Vrsta projekta dokumentacije: ELABORAT ADAPTACIJE	
Voditelj projekta: Baošić Radoje dipl.ing grad.		Dio vanjske dokumentacije: GRAĐEVINSKI PROJEKT - SAGIBRACAJ	
Odgovorni projektant: Baošić Radoje dipl.ing grad.		Razmjera: 1:100 / 1000	
Smatralica:		Prilog: Br. priloga: Br. strane: 2.10	
Datum izrade		Datum revizije	

[illegible]

SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" d.o.o. B. Polje		OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomasevo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMASEVO na kat. parcelama br. 314, 314.2334, 130, ... KO LUESKA na kat. parcelama br. 1262, 1240, 694, 1211, ... KO SOKOLAC-BUELO Polje	
Autor projekta: Baošić Radoje dipl.ing grad.		Vrsta izdatka dokumentacije: ELABORAT ADAPTACIJE	
Voditelj projekata:		Dio izdatka dokumentacije: GRAĐEVINSKI PROJEKT -	
Građovinski projektant: Baošić Radoje dipl.ing grad.		Razmjera: 1:100 / 1000	
Sadržaj:		Prilog: Bil. priloga: Bil. strane: 2.12	
Datum izdavanja:		Datum revizije:	


This technical drawing illustrates a road layout with a curve. The horizontal axis represents stationing, ranging from 176 to 179. The vertical axis represents elevation, ranging from 1175.00 to 123.00. The drawing includes a red line representing the road centerline, a blue line representing the road edge, and a green line representing the road shoulder. Key data points and labels include:

- Stationing: 176, 177, 178, 179.
- Elevation: 1175.00, 1180.00, 1185.00, 1190.00, 1195.00, 1200.00, 1205.00, 1210.00, 1215.00, 1220.00, 1225.00, 123.00.
- Curve Data:
 - Station 176.00: Elevation 1175.00, Angle 10.0°.
 - Station 177.00: Elevation 1180.00, Angle 10.0°.
 - Station 178.00: Elevation 1185.00, Angle 10.0°.
 - Station 179.00: Elevation 1190.00, Angle 10.0°.
- Other Labels:
 - 176.00, 177.00, 178.00, 179.00 (Stationing labels).
 - 1175.00, 1180.00, 1185.00, 1190.00, 1195.00, 1200.00, 1205.00, 1210.00, 1215.00, 1220.00, 1225.00, 123.00 (Elevation labels).
 - 10.0°, 10.0°, 10.0°, 10.0° (Angle labels).
 - 176.00, 177.00, 178.00, 179.00 (Stationing labels).

1175.00 1175

CROSS-SECTION NUMBER	INVESTOR	PROJEKTANT
STATION	"BMR BAOŠIĆ" doo B.Polje	OPŠTINA BIJELO POLJE
TERRAIN ELEVATION	Opisputi: Adaptacija i izgradnja puta Tomaljevo-Sokolice Autor projekta: Bašić Radoje dipl.inž.grad.	Na kat. parcelama br. 242, 243, 244, 408, „KO TOMAŠEVO na kat. parcelama br. 345, 314, 2334, 130, „KO LUESKA na kat. parcelama br.1262, 1240,894,1211 „KO SOKOLAC-Bijelo Polje
ALIGNMENT ELEVATION	Uvodni projektant: Bašić Radoje dipl.inž.grad.	Vrsta i namjena dokumentacije
HORIZONTAL ELEMENTS	Opisizvođa dokumentacije: Bašić Radoje dipl.inž.grad.	ELABORAT ADAPTACIJE GRAĐEVINSKI PROJEKT - SAGRAĐAJ
SUPERELEVATION	Samostalno: Datum izrade	Razmjera: 1:100 / 1:500 Br. priloga Br. strane: 2.13

SECTION-1: AXIS_0
SCALE 1:1000/100




CROSS-SECTION NUMBER		INVESTITOR	
STATION		OPŠTINA BUELO POLJE	
TERRAIN ELEVATION		Objekt: Adaptacija lokalnog puta Tomislavo-Sokolac	
ALIGNMENT ELEVATION		Autor projekta: Baosić Radoje dipl.ing grad.	
HORIZONTAL ELEMENTS		Vodeni projektant: Vrha d.o.o. Beograd	
SUPERELEVATION		Baosić Radoje dipl.ing grad.	
		Dio vanjske dokumentacije: GRAĐEVINSKI PROJEKT -	
		Sadržaj:	
		Prilog	
		Datum revizije	
		Br. priloga: Br. strane:	
		2.14	
		PODUZNI PROFIL	
		Datum revizije	

[illegible]

CROSS-SECTION NUMBER	INVESTOR	PROJEKTANT
STATION	"BMR BAOŠIĆ" d.o.o B.Polje	OPŠTINA BIJELO POLJE
TERRAIN ELEVATION	Opisputi: Adaptacija i izgradnja puta Tomislavo-Sokolice Autor projekta: Bašić Radoje dipl.inj.grad.	Na kat. parcelama br. 242, 243, 244, 408, „KO TOMAŠEVO na kat. parcelama br. 345, 314, 2334, 130, „KO LUESKA na kat. parcelama br.1262, 1240,894,1211 „KO SOKOLAC-Bijelo Polje
ALIGNMENT ELEVATION	Vodostaj projektant	Vrsta i namjena dokumentacije
HORIZONTAL ELEMENTS	Bašić Radoje dipl.inj.grad. Odgovorni projektant: Bašić Radoje dipl.inj.grad.	ELABORAT ADAPTACIJE Do tehničke dokumentacije: GRAĐEVINSKI PROJEKT - SAGRAĐAJ
SUPERELEVATION	Samočitač: Datum izrade	Prilog: Br. priloga Br. strane: Datum izrade


SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" d.o.o. B.Polje		OPŠTINA BUELO POLJE	
Objekat:	Adaptacija lokalnog puta Tomislavo-Sokolac	Lokacija:	Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMASEVO na kat. parcelama br. 345, 314, 2334, 130, ... KO LUESKA na kat. parcelama br. 1262, 1240, 694, 1211, ... KO SOKOLAC-BUELO Polje
Autor projekta:	Baošić Radoje dipl.ing grad.		
Voditelj projekta:	Baošić Radoje dipl.ing grad.		
Vrsta zemljišta: poljoprivredno		ELABORAT ADAPTACIJE	
Baošić Radoje dipl.ing grad.		Građevinski projekat:	
Baošić Radoje dipl.ing grad.		Baošić Radoje dipl.ing grad.	
Sadržaj:		Prilog	
Datum izrade		Datum revizije	

CROSS-SECTION NUMBER	STATION	PROJEKANT	INVEŠTOR
	P374.000 P375.000 P376.000 P377.000 P378.000 P379.000 P380.000 P381.000 P382.000 P383.000 P384.000 P385.000 P386.000 P387.000 P388.000 P389.000 P390.000 P391.000 P392.000 P393.000 P394.000 P395.000 P396.000	"BMR BAOŠIĆ" doo B.Polje	
		Opisatelj: Arhitektura i inženjering Autor projekta: Baošić Radioje d.o.o. dpljng grad. Voditelj projekta: Baošić Radioje d.o.o. dpljng grad.	OPŠTINA BIJELO POLJE Na kat. parcelama br. 242, 243, 244, 408...KO TOMAŠEVO na kat. parcelama br. 345, 314, 2334, 130...KO LUESKA na kat. parcelama br. 1262, 1240, 694, 121...KO SOKOLAC-Bijelo Polje
		Elaborat adaptacije Opisatelj: Grabevinski projekt - Baošić Radioje d.o.o. dpljng grad.	ELABORAT ADAPTACIJE Do tehničke dokumentacije: GRABEVINSKI PROJEKT - SAGRAĐAJ
		Samostalno	Prilog Br. priloga 2.18
		Datum izrade	PODIZNI PROFIL Datum izrade


SECTION-1: AXIS_0
SCALE 1:1000/100



PROJECTANT:		INVESTITOR:	
"BMR BAOŠIĆ" d.o.o B.Polje		OPŠTINA BUELO POLJE	
Objekat: Adaptacija lokalnog puta Tomislavo-Sokolac		Lokacija: Na kat. parcelama br. 242, 243, 244, 408,...KO TOMASEVO na kat. parcelama br.345, 314,2334, 130,...KO LUESKA na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-Bueło Polje	
Autor projekta: Baošić Radoje dipl.ing grad.		Vrsta izvođenih dokumentacije: ELABORAT ADAPTACIJE	
Voditelj projekata:		Dio vanjske dokumentacije: GRAĐEVINSKI PROJEKT -	
Baošić Radoje dipl.ing grad.		SAOBRAĆAJ	
Skaliranje:		Prilog	
Datum izrade		Datum revizije	
PODUZNI PROFIL		Br. priloga Br. strane	
		2.19	





CROSS-SECTION NUMBER	STATION	TERRAIN ELEVATION	ALIGNMENT ELEVATION	HORIZONTAL ELEMENTS	SUPERELEVATION
P 396-20.00	1236.00	1256.396	1256.396		
P 397-20.00	1237.00	1257.198	1257.198		
P 398-20.00	1238.00	1257.798	1257.798		
P 399-20.00	1239.00	1257.517	1257.517		
P 400-20.00	1240.00	1257.219	1257.219		
P 401-20.00	1241.00	1256.992	1256.992		
P 402-20.00	1242.00	1256.086	1256.086		
P 403-20.00	1243.00	1254.836	1254.836		
P 404-20.00	1244.00	1254.154	1254.154		
P 405-20.00	1245.00	1253.898	1253.898		
P 406-20.00	1246.00	1253.540	1253.540		
P 407-20.00	1247.00	1252.809	1252.809		
P 408-20.00	1248.00	1252.354	1252.354		
P 409-20.00	1249.00	1251.996	1251.996		
P 410-20.00	1250.00	1251.838	1251.838		
P 411-20.00	1251.00	1251.838	1251.838		
P 412-20.00	1252.00	1252.338	1252.338		
P 413-20.00	1253.00	1253.338	1253.338		
P 414-20.00	1254.00	1253.838	1253.838		
P 415-20.00	1255.00	1254.338	1254.338		
P 416-20.00	1256.00	1254.838	1254.838		
P 417-20.00	1257.00	1255.338	1255.338		
P 418-20.00	1258.00	1255.838	1255.838		
P 419-20.00	1259.00	1256.338	1256.338		
P 420-20.00	1260.00	1256.838	1256.838		
P 421-20.00	1261.00	1257.338	1257.338		
P 422-20.00	1262.00	1257.838	1257.838		
P 423-20.00	1263.00	1258.338	1258.338		
P 424-20.00	1264.00	1258.838	1258.838		
P 425-20.00	1265.00	1259.338	1259.338		
P 426-20.00	1266.00	1259.838	1259.838		
P 427-20.00	1267.00	1260.338	1260.338		
P 428-20.00	1268.00	1260.838	1260.838		
P 429-20.00	1269.00	1261.338	1261.338		
P 430-20.00	1270.00	1261.838	1261.838		
P 431-20.00	1271.00	1262.338	1262.338		
P 432-20.00	1272.00	1262.838	1262.838		
P 433-20.00	1273.00	1263.338	1263.338		
P 434-20.00	1274.00	1263.838	1263.838		
P 435-20.00	1275.00	1264.338	1264.338		
P 436-20.00	1276.00	1264.838	1264.838		
P 437-20.00	1277.00	1265.338	1265.338		
P 438-20.00	1278.00	1265.838	1265.838		
P 439-20.00	1279.00	1266.338	1266.338		
P 440-20.00	1280.00	1266.838	1266.838		
P 441-20.00	1281.00	1267.338	1267.338		
P 442-20.00	1282.00	1267.838	1267.838		
P 443-20.00	1283.00	1268.338	1268.338		
P 444-20.00	1284.00	1268.838	1268.838		
P 445-20.00	1285.00	1269.338	1269.338		
P 446-20.00	1286.00	1269.838	1269.838		
P 447-20.00	1287.00	1270.338	1270.338		
P 448-20.00	1288.00	1270.838	1270.838		
P 449-20.00	1289.00	1271.338	1271.338		
P 450-20.00	1290.00	1271.838	1271.838		
P 451-20.00	1291.00	1272.338	1272.338		
P 452-20.00	1292.00	1272.838	1272.838		
P 453-20.00	1293.00	1273.338	1273.338		
P 454-20.00	1294.00	1273.838	1273.838		
P 455-20.00	1295.00	1274.338	1274.338		
P 456-20.00	1296.00	1274.838	1274.838		
P 457-20.00	1297.00	1275.338	1275.338		
P 458-20.00	1298.00	1275.838	1275.838		
P 459-20.00	1299.00	1276.338	1276.338		
P 460-20.00	1300.00	1276.838	1276.838		
P 461-20.00	1301.00	1277.338	1277.338		
P 462-20.00	1302.00	1277.838	1277.838		
P 463-20.00	1303.00	1278.338	1278.338		
P 464-20.00	1304.00	1278.838	1278.838		
P 465-20.00	1305.00	1279.338	1279.338		
P 466-20.00	1306.00	1279.838	1279.838		
P 467-20.00	1307.00	1280.338	1280.338		
P 468-20.00	1308.00	1280.838	1280.838		
P 469-20.00	1309.00	1281.338	1281.338		
P 470-20.00	1310.00	1281.838	1281.838		
P 471-20.00	1311.00	1282.338	1282.338		
P 472-20.00	1312.00	1282.838	1282.838		
P 473-20.00	1313.00	1283.338	1283.338		
P 474-20.00	1314.00	1283.838	1283.838		
P 475-20.00	1315.00	1284.338	1284.338		
P 476-20.00	1316.00	1284.838	1284.838		
P 477-20.00	1317.00	1285.338	1285.338		
P 478-20.00	1318.00	1285.838	1285.838		
P 479-20.00	1319.00	1286.338	1286.338		
P 480-20.00	1320.00	1286.838	1286.838		
P 481-20.00	1321.00	1287.338	1287.338		
P 482-20.00	1322.00	1287.838	1287.838		
P 483-20.00	1323.00	1288.338	1288.338		
P 484-20.00	1324.00	1288.838	1288.838		
P 485-20.00	1325.00	1289.338	1289.338		
P 486-20.00	1326.00	1289.838	1289.838		
P 487-20.00	1327.00	1290.338	1290.338		
P 488-20.00	1328.00	1290.838	1290.838		
P 489-20.00	1329.00	1291.338	1291.338		
P 490-20.00	1330.00	1291.838	1291.838		
P 491-20.00	1331.00	1292.338	1292.338		
P 492-20.00	1332.00	1292.838	1292.838		
P 493-20.00	1333.00	1293.338	1293.338		
P 494-20.00	1334.00	1293.838	1293.838		
P 495-20.00	1335.00	1294.338	1294.338		
P 496-20.00	1336.00	1294.838	1294.838		
P 497-20.00	1337.00	1295.338	1295.338		
P 498-20.00	1338.00	1295.838	1295.838		
P 499-20.00	1339.00	1296.338	1296.338		
P 500-20.00	1340.00	1296.838	1296.838		
P 501-20.00	1341.00	1297.338	1297.338		
P 502-20.00	1342.00	1297.838	1297.838		
P 503-20.00	1343.00	1298.338	1298.338		
P 504-20.00	1344.00	1298.838	1298.838		
P 505-20.00	1345.00	1299.338	1299.338		
P 506-20.00	1346.00	1299.838	1299.838		
P 507-20.00	1347.00	1300.338	1300.338		
P 508-20.00	1348.00	1300.838	1300.838		
P 509-20.00	1349.00	1301.338	1301.338		
P 510-20.00	1350.00	1301.838	1301.838		
P 511-20.00	1351.00	1302.338	1302.338		
P 512-20.00	1352.00	1302.838	1302.838		
P 513-20.00	1353.00	1303.338	1303.338		
P 514-20.00	1354.00	1303.838	1303.838		
P 515-20.00	1355.00	1304.338	1304.338		
P 516-20.00	1356.00	1304.838	1304.838		
P 517-20.00	1357.00	1305.338	1305.338		
P 518-20.00	1358.00	1305.838	1305.838		
P 519-20.00	1359.00	1306.338	1306.338		
P 520-20.00	1360.00	1306.838	1306.838		
P 521-20.00	1361.00	1307.338	1307.338		
P 522-20.00	1362.00	1307.838	1307.838		
P 523-20.00	1363.00	1308.338	1308.338		
P 524-20.00	1364.00	1308.838	1308.838		
P 525-20.00	1365.00	1309.338	1309.338		
P 526-20.00	1366.00	1309.838	1309.838		
P 527-20.00	1367.00	1310.338	1310.338		
P 528-20.00	1368.00	1310.838	1310.838		
P 529-20.00	1369.00	1311.338	1311.338		
P 530-20.00	1370.00	1311.838	1311.838		
P 531-20.00	1371.00	1312.338	1312.338		
P 532-20.00	1372.00	1312.838	1312.838		
P 533-20.00	1373.00	1313.338	1313.338		
P 534-20.00	1374.00	1313.838	1313.838		
P 535-20.00	1375.00	1314.338	1314.338		
P 536-20.00	1376.00	1314.838	1314.838		
P 537-20.00	1377.00	1315.338	1315.338		
P 538-20.00	1378.00	1315.838	1315.838		
P 539-20.00	1379.00	1316.338	1316.338		
P 540-20.00	1380.00	1316.838	1316.838		
P 541-20.00	1381.00	1317.338	1317.338		
P 542-20.00	1382.00	1317.838	1317.838		
P 543-20.00	1383.00	1318.338	1318.338		
P 544-20.00	1384.00	1318.838	1318.838		
P 545-20.00	1385.00	1319.338	1319.338		
P 546-20.00	1386.00	1319.838	1319.838		
P 547-20.00	1387.00	1320.338	1320.338		
P 548-20.00	1388.00	1320.838	1320.838		
P 549-20.00	1389.00	1321.338	1321.338		
P 550-20.00	1390.00	1321.838	1321.838		
P 551-20.00	1391.00	1322.338	1322.338		
P 552-20.00	1392.00	1322.838	1322.838		
P 553-20.00	1393.00	1323.338	1323.338		
P 554-20.00	1394.00	1323.838	1323.838		
P 555-20.00	1395.00	1324.338	1324.338		
P 556-20.00	1396.00	1324.838	1324.838		
P 557-20.00	1397.00	1325.338	1325.338		
P 558-20.00	1398.00	1325.838	1325.838		
P 559-20.00	1399.00	1326.338	1326.338		
P 560-20.00	1400.00	1326.838	1326.838		
P 561-20.00	1401.00	1327.338	1327.338		
P 562-20.00	1402.00	1327.838	1327.838		
P 563-20.00	1403.00	1328.338	1328.338		
P 564-20.00	1404.00	1328.838	1328.838		
P 565-20.00	1405.00	1329.338	1329.338		
P 566-20.00	1406.00	1329.838	1329.838		
P 567-20.00	1407.00	1330.338	1330.338		
P 568-20.00	1408.00	1330.838	1330.838		
P 569-20.00	1409.00	1331.338	1331.338		
P 570-20.00	1410.00	1331.838	1331.838		
P 571-20.00	1411.00	1332.338	1332.338		
P 572-20.00	1412.00	1332.838	1332.838		
P 573-20.00	1413.00	1333.338	1333.338		
P 574-20.00	1414.00	1333.838	1333.838		
P 575-20.00	1415.00	1334.338	1334.338		
P 576-20.00	1416.00	1334.838	1334.838		
P 577-20.00	1417.00	1335.338	1335.338		
P 578-20.00	1418.00	1335.838	1335.838		
P 579-20.00	1419.00	1336.338	1336.338		
P 580-20.00	1420.00	1336.838	1336.838		
P 581-20.00	1421.00	1337.338	1337.338		
P 582-20.00	1422.00	1337.838	1337.838		
P 583-20.00	1423.00	1338.338	1338.338		
P 584-20.00	1424.00	1338.838	1338.838		
P 585-20.00	1425.00	1339.338</			

SECTION-1: AXIS_0
SCALE 1:1000/100



CROSS-SECTION NUMBER		1238.00	1240.00	1242.00	1244.00	1246.00	1248.00	1250.00	1252.00	1254.00	1256.00	1258.00	1260.00	1262.00	1264.00	1266.00	1268.00	1270.00	1272.00	1274.00	1276.00	1278.00	1280.00	1282.00	1284.00
STATION		1238.00	1240.00	1242.00	1244.00	1246.00	1248.00	1250.00	1252.00	1254.00	1256.00	1258.00	1260.00	1262.00	1264.00	1266.00	1268.00	1270.00	1272.00	1274.00	1276.00	1278.00	1280.00	1282.00	1284.00
TERRAIN ELEVATION		1283.594	1283.337	1282.448	1281.559	1280.670	1279.781	1278.892	1277.993	1277.094	1276.195	1275.296	1274.397	1273.498	1272.599	1271.690	1270.791	1269.892	1268.993	1268.094	1267.195	1266.296	1265.397	1264.498	1263.599
ALIGNMENT ELEVATION		1283.594	1283.337	1282.448	1281.559	1280.670	1279.781	1278.892	1277.993	1277.094	1276.195	1275.296	1274.397	1273.498	1272.599	1271.690	1270.791	1269.892	1268.993	1268.094	1267.195	1266.296	1265.397	1264.498	1263.599
HORIZONTAL ELEMENTS		Tangent																							
SUPERELEVATION		Tangent																							

PROJEKTANT:	INVESTITOR:
"BMR BAOŠIĆ" d.o.o. B. Polje	OPŠTINA BUELO POLJE
Objekat:	Lokacija:
Adaptacija lokalnog puta Tomislavo-Sokolac	Na kat. parcelama br. 242, 243, 244, 408, ... KO TOMASEVO na kat. parcelama br. 345, 314, 2334, 130, ... KO LUESKA na kat. parcelama br. 1262, 1240, 694, 1211, ... KO SOKOLAC-BUELO Polje
Autor projekta:	Gradnja:
Baošić Radoje dipl.ing grad.	BAOŠIĆ RADOJE
Voditelj projekta:	ELABORAT ADAPTACIJE
Baošić Radoje dipl.ing grad.	Gradnja: GRAĐEVINSKI PROJEKT - SAOBRAĆAJ
Skizma:	Prilog
Datum izrade	Datum revizije


											
											
											
											
											
											
											
											
											
											

[illegible]

[illegible]

[illegible]


THERM 1000		SYSTEM RELEASE	
THERM 1000		SYSTEM RELEASE	



[illegible]

[illegible]


[illegible]




PROJEKT		OBJEKT	
TYP: BÜROGEBÄUDE		TYP: BÜROGEBÄUDE	
STADT: BERLIN		STADT: BERLIN	
STRASSE: ...		STRASSE: ...	
PLATZ: ...		PLATZ: ...	
Bauherr: ...		Bauherr: ...	
Architekt: ...		Architekt: ...	
Datum: ...		Datum: ...	
			
			
			
			
			
			
			
			
			
			

TESTE		TESTE	
TARE MAGNETIC due to High		OPTIMA BLEED-POLE	
Note: The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		Note: The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).		The test is performed on the 100% of the test voltage (100% of the test voltage) and the test voltage is 100% of the test voltage (100% of the test voltage).	
The test is performed on the 100% of the test voltage (			


[illegible]



[illegible]




PROJEKTANT:	INVESTITOR:	
"BMR BAOŠIĆ" doo B.Polje	OPŠTINA BIJELO POLJE	
Objekat:	Lokacija:	
Adaptacija lokalnog puta Tomaševo-Sokolac	Na kat. parcelama br. 242, 243,244, 408,... KO TOMAŠEVO ,na kat. parcelama br.345, 314,2334, 130,...KO LJESKA,na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-Bijelo Polje	
Autor projekta:	Vrsta tehničke dokumentacije:	
Baošić Radoje dipl.ing.građ.	ELABORAT ADAPTACIJE	
Vodeći projektant:	Dio tehničke dokumentacije:	
Baošić Radoje dipl.ing.građ.	GRAĐEVINSKI PROJEKT - SAOBRAĆAJ	
Odgovorni projektant:	Razmjera:	
Baošić Radoje dipl.ing.građ.	1:25	
Saradnik/ci:	Prilog:	Br. priloga:
	NORMALNI POPREČNI PROFIL	4
Datum izrade	Datum revizije	



PROJEKTANT:	"BMR BAOŠIĆ" doo B.Polje	INVESTITOR:	OPŠTINA BIJELO POLJE
Objekat:	Adaptacija lokalnog puta Tomaševo-Sokolac	Lokacija:	Na kat. parcelama br. 242, 243, 244, 408,... KO TOMAŠEVO na kat. parcelama br. 345, 314, 2334, 130,... KO LIJESKA, na kat. parcelama br. 1262, 1240, 694, 1211,... KO SOKOLAC-Bijelo Polje
Autor projekta:	Baošić Radoje dipl.ing.građ.	Vrsta tehničke dokumentacije:	ELABORAT ADAPTACIJE
Vodeći projektant:	Baošić Radoje dipl.ing.građ.	Dio tehničke dokumentacije:	GRAĐEVINSKI PROJEKT - SAOBRAĆAJ
Odgovorni projektant:	Baošić Radoje dipl.ing.građ.	Razmjera:	1:250
Sarađnik/ici:		Prilog:	Bir. priloga: Bir. strane: 5
Datum izrade		SAOBRAĆAJNA SIGNALIZACIJA	
		Datum revizije	

DETALJI ULAZNE I IZLAZNE GLAVE CIJEVASTOG PROPUSTA Ø1000


R= 1:25



PROJEKTANT:	INVESTITOR:		
"BMR BAOŠIĆ" doo B.Polje	OPŠTINA BIJELO POLJE		
Objekat:	Lokacija:		
Adaptacija lokalnog puta Tomaševo-Sokolac	Na kat. parcelama br. 242, 243, 244, 408,...KO TOMAŠEVO,na kat. parcelama br.345, 314,2334, 130,...KO LIJESKA,na kat. parcelama br.1262, 1240,694,1211,...KO SOKOLAC-Bijelo Polje		
Autor projekta:	Vrsta tehničke dokumentacije:		
Baošić Radoje dipl.ing.građ.	ELABORAT ADAPTACIJE		
Vodeći projektant:	Dio tehničke dokumentacije:		
Baošić Radoje dipl.ing.građ.	GRADEVINSKI PROJEKT - SAOBRAĆAJ		
Odgovorni projektant:	Razmjera:		
Baošić Radoje dipl.ing.građ.	1:50		
Saradnik/ci:	Prilog:		
	DETALJI ULAZNIH I IZLAZNIH GLAVA PROPUSTA Ø1000		
Datum izrade	Br. strane:		
	6,2		
	Datum revizije		


DETALJI ZA POSTAVLJANJE
PROJEKTOVANE VERTIKALNE
SAOBRAĆAJNE SIGNALIZACIJE

Rastojanja i visine pri postavljanju
saobraćajnih znakova




2. Na pješackim površinama

Rastojanja i visine pri postavljanju saobraćajnih znakova	
Na pješackim površinama	
D1	od 0.30m do 1.50m
H1	na visini od 2.20m



Način pobijanja
saobraćajnog znaka



Napomena: Pri postavljanju saobraćajnih znakova ispoštovati sve tekstualne napomene koje su date na planu za svaki znak pojedinačno.

PROJEKTANT:	INVESTITOR:
"BMR BAOŠIĆ" doo B.Polje	OPŠTINA BIJELO POLJE
Objekat: Adaptacija lokalnog puta Tomaševo-Sokolac	Lokacija: Na kat. parcelama br. 242, 243, 244, 408,...KO TOMAŠEVO, na kat. parcelama br. 345, 314, 2334, 130,...KO LIJESKA, na kat. parcelama br. 1262, 1240, 694, 1211,...KO SOKOLAC-Bijelo Polje
Autor projekta: Baošić Radoje dipl.ing.građ.	Vrsta tehničke dokumentacije:
Vodeći projektant: Baošić Radoje dipl.ing.građ.	ELABORAT ADAPTACIJE
Odgovorni projektant: Baošić Radoje dipl.ing.građ.	Dio tehničke dokumentacije: GRAĐEVINSKI PROJEKT - SAOBRAĆAJ
Saradnik/ci:	Prilog: DETALJI POSTAVLJANJA SAOBRAĆAJNIH ZNAKOVA
Datum izrade	Br. strane: 6.3
	Datum revizije