

Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

DP-UTEA-00-04

Page 1 of 10

# Montenegro

Ministry of Agriculture, Forestry and Water Management of

# DP-UTEA-00-04 - INVITATION FOR THE OFFERS/QUOTATIONS FOR GOODS

Name of applicant: Bijeli Brijeg doo

Measure and number of the Public Call: Measure 3, first public call

Project Title - Name of the investment: Procurement of equipment for equipping a winery

Date of invitation: 22.12.2025.y.

Number and date of the IPARD Contract: 09-908/24-21706/18 from 02.07.2025

Dear Supplier(s),

 You are invited to submit your offer/quotation(s) with exact prices and quantities for the supply of the following items:

Column1	Description	qty
1	"Tank  — volume 1100 lit  — shell dimensions fi 956 x 1500 mm  — total height 2150 mm air cover with DN50 pvc valve, rubber assembly pump  — hanger, removable  — nameplate + card  — ladder support  — test tap DIN DN15  — analog thermometer  — liquid level indicator DN15, acrylic tube fi 16mm, scaled, open  — cooling duplicator 0.60m2, max. 2.5 bar  — clean drain valve, ball, DIN DN32  — total drain valve, ball, DIN DN32  — material W.Nr.1.4301 IIId (AISI304BA)  — working pressure atmospheric"	2



Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL
AND ECONOMIC
ANALYSIS

Ministry of Agriculture, Forestry and Water Management of Montenegro

DP-UTEA-00-04

Page 2 of 10

2	"Tank  — volume 1500 lit  — shell dimensions fi 1116 x 1500 mm  — total height 2250 mm  air cover with DN50 pvc valve, rubber	
	- mounting pump - hanger, removable - nameplate + card - ladder support - test tap DIN DN15 - analog thermometer - liquid level indicator DN15, acrylic tube fi 16mm, scaled, open - cooling duplicator 0.75m2, max. 2.5 bar - clean drain valve, ball, DIN DN32 - total drain valve, ball, DIN DN32 - material W.Nr.1.4301 IIId (AISI304BA) - working pressure atmospheric"	2
3	Tank — capacity 2000 liters — shell dimensions fi 1116 x 2000 mm — total height 2700 mm air cover with DN50 PVC valve, rubber assembly pump — hanger, removable — nameplate + card — ladder support — test tap DIN DN15 — analog thermometer — liquid level indicator DN15, acrylic tube fi 16mm, scaled, open — cooling duplicator 1.00m2, max. 2.5 bar — clean drain valve, ball, DIN DN32 — total drain valve, ball, DIN DN32 — material W.Nr.1.4301 IIId (AISI304BA)— working pressure atmospheric	1



Ministry of Agriculture, Forestry and Water Management of

Montenegro

Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL
AND ECONOMIC
ANALYSIS

DP-UTEA-00-04

Page 3 of 10

4	Tank— volume 3100 lit — shell dimensions fi 1402 x 2000 mm — total height 2850 mmair cover with DN50 pvc, rubberassembly pump — hanger, removable — nameplate + card — ladder support — test tap DIN DN15 — analog thermometer — liquid level indicator DN15, acrylic tube fi 16mm, scaled, open — cooling duplicator 1.55m2, max. 2.5 bar — clean drain valve, ball, DIN DN32 — total drain valve, ball, DIN DN32 — material W.Nr.1.4301 IIId (AISI304BA) — working pressure atmospheric	7
5	Tank  - volume 5000 lit  - shell dimensions fi 1593 x 2500 mm  - total height 3400 mm  air cover with DN50 pvc valve, rubber assembly pump  - hanger, removable  - nameplate + card  - ladder support  - test tap DIN DN15  - analog thermometer  - liquid level indicator DN15, acrylic tube fi 16mm, scaled, open  - cooling duplicator approx. 2.50m2, max. 2.5 bar  - clean drain valve, ball, DIN DN32  - total drain valve, ball, DIN DN32  - material W.Nr.1.4301 Illd (AISI304BA)  - working pressure atmospheric	3



Ministry of Agriculture, Forestry and Water Management of

Montenegro

Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL
AND ECONOMIC
ANALYSIS

DP-UTEA-00-04

Page 4 of 10

	A STATE OF THE PARTY OF THE PAR	-
	1	
6	Tank	
	— volume 2300 lit	
	- shell dimensions fi 1402 x 1500 mm	
	- leg height ca 500 mm, 3 pcs, closed	
	- flat floor with 5% slope, B4	
	- type plate + card	
	— transport hooks	
	— upper door, fi 400 mm, type N/240, swivel	
	— DN50 connection for boiling tank	
	— DN50 PVC boiling tank	
	- liquid level indicator DN15, acrylic tube fi 16 mm,	
	scaled, open	1
	— analog thermometer	
	— test tap DIN DN15	
	— screen on shell, removable	
	— sprinkler pipe with DIN DN32 connection + plug with	
	chain	
	— cooling duplicator 2.30m2, max 2.5 bar     — clean drain valve, ball, DIN DN32	
	total drain valve, ball, DIN DNS2	
	— total drain valve, ball, DIN DN65	
	material W.Nr.1.4301 IIId (AISI304BA)     working pressure atmospheric	
	— working pressure atmospheric	
7	Tank—volume 3100 lit	
	— shell dimensions fi 1402 x 2000 mm	
	— leg height ca 500 mm, 3 pcs, closed	
	— nameplate + card	
	— transport hooks	
	— upper door, fi 400 mm, type N/240, swivel	
	DN50 connection for boiling tank— DN50 PVC boiling	
	tank	
	— liquid level indicator DN15, acrylic tube fi 16 mm,	
	scaled, open	
	— analog thermometer	
	— DIN DN15 test tap	
	— shell sieve, removable	1
	- sprinkler pipe with DIN DN32 connection + plug with	
	chain	
	— cooling duplicator 3.10m2, max 2.5 bar	
	— clean drain valve, ball, DIN DN32	
	— total drain valve, ball, DIN DN65	
	- material W.Nr.1.4301 IIId (AISI304BA)	
	— working pressure atmospheric	
	1.00	
	100000 10 Ve	



Montenegro

Policy Area
Agriculture and Rural
Development

Version No: 1.0

UNIT FOR TECHNICAL
AND ECONOMIC
ANALYSIS

Ministry of Agriculture, Forestry and Water Management of

DP-UTEA-00-04

Page 5 of 10

8	Tank	
	- volume 5000 liters - shell dimensions fi 1593 x 2500 mm - total height 3375 mm - nameplate + card - transport hooks - upper door, fi400 mm, type N/240, swivel - DN50 connection for the boiling tank - DN50 PVC boiling tank - liquid level indicator DN15, acrylic tube fi16 mm, scaled, open - analog thermometer - DIN DN15 test tap - shell sieve, removable - sprinkler pipe with DIN DN32 connection + plug with chain - cooling duplicator 5.00m2, max 2.5 bar - clean drain valve, ball, DIN DN32 - total drain valve, ball, DIN DN65 - material W.Nr.1.4301 IIId (AISI304BA)— working	2
9	pressure atmospheric  Tankvolume 7300 lit	
		1
10	Mixer Capacity:3-5 t/h Power:kW1.5; V400-50Hz Stainless steel cage, 24 mm holes rubber blades mechanical variator whipping speed:250-500	1



Ministry of Agriculture, Forestry and Water Management of

Montenegro

Policy Area
Agriculture and Rural
Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

DP-UTEA-00-04

Page 6 of 10

11	Crusher Capacity: 3-5 t/h Adjustable rubber rollers, removable	1
12	CLOSED PNEUMATIC PRESS Volume: 2100I Max working pressure: 1.5 bar Whole grapes: 1100-1700kg Fresh grapes: 3300-5300kg Fermented grapes: 4800-7300kg Door: 345x900mm (two leaves) Sliding door drive: Manual Central filling: DN100 Electricity: 400V, 50H, 3ph, 10.3kW/4.0kW Automatics: AVK on cable 10 programs Vacuum pump: 220V, 1.2kW Collection trough: Fixed 250 L	1
13	PVC cap dryer - dryer for installing PVC caps - with fan, two speeds	1
14	Labeling machine Power: kW0.22, V220 Capacity: 800 bottles/h Bottle dimensions: Ø Min. 60 mm, Ø Max. 120 mm Label dimensions: length: min. 15 mm / max. 280 mm; Height: min 8mm / max (standard) 140mm Roll dimensions: external Ø 270 mm, internal: Ø 76 mm; roll thickness max 140 mm	1
15	Mono pump without basket - pump for wine decantingPower: kW0.55; V230-50HzCapacity: 2-42 HI/hBypass, stainless steel trolley, speed variator	1
16	"Capping machine Frame made of stainless steel AISI 304 Jaws made of stainless steel Automatic cap filling Cap diameter: 22-26 mm Cap diameter 28mm on request Cap height: up to 50 mm Bottle height: up to 375 mm Closing time: approx. 1.8 seconds 230 V, 50 Hz single-phase motor or 380 V, 50 Hz three-phase motor	1



Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

Ministry of Agriculture, Forestry and Water Management of Montenegro

DP-UTEA-00-04

Page 7 of 10

17	Impeller pump Capacity: max 4500 l/h Speed 700-1400 rpm Three-phase 230/400.50, HP 0.5/0.9 Pump body completely made of stainless steel AISI 304 Includes neoprene flexible impeller Includes stainless steel trolley with wheels	1
18	High filler with 4 outlets Capacity: 480l/h Dimensions: 780x470x1530mm Name: control box with el.probes for shutdown on the filler	1
19	"Plunger mixer Single speed Capacity: for tanks up to 30,000 liters Connections DIN DN32, male Motor 3x400V, 0.75kW 50 Hz, NW40 Speed 1400 l/min Includes on-off switch for motor Rod length 800mm	1

Note that the contracted price with Directorate for payment for listed items is 151.138 EUR.

#### 2. You must quote for all items under this invitation

Your price quotation must include the name of the purchaser to whom is submitted (name of potential purchaser), must be dated and stamped (if possible) and should be submitted by post, personally (in case of delivery by post or personally the offers must be submitted in 2 identical copies in paper and electronic version in closed envelop with remark: DO NOT OPEN — offer for the recipient Bijeli Brijeg doo, Procurement of equipment for equipping a winery or electronically at the following address:

Directorate for Payments Address

Moskovska 101 81000 Podgorica

E-mail: dostavljanje.ponuda@mpsv.gov.me

Telephone: 00 382 20 672 026; 00 382 67 205 790



Montenegro

Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

Ministry of Agriculture, Forestry and Water Management of

DP-UTEA-00-04

Page 8 of 10

- 3. Your quotation in duplicate and in Serbian/ Montenegrin language, should be accompanied by adequate technical documentation and catalogue(s) and other printed material or pertinent information (in Montenegrin/Serbian language) for each item quoted, including names and addresses of firms providing service facilities in Montenegro (name of the country).
- 4. Each bidder must submit only one bid. Bids must be submitted by existing companies which have no proprietary, kinship or partnership with the recipient. The Bidder must also provide proof of registration for the activity for which it is performed

Bidders are responsible for the reality and reasonableness of the amount and truthfulness of the information provided in the offers

5. Rule of origin:

The rule of origin no longer applies for supplies and materials. However, this rule remains as a verification of the entity signing the Agreement. In the case of an entity (Article 11 of Regulation (EU) 2021/1529), it should be established in:

- Member States 27-member states (Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden)
- To users listed in Annex I of Regulation (EU) 2021/1529 (Algeria, Armenia, Azerbaijan, Belarus, Egypt, Georgia, Israel, Jordan, Lebanon, Libya, Republic of Moldova, Morocco, Occupied Palestinian Territory, Syria, Tunisia, Ukraine). Union support in this area may also be used for the purpose of enabling the Russian Federation to participate in cross-border cooperation programs and other relevant multi-country indicative programmers, including as referred to in Article 13(6) and Article 21.
- Contracting parties to the Agreement on the European Economic Area (all member countries already listed above and Iceland, Liechtenstein and Norway)
- Countries included in Annex I of Regulation (EU) 2021/947; IPA beneficiary countries (Albania, Bosnia and Herzegovina, Iceland, Kosovo, Montenegro, Republic of North
  Macedonia, Republic of Serbia and Republic of Turkey)
- Countries for which the Commission establishes reciprocal access to foreign aid
- The deadline for receipt of your quotation (s) by the Purchaser at the addressed indicated in Paragraph 2 is: 06.01.2026. year.
- 7. Your quotation(s) should be submitted as per the following instructions:



Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

Ministry of Agriculture, Forestry and Water Management of Montenegro

**DP-UTEA-00-04** 

Page 9 of 10

- (i) <u>PRICES</u>: The prices should be quoted for delivery CIP Piperi nn Podgorica (place of destination) for imported goods or **EXW** for domestically supplied goods plus the price of delivery to the place of destination, according to INCOTERMS, 2010. Prices should be quoted in Euro.
- (ii) EVALUATION OF QUOTATIONS: Offers determined to be substantially responsive to the minimal technical specifications will be evaluated by comparison of total price.

In evaluating the quotations, the Purchaser will determine for each proposal the evaluated price by adjusting the price quotation by making any correction for any arithmetical errors as follows:

- (a) where there is a discrepancy between amounts in figures and in words, the amount in words will govern;
- (b) where is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern;
  - (c) if a Supplier refuses to accept the correction, his quotation will be rejected.

Also, amounts stated in the offers must will be expressed in EYP, each offer/quotation must clearly indicate if the Value Added Tax (VAT) is included in the price and the amount and percentage of the VAT. The VAT percentage should be indicated for the country of Supplier.

- (iii) <u>AWARD OF PURCHASE ORDER</u>: The award will be made to the bidder that meets the required standards of technical and financial capabilities. The successful bidder will sign a Contract with the Purchaser. The Contract has to be signed by both parties and stamped and it should include the stipulations for:
- the date of signing,
- the exact information of the name of the purchaser and the supplier,
- the name of the investment,
- the total price of the investment in figures and in the words without VAT,
- the deadline of the finalization and/or delivery of the investment,
- the warranty deadline and conditions
- (iv) <u>VALIDITY OF THE OFFER:</u> Your quotation(s) should be valid for at least a period of forty five (45) days from the deadline for receipt of quotation(s).



Policy Area Agriculture and Rural Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

Ministry of Agriculture, Forestry and Water Management of Montenegro

**DP-UTEA-00-04** 

Page 10 of 10

8. Further information can be obtained from:

Al-eksa Pensenger Telephone: 067 884-585

Fax:

E-mail: stoaleklado@gmail.com