

Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR
PUBLICITY AND
AUTHORISATION OF
PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-

00-29a

Page 1 of 10

DP-DPAP-00-29a - Invitation for the offers/quotations for goods

Project Title - Name of the investment: Construction and equipment of a facility for milk processing

Date of invitation: 18.10.2023.year

Number and date of the IPARD Contract: 09-908/21-2205/33 od 10.11.2021.g.

ANEX 1: 09-908/21-2205/35 od 21.02.2022.g. ANEX 2: 09-908/21-2205/38 od 28.10.2022.g.

Dear Supplier(s),

1. You are invited to submit your offer/quotation(s) with exact prices and quantities for the supply of the following items:

AIR CONDITIONING VRV SYSTEM		
Description		unit
Delivery and installation of VRV outdoor unit:	pcs	1
Cooling effect Qh: min 56 KW		
Heating effect: Qg: min 63 KW		
Delivery and installation of VRV outdoor unit:	pcs	1
Cooling effect Qh: min 45 KW		
Heating effect: Qg: min 50 KW		
Delivery and installation of VRV internal	pcs	6
cassette unit:		
Cooling effect Qh: min 7.1 KW		
Heating effect: Qg: min 8 KW		
Delivery and installation of the VRF System	pcs	3
indoor unit, cassette, four-way		
Cooling effect: min 9 KW		
Heating effect: min 10 KW		
Delivery and assembly of copper pipe		
distribution in insulation for connecting		
external and internal units. For larger pipe		
diameters, include a copper pipe complete		
with insulation in the price.		



Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-

00-29a

Page 2 of 10

Ø 9.52 mm	m	76
Ø 12.7 mm	m	5
Ø 15.9 mm	m	51
Ø 19.1 mm	m	19
Ø 22.2 mm		22
Ø 28.6 mm	m	5
•	m	
Ø 41.3 mm	m In tatal	16
Connecting copper material: elbows, elbows, T-	In total	1
pieces with ends, reducers, couplings,		
reductions, semi-couplings, bypass and		
transitional elbows, Dutchers, brackets,		
brackets, pipe clamps, threaded pipes for bars,		
acetylene, oxygen	_	
Delivery and installation of a pipe for a two-	Pcs	4
pipe VRV system with a capacity index of up to		
200		
Delivery and installation of a pipe for a two-	Pcs	2
pipe VRV system with a capacity index of 201-		
290		
Delivery and installation of a pipe for a two-	Pcs	1
pipe VRV system with a capacity index of 290-		
640		
Delivery and installation of a pipe for a two-	Pcs	1
pipe VRV system with a capacity index of 640		
Delivery and installation of a cable for	pcs	1
connecting external units in a multi-module		
system		
Delivery and installation of a wired remote	Pcs	9
controller		
Installation (connection) cable for	m	180
interconnecting the indoor units with the		
outdoor unit 2x1.5mm2		
PVC Hose Ø 19	m	180
Condensation distribution - Condensation		-
network pipes from indoor air conditioning		
units and branch selection boxes made of PVC.		
This invitation also includes the insulation of		
condensation pipes.		
DN32	m	32
DN40	m	12
DN50	m	17



Policy Area Agriculture and Rural Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-00-29a

Page 3 of 10

Installation (connection) cable for	m	180
interconnecting indoor units with outdoor unit		
2x1.5mm2		
Flushing of installations with nitrogen, testing	In total	1
for permeability and vacuum drying.		
When welding copper pipes and joints,	In total	1
nitrogen must be passed through the		
installations. The pressure regulator on the		
nitrogen bottle must be set to 0.2 bar		
Refilling the installation with freon	kg	12
Commissioning of VRV installations - System	In total	1
addressing		
AIR CONDITIONING SYSTEM MULTISPLIT		
Delivery and installation of the split system	pcs	1
internal wall unit		
Cooling effect Qh: min 5 KW		
Heating effect: Qg: min 5.8 KW		
Delivery and installation of an internal cassette	pcs	1
unit, four-way		
Cooling effect Qh: min 3.7 KW		
Heating effect: Qg: min 5 KW		
Delivery and installation of an internal cassette	pcs	1
unit, four-way		
Cooling effect Qh: min 5.7 KW		
Heating effect: Qg: min 7 K		
Delivery and installation of the external unit of	pcs	1
the mutli split system with 5 connections		
Cooling effect Qh: min 10 KW		
Cooling coefficient: min 6.31		
Heating coefficient: min 4.08		
Energy efficiency class: A++/A+		
Delivery and assembly of copper pipe		
distribution in insulation for connecting		
external and internal units. For larger pipe		
diameters, include a copper pipe complete		
with insulation in the price.		
Ø 6.35 mm	m	26
Ø 9.52 mm	m	23
Ø 12.7 mm	m	3
Condensation distribution - Condensation		
network pipes from indoor air conditioning		



Policy Area Agriculture and Rural Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-00-29a

Page 4 of 10

units and branch selection boxes made of PVC.		
This invitation also includes the insulation of		
condensation pipes.		
DN32	m	20
DN40	m	7
Connecting copper material: elbows, elbows, T-	In total	
pieces with ends, reducers, couplings,		
reductions, semi-couplings, bypass and		
transitional elbows, Dutchers, brackets,		
brackets, pipe clamps, threaded pipes for bars,		
acetylene, oxygen		
Installation (connection) cable for	m	35
interconnecting indoor units with outdoor unit		
2x1.5mm2		
Flushing of installations with nitrogen, testing	In total	1
for permeability and vacuum drying.		
When welding copper pipes and joints,	In total	1
nitrogen must be passed through the		
installation. The pressure regulator on the		
nitrogen bottle must be set to 0.2 bar.		
Replenishment of installations with freon	kg	8
VENTILATION SYSTEM		
Procurement and installation of a duct fan for	pcs	1
extracting air from the room. The fan is		
delivered assembled with a flexible connection,		
complete with a speed regulator.		
Power: min 1.1 KW		
Procurement and installation of a duct fan for	pcs	1
extracting air from the room. The fan is		
delivered assembled with a flexible connection,		
complete with a speed regulator.		
Power: min 1.5 KW		
Procurement and installation of a duct fan for	pcs	1
extracting air from the room. The fan is		
delivered assembled with a flexible connection,		
complete with a speed regulator.		
Province and installation of a dust for for	200	1
Procurement and installation of a duct fan for	pcs	1
extracting air from the room. The fan is		
delivered assembled with a flexible connection,		
complete with a speed regulator.		



Policy Area Agriculture and Rural Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-

00-29a

Page 5 of 10

Power: min 1.2 kw		
Delivery and installation of stainless steel ducts	kg	1375
for the production of shaped units for the	Ng	1375
distribution of ducted air conditioners in the		
area of the suspended ceiling, as well as for the		
production of the plenum of the duct		
ventilation units. The channels are made of		
galvanized sheet with a thickness of 0.5-0.7		
mm		
	In total	
Elements for carrying channels, flanges,	III totai	
gaskets, machine screws and the like.	N42	175
Supply, delivery and assembly of duct	M2	175
insulation, plate insulation with a vapor barrier,		
13 mm thick, together with mounting brackets		
and tapes for gluing joints.		20
Delivery and installation of plastic pipes for	m	20
installation in the suspended ceiling of the		
toilet, for extracting air from the toilet area as		
well as the main corridor. Pipes are delivered		
and assembled complete with fittings, elbows,		
muffs and the like. DN110		
Procurement, delivery and installation of a duct	pcs	2
fan for extracting air from the toilet.		
Air volume: min 150m3		
Aluminum grille with horizontal adjustable slats		
and air flow regulator for air intake and air		
extraction:		
500x 200 mm	pcs	18
650x 200 mm	pcs	10
Aluminum anti-rain louvre with horizontal		
adjustable slats and an air flow regulator for		
introducing air and extracting air from the		
space for installation on the channel.		
1100x1000 mm	Pcs	1
1050x1000 mm	Pcs	1
1050x900 mm	Pcs	1
150 mm	pcs	1
ELECTRIC FLOOR HEATING SYSTEM		
The finished heating element is a single-feed		
heating network, for placement directly under		



Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-

00-29a

Page 6 of 10

the tiles with flexible adhesive. The position		
includes I delivery and assembly of the flexible		
hose for the mains power cable, the flexible		
hose closed at one end with a rubber plug for		
the installation of the floor sensor and the euro		
deep installation box, the installation of the		
controller.		
Heating network 1.5 m2	pcs	2
Heating network 5 m2	pcs	2
Electronic thermostat for underfloor heating	pcs	4
Support of air conditioning equipment and		
anti-fire coatings for the passage of TT		
installations		
Delivery and assembly of rubber pads that are	pcs	8
placed under the outdoor air conditioning		
units.		
Preparatory final works		
All internal transport of tools and consumables,	In total	1
measuring and regulatory instruments,		
transport of equipment to the construction		
site, and its storage, construction of		
scaffolding, introduction of fitter groups to		
work, installation marking, collection of		
remaining material and cleaning of the		
construction site. All minor masonry work		
required for processing and closing openings in		
walls, mezzanine structures and ceilings, which		
are related to the installation of equipment and		
pipes.		

The deadline for the delivery of goods is November 10, 2023.

(v) Information on technical specification (minimal technical specification) for each item, which is contracted (horse power, operational width, engine speed, bearing capacity, etc.)

Note that the contracted price with Directorate for payment for listed items is_81.820,01 EUR.



Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR
PUBLICITY AND
AUTHORISATION OF
PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-00-29a

Page 7 of 10

2. You must quote for all items under this invitation. Price quotations will be evaluated for all the items together and contract awarded to the company offering the lower evaluated total cost of all the items.

Your price quotation must include the name of the purchaser to whom is submitted (name of potential purchaser), must be dated and stamped (if possible) and should be submitted by post, personally (in case of delivery by post or personally the offers must be submitted in 2 identical copies in paper and electronic version in closed envelop with remark: DO NOT OPPEN – offer for the recipient GoodFellace CO doo (name of the recipient) Construction and equipment of a facility for milk processing (name of the project) or electronically at the following address:

Directorate for Payments Address

Moskovska 101 81000 Podgorica

E-mail: dostavljanje.ponuda@mpr.gov.me

Telephone: 00 382 20 672 026; 00 382 67 205 790

- 3. Your quotation in duplicate and in Montenegrin/ Serbian language, should be accompanied by adequate technical documentation and catalogue(s) and other printed material or pertinent information (in Montenegrin/ Serbian language) for each item quoted, including names and addresses of firms providing service facilities in_Montenegro (name of the country).
- 4. Each bidder must submit only one bid. Bids must be submitted by existing companies which have no proprietary, kinship or partnership with the recipient. The Bidder must also provide proof of registration for the activity for which it is performed

Bidders are responsible for the reality and reasonableness of the amount and truthfulness of the information provided in the offers

5. All items from the offer which is equal or above 100.000€ without VAT come from eligible countries: goods/ services come from EU member states (Austria, Belgium, Bulgaria, Czech Republic, Croatia, Cyprus, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, United Kingdom) or from beneficiaries of IPA (Croatia, Bosnia and Herzegovina, Serbia, Kosovo, Montenegro, Nort Macedonia, Turkey and Albania), ENI partner countries and territories (Algeria, Armenia, Azerbaijan, Belarus, Egypt, Georgia,



Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-00-29a

Page 8 of 10

Israel, Jordan, Lebanon, Libya, Moldova, Morocco, occupied Palestinian territory (oPt), Syria, Tunisia and Ukraine and EEA countries: Norway, Liechtenstein and Iceland.

- 56. The deadline for receipt of your quotation (s) by the Purchaser at the addressed indicated in Paragraph 2 is: 03.11.2023. year. (at least 15 days should be given from the date of announcement of the public invitation)
- 6. Your quotation(s) should be submitted as per the following instructions:
 - (i) <u>PRICES</u>: The prices should be quoted for delivery **CIP**_Zatrijebac, Tuzi (place of destination) for imported goods or **EXW** for domestically supplied goods plus the price of delivery to the place of destination, according to INCOTERMS, 2010. Prices should be quoted in Euro.
 - (ii) <u>EVALUATION OF QUOTATIONS</u>: Offers determined to be substantially responsive to the minimal technical specifications will be evaluated by comparison of total price.

In evaluating the quotations, the Purchaser will determine for each proposal the evaluated price by adjusting the price quotation by making any correction for any arithmetical errors as follows:

- (a) where there is a discrepancy between amounts in figures and in words, the amount in words will govern;
- (b) where is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern;
 - (c) if a Supplier refuses to accept the correction, his quotation will be rejected.

In addition to the quoted price, the evaluated price shall include:

 All custom duties, import and any other taxes or fees applicable for goods imported in Montenegro, and



7.

Directorate for Payments

Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR PUBLICITY AND AUTHORISATION OF PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-00-29a

Page 9 of 10

Also, amounts stated in the offers must will be expressed in EVP, each offer/quotation must clearly indicate if the Value Added Tax (VAT) is included in the price and the amount and percentage of the VAT. The VAT percentage should be indicated for the country of Supplier.

(iii) <u>AWARD OF PURCHASE ORDER</u>: The award will be made to the bidder offering the lowest evaluated price and that meets the required standards of technical and financial capabilities. The successful bidder will sign a Contract with the Purchaser. The Contract has to be signed by both parties and stamped and it should include the stipulations for:

- the date of signing,
- the exact information of the name of the purchaser and the supplier,
- the name of the investment,
- the total price of the investment in figures and in the words without VAT,
- the deadline of the finalization and/or delivery of the investment,
- the warranty deadline and conditions

Further information can be obtained from:

(iv) <u>VALIDITY OF THE OFFER:</u> Your quotation(s) should be valid for at least a period of forty five (45) days from the deadline for receipt of quotation(s).

Nikola Ujkic, Director
Telephone: 067-673-457



Policy Area
Agriculture and Rural
Development

Version No: 2.1

DEPARTMENT FOR
PUBLICITY AND
AUTHORISATION OF
PROJECTS

Ministry of Agriculture and Rural Development of Montenegro

Document: DP-DPAP-

00-29a

Page 10 of 10

E-mail: goodfellasco.me@gmail.com

Sincerely,

Sincerely,

Sincerely,

Sincerely,