

Lezije tkiva kod bolesti slinavke i šapa

Tipični primjeri



Svinje

/ papci

/ usna duplja



Papci / svinje



Obratite pažnju na
odvajanje papaka, koje je
poznato kao “thimbling”.

Papci / svinje



Lezije se najčešće javljaju na srčanom pojasu.

Usna duplja / svinje



Velika, svježe probijena
vezikula na njušci.

Usna duplja / svinje



Lezija na donjoj usni.

Usna duplja / svinje



Vezikule na njušci.

Goveda


/ usna duplja

/ papci

/ vime



Usna duplja / goveda



Nepuknute vezikule na jeziku

Usna duplja / goveda



Sveže puknuta vezikula
na dentalnoj ploči sa
djelovima epitela.

Usna duplja / goveda



Ruptura na dentalnoj
ploči sa taloženjem
fibrina.

Usna duplja / goveda



Lezija od zarastanja
na dentalnoj ploči,
prekrivena fibrinom.

Papci / goveda



Ruptura lezija na
interdigitalnom prostoru
papka.

Papci / goveda



Ruptura lezija na
interdigitalnom prostoru
papka.

Vime / goveda



Lezija uslijed puknute
vezikule.

Vime / goveda



Nedavno puknuta
vezikula.

Mali preživari

/ usna duplja
/ papci



Usna duplja / mali preživari



Stare lezije na
dentalnoj ploči koze.

Usna duplja / mali preživari



Svježe puknute
vezikule na dentalnoj
ploči koze.

Usna duplja / mali preživari



Svježe puknute vezikule
na jeziku koze.

Papci / mali preživari



Ruptura lezija u interdigitalnom prostoru papka kod koze.

Papci / mali preživari



Kod malih preživara, za razliku od goveda, lezije se obično nalaze na koronarnom pojasu papka.

micro learning

Move FAST

Foot-and-mouth And Similar
Transboundary animal diseases

euFMD

European Commission for the Control
of Foot-and-Mouth disease



Funded by
the European Union