



**Directorate for
Payments**

**Policy Area
Agriculture and Rural
Development**

Version No: 1.0

**UNIT FOR TECHNICAL
AND ECONOMIC
ANALYSIS**

**Ministry of Agriculture, Forestry and Water Management of
Montenegro**

DP-UTEA-00-04

Page 1 of 8

**DP-UTEA-00-04 - INVITATION FOR THE OFFERS/QUOTATIONS FOR
GOODS**

Name of applicant: AGROLOGISTIKA DOO

Measure and number of the Public Call: IPARD III – MEASURE 3- 1st PUBLIC CALL

Project Title - Name of the investment: **Procurement of equipment for the treatment and storage of sunflower meal and specialized trailers**

Date of invitation: 07.05.2025

Number and date of the IPARD Contract _ 09-908/24-21728/21 30.04.2025

Dear Supplier(s),

1. You are invited to submit your offer/quotation(s) with exact prices and quantities for the supply of the following items:

1. CONSTRUCTION AND INSTALLATION OF SILO FOR STORING SUNFLOWER CAKE		
TROUGH CHAIN CONVEYOR - Connecting Section	kit	1
Capacity: 100 t/h		
Bulk density: 0.78 t/m ³		
Transport speed: 0.5 m/s		
Total length: 16 m		
Power: 5.5 kW		
TROUGH CHAIN CONVEYOR - Distribution Section	kit	1
Capacity: 100 t/h		
Bulk density: 0.78 t/m ³		
Transport speed: 0.5 m/s		
Total length: 22.4 m		



Directorate for Payments

Policy Area
Agriculture and Rural
Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

Ministry of Agriculture, Forestry and Water Management of
Montenegro

DP-UTEA-00-04

Page 2 of 8

Power: 9 kW		
Outlet slide gate of chain conveyor	piece	2
Painted frame structure		
Electrically operated		
Driven by toothed rack		
Three-phase motor with reducer, 0.37 kW, 3x400V, 50Hz		
With 2 limit switches for positioning		
Cell	piece	2
Diameter: D=12.83 m		
Roof height: 16.06 m		
Total height: 19.65 m		
Max capacity: 2220 m ³		
Cantilever walkway support , connected to cell wall, made of galvanized steel profiles	piece	4
Ventilation outlet with protective mesh, installed directly on the cell roof	piece	8
Over-silo walkways , complete with side supports	kit	1
Made of galvanized sheet metal		
With perforated steps		
Width: 1.3 m		
Railing height: 1.1 m		
Length: L = 14+29 m		
Screw conveyor for residue removal in cell Ø12.83 m	piece	2
Normal discharge capacity from full silo: max. 20 t/h		
Drive motor: 3.0 kW		
Elastic coupling and angular gearbox		
Discharge beam with conical screw for cleaning and automatic pushing		
Dosing slide gates	piece	4
Square sliding gates 300 x 300		
Volumetric flow regulation with rectangular opening		
Material: galvanized steel		
Outlet slides for silo	piece	2
Rack drive, 0.37 kW		
Three-phase motor with reducer, 3x400V, 50Hz		
With 2 limit switches for positioning		
Cell ventilation system	piece	2



Directorate for Payments

**Policy Area
Agriculture and Rural
Development**

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

**Ministry of Agriculture, Forestry and Water Management of
Montenegro**

DP-UTEA-00-04

Page 3 of 8

Modular galvanized ventilation system for installation in cell foundations with perforated galvanized sheet metal covers		
Centrifugal fan	piece	1
Power: 11 kW		
Capacity: 15,000 m ³ /h		
Pressure: 140 mmH ₂ O		
Mobile fan		
Includes 2.5 m flexible duct		
TROUGH CHAIN CONVEYOR	kit	1
Capacity: 100 t/h		
Bulk density: 0.78 t/m ³		
Transport speed: 0.5 m/s		
Total length: 24.8 m		
Power: 7.5 kW		
TROUGH CHAIN CONVEYOR	kit	1
Capacity: 100 t/h		
Bulk density: 0.78 t/m ³		
Transport speed: 0.5 m/s		
Total length: 15.2 m		
Power: 5.5 kW		
Accessories: Inlet piece: 1 pc, Outlet piece: 1 pc, Supports: 4 pcs		
ASYMMETRICAL FLAP after redler	kit	1
Nominal width: 250 mm		
Surface: hot-dip galvanized		
Operation: electric		
Rack drive, 0.37 kW		
Three-phase motor with reducer, 3x400V, 50Hz		
Gravity pipeline Ø244 mm - made of 4 mm thick sheet	kit	1
Pipe Ø244 mm, total 24 m		
Slope softener Ø244 mm		
Segment Ø244 mm /15° with flanges		
Clamp Ø244 mm		
Sensor unit - each contains sensors:	piece	4
Ultrasonic sensor		
Radar sensor		
Capacitive sensor		
Thermocouple		
Thermistor		



Directorate for Payments

Policy Area
Agriculture and Rural
Development

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

Ministry of Agriculture, Forestry and Water Management of
Montenegro

DP-UTEA-00-04

Page 4 of 8

Humidity sensor		
Carbon dioxide sensor (CO2)		
Pressure sensor		
Vibration sensor		
Anemometer		
Differential pressure sensor		
Optical dust sensor		
SOFTWARE	piece	1
ASSEMBLY MATERIAL	kit	1
INSTALLATION	piece	1
DESIGN	piece	1
2. JUMBO BAG PACKER FOR SUNFLOWER CAKE		
Weighing gallery support	piece	1
Profile pipes 100x100 mm, dimensions approx. 1700 x 2000 x 4300 mm		
Rotary feeder	piece	1
For granular and fine-grained goods, two-stage dosing (coarse-fine)		
Discharge hopper with pneumatic nozzle	piece	1
Double wall, two connections for central aspiration system		
Electrical cabinet	piece	1
Measurement assembly for dosing control, triggered by low material level		
Scale feeding hopper	piece	1
Total volume approx. 2 m ³ , aspiration opening Ø160, visual material level control openings, inspection opening		
Design	piece	1
Installation	piece	1
3. SPECIALIZED FRIGO SYSTEM FOR GRAINS		
summer/winter thermostat, hard wheels from plastic	piece	1
Flexible hose for cooling air (diameter 400 mm, length 3000 mm)	piece	1
Forklift base	piece	1
Electric cable holder	piece	1
Electric heater	piece	1



Directorate for Payments

**Policy Area
Agriculture and Rural
Development**

Version No: 1.0

UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS

**Ministry of Agriculture, Forestry and Water Management of
Montenegro**

DP-UTEA-00-04

Page 5 of 8

Rodent protection grill	piece	1
Protective cap for cooling air	piece	1
Signal light indicator	piece	1
Rotation direction control (indicator)	piece	1
Energy consumption estimation	piece	1
Spare filter	piece	1
Condenser brush	piece	1
Commissioning and training	piece	1
Technical data:		
Max ambient temperature: +43°C, lowest reached temp: +8°C		
Cooling capacity: 220–370 t/24h		
Compressor cooling power: 105 kW at 10°C evaporation, +40°C condensation		
Air flow rates:		
1,000 Pa: 12,500 m ³ /h		
2,000 Pa: 11,200 m ³ /h		
3,000 Pa: 10,000 m ³ /h		
4,000 Pa: 8,800 m ³ /h		
5,000 Pa: 7,700 m ³ /h		
6,000 Pa: 2,000 m ³ /h		
Electrical connection:		
Installed power: 35 kW		
Max current consumption: 109 A		
Power connection: 125 A		
Voltage: 400 V – 3Ph – 50 Hz		
Machine dimensions:		
Length: 2,950 mm (with wheels)		
Width: 1,550 mm		
Height: 2,250 mm (with wheels)		
Weight: 1,500 kg (with wheels)		
Installation	piece	1

Note that the contracted price with Directorate for payment for listed items is 1,643,045.00 EUR.

2. You must quote for all items under this invitation

 Directorate for Payments	Policy Area Agriculture and Rural Development	UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS	
	Version No: 1.0		
Ministry of Agriculture, Forestry and Water Management of Montenegro		DP-UTEA-00-04	Page 6 of 8

Your price quotation must include the name of the purchaser to whom is submitted (name of potential purchaser), must be dated and stamped (if possible) and should be submitted by post, personally (in case of delivery by post or personally the offers must be submitted in 2 identical copies in paper and electronic version in closed envelop with remark: DO NOT OPPEN – offer for the recipient AGROLOGISTIKA DOO- Procurement of equipment for the treatment and storage of sunflower meal and specialized trailers (name of the project) or electronically at the following address:

Directorate for Payments Address

Moskovska 101 81000 Podgorica

E-mail: dostavljanje.ponuda@mpsv.gov.me

Telephone: 00 382 20 672 026; 00 382 67 205 790

3. Your quotation in duplicate and in Montenegrin language, should be accompanied by adequate technical documentation and catalogue(s) and other printed material or pertinent information (in Montenegrin language) for each item quoted, including names and addresses of firms providing service facilities in Montenegro (name of the country).
4. Each bidder must submit only one bid. Bids must be submitted by existing companies which have no proprietary, kinship or partnership with the recipient. The Bidder must also provide proof of registration for the activity for which it is performed

Bidders are responsible for the reality and reasonableness of the amount and truthfulness of the information provided in the offers

5. Rule of origin:

The rule of origin no longer applies for supplies and materials. However, this rule remains as a verification of the entity signing the Agreement. In the case of an entity (Article 11 of Regulation (EU) 2021/1529), it should be established in:

- Member States – 27-member states (Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy,

 <p style="text-align: center;">Directorate for Payments</p>	Policy Area Agriculture and Rural Development	UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS	
	Version No: 1.0		
Ministry of Agriculture, Forestry and Water Management of Montenegro		DP-UTEA-00-04	Page 7 of 8

Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden)

- To users listed in Annex I of Regulation (EU) 2021/1529 - (Algeria, Armenia, Azerbaijan, Belarus, Egypt, Georgia, Israel, Jordan, Lebanon, Libya, Republic of Moldova, Morocco, Occupied Palestinian Territory, Syria, Tunisia, Ukraine) . Union support in this area may also be used for the purpose of enabling the Russian Federation to participate in cross-border cooperation programs and other relevant multi-country indicative programmers, including as referred to in Article 13(6) and Article 21.
- Contracting parties to the Agreement on the European Economic Area (all member countries already listed above and Iceland, Liechtenstein and Norway)
- Countries included in Annex I of Regulation (EU) 2021/947; IPA beneficiary countries - (Albania, Bosnia and Herzegovina, Iceland, Kosovo, Montenegro, Republic of North Macedonia, Republic of Serbia and Republic of Turkey)
- Countries for which the Commission establishes reciprocal access to foreign aid

6. The deadline for receipt of your quotation (s) by the Purchaser at the addressed indicated in Paragraph 2 is: 24.05.2025. (at least 15 days should be given from the date of announcement of the public invitation)

7. Your quotation(s) should be submitted as per the following instructions:

(i) **PRICES:** The prices should be quoted for delivery **CIP** Spuž – Danilovgrad (place of destination) for imported goods or **EXW** for domestically supplied goods plus the price of delivery to the place of destination, according to INCOTERMS, 2010. Prices should be quoted in Euro.

(ii) **EVALUATION OF QUOTATIONS:** Offers determined to be substantially responsive to the minimal technical specifications will be evaluated by comparison of total price.

In evaluating the quotations, the Purchaser will determine for each proposal the evaluated price by adjusting the price quotation by making any correction for any arithmetical errors as follows:

(a) where there is a discrepancy between amounts in figures and in words, the amount in words will govern;

(b) where is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern;

(c) if a Supplier refuses to accept the correction, his quotation will be rejected.

 Directorate for Payments	Policy Area Agriculture and Rural Development	UNIT FOR TECHNICAL AND ECONOMIC ANALYSIS	
	Version No: 1.0		
Ministry of Agriculture, Forestry and Water Management of Montenegro		DP-UTEA-00-04	Page 8 of 8

Also, amounts stated in the offers must will be expressed in EYP, each offer/quotation must clearly indicate if the Value Added Tax (VAT) is included in the price and the amount and percentage of the VAT. The VAT percentage should be indicated for the country of Supplier.

(iii) AWARD OF PURCHASE ORDER: The award will be made to the bidder that meets the required standards of technical and financial capabilities. The successful bidder will sign a Contract with the Purchaser. The Contract has to be signed by both parties and stamped and it should include the stipulations for:

- the date of signing,
- the exact information of the name of the purchaser and the supplier,
- the name of the investment,
- the total price of the investment in figures and in the words without VAT,
- the deadline of the finalization and/or delivery of the investment,
- the warranty deadline and conditions

(iv) VALIDITY OF THE OFFER: Your quotation(s) should be valid for at least a period of forty five (45) days from the deadline for receipt of quotation(s).

8. Further information can be obtained from:

Davor Ćorić

Telephone: +38267241444

Fax: /

E-mail: davor.coric28@gmail.com

Sincerely,

